



SAFETY DATA SHEET
Chockfast Orange Hardener

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Chockfast Orange Hardener
Product number 1560D, 1010U Hardener, 1020U Hardener
REACH registration number 01-2119487919-13-XXXX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Hardener.

1.3. Details of the supplier of the safety data sheet

Supplier

ITW Performance Polymers
 Bay 150
 Shannon Industrial Estate
 Co. Clare
 Ireland
 V14 DF82
 353(61)771500
 353(61)471285
 mail@itwpp.com

1.4. Emergency telephone number

Emergency telephone +44(0)1235 239 670 (24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified
Health hazards Acute Tox. 4 - H312 Skin Corr. 1B - H314 Skin Sens. 1 - H317
Environmental hazards Aquatic Chronic 3 - H412
Human health Corrosive. Prolonged contact causes serious eye and tissue damage.

2.2. Label elements

Pictogram



Signal word

Danger

Chockfast Orange Hardener

| | |
|---|---|
| Hazard statements | H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects. |
| Precautionary statements | P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. |
| Contains | TRIETHYLENETETRAMINE |
| Supplementary precautionary statements | P260 Do not breathe vapour/ spray. P261 Avoid breathing vapour/ spray. P264 Wash contaminated skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P302+P352 IF ON SKIN: Wash with plenty of water. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/ doctor if you feel unwell. P321 Specific treatment (see medical advice on this label). P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P363 Wash contaminated clothing before reuse. P405 Store locked up. P501 Dispose of contents/ container in accordance with national regulations. |

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| | |
|-----------------------------|--|
| TRIETHYLENETETRAMINE | 60-100% |
| CAS number: 112-24-3 | EC number: 203-950-6 |
| | REACH registration number: 01-2119487919-13-0000 |
| Classification | |
| Acute Tox. 4 - H312 | |
| Skin Corr. 1B - H314 | |
| Eye Dam. 1 - H318 | |
| Skin Sens. 1 - H317 | |
| Aquatic Chronic 3 - H412 | |

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|----------------------------|---|
| General information | Do not breathe vapour. Avoid contact with skin and eyes. Chemical burns must be treated by a physician. |
| Inhalation | Move affected person to fresh air at once. Consult a physician for specific advice. |

Chockfast Orange Hardener

| | |
|---------------------|--|
| Ingestion | Do not induce vomiting. Give plenty of water to drink. Get medical attention immediately. |
| Skin contact | Remove affected person from source of contamination. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues. |
| Eye contact | Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|----------------------------|---|
| General information | The severity of the symptoms described will vary dependent on the concentration and the length of exposure. |
|----------------------------|---|

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|-----------------------------|---|
| Notes for the doctor | No specific recommendations. If in doubt, get medical attention promptly. |
|-----------------------------|---|

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|-------------------------------------|--|
| Suitable extinguishing media | Extinguish with the following media: Foam, carbon dioxide or dry powder. Water spray, fog or mist. |
|-------------------------------------|--|

5.2. Special hazards arising from the substance or mixture

| | |
|-------------------------|--|
| Specific hazards | Avoid breathing fire gases or vapours. |
|-------------------------|--|

5.3. Advice for firefighters

| | |
|---|---|
| Protective actions during firefighting | Keep up-wind to avoid fumes. Control run-off water by containing and keeping it out of sewers and watercourses. |
|---|---|

| | |
|--|---|
| Special protective equipment for firefighters | Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. |
|--|---|

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| | |
|-----------------------------|---|
| Personal precautions | Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. |
|-----------------------------|---|

6.2. Environmental precautions

| | |
|----------------------------------|---|
| Environmental precautions | Avoid the spillage or runoff entering drains, sewers or watercourses. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body. |
|----------------------------------|---|

6.3. Methods and material for containment and cleaning up

| | |
|--------------------------------|---|
| Methods for cleaning up | Absorb spillage with non-combustible, absorbent material. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. |
|--------------------------------|---|

6.4. Reference to other sections

| | |
|------------------------------------|---|
| Reference to other sections | Wear protective clothing as described in Section 8 of this safety data sheet. |
|------------------------------------|---|

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| | |
|--------------------------|---|
| Usage precautions | Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products. |
|--------------------------|---|

Chockfast Orange Hardener

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place. Store away from incompatible materials (see Section 10).

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Ingredient comments No exposure limits known for ingredient(s).

TRIETHYLENETETRAMINE (CAS: 112-24-3)

DNEL

Workers - Inhalation; Long term systemic effects: 1 mg/m³
 Workers - Inhalation; Short term systemic effects: 5380 mg/m³
 Workers - Dermal; Long term systemic effects: 0.57 mg/kg/day

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. The selected gloves should have a breakthrough time of at least 8 hours. To protect hands from chemicals, gloves should comply with European Standard EN374.

Other skin and body protection

Wear apron or protective clothing in case of contact.

Hygiene measures

Provide eyewash station and safety shower. Eating, smoking and water fountains prohibited in immediate work area. No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.

Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn. Respirator selection must be based on exposure levels, the hazards of the product and the safe working limits of the selected respirator. Check that the respirator fits tightly and the filter is changed regularly. Wear a respirator fitted with the following cartridge: Gas filter, type A2. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Chockfast Orange Hardener

| | |
|---|---|
| Colour | Colourless to pale yellow. |
| Odour | Ammonia. |
| pH | pH (diluted solution): 12 100g/l water @ 20oC |
| Initial boiling point and range | 277°C @ 760 mm Hg |
| Flash point | 122°C CC (Closed cup). |
| Upper/lower flammability or explosive limits | Lower flammable/explosive limit: N/D Upper flammable/explosive limit: N/D |
| Vapour pressure | <0.001 kPa @ °C |
| Vapour density | 5.0 |
| Relative density | 0.98 @ 20°C |
| Solubility(ies) | Miscible with water. |
| Partition coefficient | : LOG Pow:<0 |
| Auto-ignition temperature | 335°C |
| Viscosity | 30 mPa s @ 20°C |

9.2. Other information

Other information Not available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Strong oxidising agents.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Not available.

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time. Avoid exposure to high temperatures or direct sunlight. Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal decomposition or combustion products may include the following substances: Nitrous gases (NOx). Oxides of the following substances: Carbon dioxide (CO2). Carbon monoxide (CO). Vapours/gases/fumes of: Ammonia or amines.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - dermal

ATE dermal (mg/kg) 1,375.0

Chockfast Orange Hardener

| | |
|---|---|
| Inhalation | Vapours irritate the respiratory system. May cause coughing and difficulties in breathing. |
| Ingestion | Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract. |
| Skin contact | Corrosive. Prolonged contact causes serious tissue damage. |
| Eye contact | This product is strongly corrosive. Immediate first aid is imperative. |
| Acute and chronic health hazards | This product is corrosive. This product may cause skin and eye irritation. Prolonged contact may cause burns. |
| Route of entry | Inhalation Skin absorption Ingestion. |
| Target organs | Central nervous system Respiratory system, lungs Liver Kidneys |

SECTION 12: Ecological Information

Ecotoxicity The product contains substances which are toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

12.1. Toxicity

Acute toxicity - fish LC₅₀, 96 hours: 570 mg/l, Algae

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 31 mg/l, Daphnia magna

Acute toxicity - aquatic plants IC₅₀, 72 hours: 20 mg/l, Fish

12.2. Persistence and degradability

Persistence and degradability The product is not readily biodegradable.

12.3. Bioaccumulative potential

Partition coefficient : LOG Pow:<0

12.4. Mobility in soil

Mobility Not considered mobile.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

Waste class 08 04 99

SECTION 14: Transport information

General No other information known.

14.1. UN number

Chockfast Orange Hardener

| | |
|------------------|------|
| UN No. (ADR/RID) | 2259 |
| UN No. (IMDG) | 2259 |
| UN No. (ICAO) | 2259 |

14.2. UN proper shipping name

| | |
|--------------------------------|----------------------|
| Proper shipping name (ADR/RID) | TRIETHYLENETETRAMINE |
| Proper shipping name (IMDG) | TRIETHYLENETETRAMINE |
| Proper shipping name (ICAO) | TRIETHYLENETETRAMINE |
| Proper shipping name (ADN) | TRIETHYLENETETRAMINE |

14.3. Transport hazard class(es)

| | |
|---------------------|---|
| ADR/RID class | 8 |
| ADR/RID label | 8 |
| IMDG class | 8 |
| ICAO class/division | 8 |

Transport labels



14.4. Packing group

| | |
|-----------------------|----|
| ADR/RID packing group | II |
| IMDG packing group | II |
| ICAO packing group | II |

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

| | |
|--|----------|
| EmS | F-A, S-B |
| Emergency Action Code | 2X |
| Hazard Identification Number (ADR/RID) | 80 |
| Tunnel restriction code | (E) |

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information required.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chockfast Orange Hardener

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

| | |
|----------------------------------|--|
| Revision date | 06/04/2018 |
| Revision | 13 |
| Supersedes date | 03/05/2016 |
| Hazard statements in full | H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects. |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.