

PHILLYCLAD 1775/620TS HARDENER

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	PHILLYCLAD 1775/620TS HARDENER	
Product number	Y0046	
1.2. Relevant identified uses	of the substance or mixture and uses advised against	
Identified uses	Hardener.	
1.3. Details of the supplier of	the safety data sheet	
Supplier		
	ITW Performance Polymers	
	Bay 150	
	Shannon Industrial Estate	
	Co. Clare	
	Ireland	
	V14 DF82	
	353(61)771500	
	353(61)471285	
	mail@itwpp.com	
1.4. Emergency telephone nu	umber	
Emergency telephone	+44(0)1235 239 670 (24h)	
SECTION 2: Hazards identifi	cation	
2.1. Classification of the subs	stance or mixture	
Classification (EC 1272/2008	3)	
Physical hazards	Not Classified	
Health hazards	Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317	
Environmental hazards	Aquatic Chronic 2 - H411	
2.2. Label elements		
Pictogram		
	¥2	
Signal word	Danger	
Hazard statements	H302+H312 Harmful if swallowed or in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects.	

Precautionary statements	 P261 Avoid breathing vapour/ spray. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Contains	TETRAETHYLENEPENTAMINE, 2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL
Supplementary precautionary statements	 P260 Do not breathe vapour/ spray. P264 Wash contaminated skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P302+P352 IF ON SKIN: Wash with plenty of water. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/ doctor if you feel unwell. P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P391 Collect spillage. P405 Store locked up. P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures		
TETRAETHYLENEPENTAMINE		10-30%
CAS number: 112-57-2	EC number: 203-986-2	
Classification		
Acute Tox. 4 - H302		
Acute Tox. 4 - H312		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
Skin Sens. 1 - H317		
Aquatic Chronic 2 - H411		
2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL		1-5%
CAS number: 90-72-2	EC number: 202-013-9	
Classification		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
Skin Sens. 1 - H317		
Aquatic Chronic 3 - H412		

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid me	asures
General information	Avoid contact with eyes. Show this safety data sheet to the doctor in attendance
Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
Ingestion	Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does no enter the lungs. Give plenty of water to drink. Get medical attention.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if irritation persists after washing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention. Get medical attention immediately.
4.2. Most important symptoms	and effects, both acute and delayed
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Ingestion	This product is strongly corrosive. May cause chemical burns in mouth, oesophagus and stomach. May cause severe internal injury.
Skin contact	Burning pain and severe corrosive skin damage.
Eye contact	Severe irritation, burning, tearing and blurred vision. Dust or splashes from the mixture may cause permanent eye damage.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	No specific recommendations. If in doubt, get medical attention promptly.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	Extinguish with foam, carbon dioxide or dry powder.
5.2. Special hazards arising fr	om the substance or mixture
Specific hazards	Irritating gases or vapours.
5.3. Advice for firefighters	
Protective actions during firefighting	Containers close to fire should be removed or cooled with water.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental release	se measures
6.1. Personal precautions, pro	stective equipment and emergency procedures
Personal precautions	Avoid contact with skin and eyes.
6.2. Environmental precaution	<u>s</u>
Environmental precautions	Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Absorb spillage with sand or other inert absorbent. Collect and place in suitable waste disposal containers and seal securely. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.

labelled with correct contents and hazard symbol.

6.4. Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet.

SECTION 7: Handling and storage		
7.1. Precautions for safe handl	ing	
Usage precautions	Use only in well-ventilated areas. Keep away from heat, sparks and open flame. Open drum carefully as content may be under pressure. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.	
7.2. Conditions for safe storage	e, including any incompatibilities	
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10).	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
SECTION 8: Exposure Control	s/personal protection	
8.1. Control parameters		
Ingredient comments	No exposure limits known for ingredient(s).	
8.2. Exposure controls		
Protective equipment		
Appropriate engineering controls	Provide adequate general and local exhaust ventilation. Observe any occupational exposure limits for the product or ingredients.	
Eye/face protection	The following protection should be worn: Chemical splash goggles or face shield. Personal protective equipment for eye and face protection should comply with European Standard EN166.	
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves should comply with European Standard EN374. The selected gloves should have a breakthrough time of at least 8 hours.	
Other skin and body protection	Wear apron or protective clothing in case of contact.	
Hygiene measures	Provide eyewash station and safety shower. Keep away from food, drink and animal feeding stuffs. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Do not eat, drink or smoke when using the product.	
Respiratory protection	Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit. Respirator selection must be based on exposure levels, the hazards of the product and the safe working limits of the selected respirator. Check that the respirator fits tightly and the filter is changed regularly. Wear a respirator fitted with the following cartridge: Gas filter, type A2. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.	

SECTION 9: Physical and Chemical Properties

9.1. Information on basic phys	ical and chemical properties	
Appearance	Liquid.	
Colour	Amber.	
Odour	Ammonia. Amine.	
рН	pH (concentrated solution): Alkaline @ 20 °C	
Melting point	n/d°C	
Initial boiling point and range	>232°C @	
Flash point	>93°C TCC (Tag closed cup).	
Relative density	0.95 - 1.07 @ @ 20 °C°C	
Solubility(ies)	N/A	
9.2. Other information		
Other information	Not available.	
SECTION 10: Stability and rea	activity	
10.1. Reactivity		
Reactivity	Strong oxidising agents.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures and when used as recommended.	
10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	Will not polymerise.	
10.4. Conditions to avoid		
Conditions to avoid	Keep away from heat, sparks and open flame.	
10.5. Incompatible materials		
Materials to avoid	Avoid contact with oxidising agents. Nitrous acid and other nitrosating agents.	
10.6. Hazardous decomposition	on products	
Hazardous decomposition products	Fire or high temperatures create: Nitrous gases (NOx). Oxides of the following substances: Carbon monoxide (CO). Carbon dioxide (CO2). Vapours/gases/fumes of: Ammonia or amines.	
SECTION 11: Toxicological information		
11.1. Information on toxicologi	ical effects	
Acute toxicity - oral	500.0	
ATE oral (mg/kg)	500.0	
<u>Acute toxicity - dermal</u> ATE dermal (mg/kg)	1,100.0	
שיישיין יישייין איישייין אוישייין אוישייין אוישייין איישייין איישייין איישייין איישיין איישיין איישיין איישייי		
Inhalation	May cause damage to mucous membranes in nose, throat, lungs and bronchial system. Nausea, vomiting.	

9.1. Information on basic physical and chemical properties

Ingestion	Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract.
Skin contact	Severe skin irritation.
Eye contact	May cause severe eye irritation. Risk of serious damage to eyes.
Route of entry	Skin and/or eye contact Skin absorption Inhalation

TETRAETHYLENEPENTAMINE

	Acute toxicity - oral	
	Acute toxicity oral (LD₅₀ mg/kg)	3,990.0
	Species	Rat
	ATE oral (mg/kg)	500.0
		2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL
	Acute toxicity - oral	
	Acute toxicity oral (LD₅₀ mg/kg)	2,169.0
	Species	Rat
SECTION 1	2: Ecological Information	
Ecotoxicity		duct contains a substance which is harmful to aquatic organisms and which may ong-term adverse effects in the aquatic environment.
12.1. Toxici	ty	
Toxicity	Not considered toxic to fish.	
		TETRAETHYLENEPENTAMINE
	Acute toxicity - fish	LC₅₀, 96 hour: 420 mg/l, Poecilia reticulata (Guppy)
	Acute toxicity - aquatic invertebrates	LC₅₀, 48 hour: 24 mg/l, Daphnia magna
	Acute toxicity - aquatic plants	LC₅₀, 72 hour: 2 mg/l, Pseudokirchneriella subcapitata
		2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL
	Acute toxicity - fish	LC₅₀, 96 hour: 175 mg/l, Cyprinus carpio (Common carp)
	Acute toxicity - aquatic plants	LC₅₀, 72 hour: 84 mg/l, Desmodesmus subspicatus
12.2. Persis	tence and degradability	
Persistence	and degradability There a	re no data on the degradability of this product.
12.3. Bioaco	cumulative potential	
Bioaccumul	ative potential No data	available on bioaccumulation.
12.4. Mobili	ty in soil	

Mobility	Avoid the spillage or runoff entering drains, sewers or watercourses.	
12.5. Results of PBT and vPvB assessment		
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
12.6. Other adverse effects		
Other adverse effects	Not available.	
SECTION 13: Disposal consid	erations	
13.1. Waste treatment method	<u> s</u>	
General information	When handling waste, the safety precautions applying to handling of the product should be considered.	
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.	
Waste class	08 04 09	
SECTION 14: Transport inform	nation	
14.1. UN number		
UN No. (ADR/RID)	1760	
UN No. (IMDG)	1760	
UN No. (ICAO)	1760	
UN No. (ADN)	1760	
14.2. UN proper shipping nam	e	
Proper shipping name (ADR/RID)	CORROSIVE LIQUID, N.O.S.(AMIDOAMINE)	
Proper shipping name (IMDG)	CORROSIVE LIQUID, N.O.S.(AMIDOAMINE)	
Proper shipping name (ICAO)	CORROSIVE LIQUID, N.O.S.(AMIDOAMINE)	
Proper shipping name (ADN)	CORROSIVE LIQUID, N.O.S.(AMIDOAMINE)	
14.3. Transport hazard class(e	<u>es)</u>	
ADR/RID class	8	
ADR/RID classification code	C9	
ADR/RID label	8	
IMDG class	8	
ICAO class/division	8	
ADN class	8	
Transport labels		



ADR/RID packing group	III	
IMDG packing group	III	
ADN packing group	III	
ICAO packing group	III	
14.5. Environmental hazards		
Environmentally hazardous substance/marine pollutant No.		
14.6. Special precautions for user		
EmS	F-A, S-B	
ADR transport category	3	
Emergency Action Code	2X	
Hazard Identification Number (ADR/RID)	80	
Tunnel restriction code	(E)	
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code		
SECTION 15: Regulatory information		

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

Revision comments	Revised formulation.
Revision date	06/04/2018
Revision	8
Supersedes date	27/09/2017
Hazard statements in full	 H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.



SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	PHILLYCLAD 1775/620TS RESIN	
Product number	3461R	
1.2. Relevant identified uses	of the substance or mixture and uses advised against	
Identified uses	Resin.	
1.3. Details of the supplier of	1.3. Details of the supplier of the safety data sheet	
Supplier		
	ITW Performance Polymers	
	Bay 150	
	Shannon Industrial Estate Co. Clare	
	Ireland	
	V14 DF82	
	353(61)771500	
	353(61)471285	
	mail@itwpp.com	
1.4. Emergency telephone nu	mber	
Emergency telephone	+44(0)1235 239 670 (24h)	
SECTION 2: Hazards identified	cation	
2.1. Classification of the subs	tance or mixture	
Classification (EC 1272/2008)		
Physical hazards	Not Classified	
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317	
Environmental hazards	Aquatic Chronic 2 - H411	
Environmental	The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.	
2.2. Label elements		
Pictogram		
Signal word	Warning	

Hazard statements	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	 P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
Supplemental label information	EUH205 Contains epoxy constituents. May produce an allergic reaction.
Contains	EPOXY RESIN (Number average MW <= 700)
Supplementary precautionary statements	 P261 Avoid breathing vapour/ spray. P264 Wash contaminated skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P321 Specific treatment (see medical advice on this label). P332+P313 If skin irritation occurs: Get medical advice/ attention. P337+P313 If eye irritation persists: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P391 Collect spillage. P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

EPOXY RESIN (Number average	e MW <= 700)	60-100
CAS number: 25068-38-6	EC number: 500-033-5	REACH registration number: 01- 2119456619-26-0000
Classification		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
Skin Sens. 1 - H317		
Aquatic Chronic 2 - H411		

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
Inhalation	Move affected person to fresh air at once. For breathing difficulties, oxygen may be necessary. Get medical attention if any discomfort continues.

Ingestion	Rinse mouth thoroughly with water. Give plenty of water to drink. Give milk instead of water if readily available. Keep affected person under observation. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Rinse immediately with plenty of water. Get medical attention if irritation persists after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.
4.2. Most important symptoms	and effects, both acute and delayed
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
4.3. Indication of any immediat	e medical attention and special treatment needed
Notes for the doctor	No specific recommendations. If in doubt, get medical attention promptly.
SECTION 5: Firefighting meas	ures
5.1. Extinguishing media	
Suitable extinguishing media	Extinguish with foam, carbon dioxide or dry powder.
5.2. Special hazards arising fro	om the substance or mixture
Specific hazards	Toxic gases or vapours.
5.3. Advice for firefighters	
Protective actions during firefighting	Burns only if pre-heated. (1) In confined or poorly-ventilated spaces, a supplied-air respirator must be worn. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, prot	ective equipment and emergency procedures
Personal precautions	Avoid inhalation of vapours and contact with skin and eyes. Eliminate all sources of ignition. Provide adequate ventilation.
6.2. Environmental precautions	3
Environmental precautions	Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.
6.3. Methods and material for containment and cleaning up	
Methods for cleaning up	Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.
6.4. Reference to other section	<u>s</u>
Reference to other sections	Wear protective clothing as described in Section 8 of this safety data sheet.
SECTION 7: Handling and stor	age

7.1. Precautions for safe handling

Usage precautions	Avoid contact with skin and eyes. Avoid eating, drinking and smoking when using the product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Contaminated clothing and shoes must be discarded.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10).	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
SECTION 8: Exposure Contro	Is/personal protection	
8.1. Control parameters		
Ingredient comments	No exposure limits known for ingredient(s).	
	EPOXY RESIN (Number average MW <= 700) (CAS: 25068-38-6)	
DNEL	Workers - Dermal; Short term systemic effects: 8.33 mg/kg/day Workers - Inhalation; Short term systemic effects: 12.25 mg/m ³	
8.2. Exposure controls		
Protective equipment		
Appropriate engineering controls	Provide adequate general and local exhaust ventilation. Observe any occupational exposure limits for the product or ingredients.	
Eye/face protection	Wear tight-fitting, chemical splash goggles or face shield. Personal protective equipment for eye and face protection should comply with European Standard EN166.	
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves should comply with European Standard EN374. The selected gloves should have a breakthrough time of at least 8 hours.	
Other skin and body protection	Wear apron or protective clothing in case of contact.	
Hygiene measures	Provide eyewash station and safety shower. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.	
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn. Respirator selection must be based on exposure levels, the hazards of the product and the safe working limits of the selected respirator. Check that the respirator fits tightly and the filter is changed regularly. Wear a respirator fitted with the following cartridge: Organic vapour filter. Gas filter, type A2. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.	

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance

Viscous liquid.

Odour	Almost odourless.
рН	pH (concentrated solution): NEUTRAL
Melting point	N/D°C
Initial boiling point and range	>260°C @
Flash point	>204°C
Vapour density	>1
Relative density	1.19 @ °C
Solubility(ies)	Slightly soluble in water.
9.2. Other information	
Other information	Not available.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	Acids. Strong oxidising agents.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended.
10.3. Possibility of hazardous reactions	
Possibility of hazardous reactions	Will not polymerise.
10.4. Conditions to avoid	
Conditions to avoid	Avoid heat, flames and other sources of ignition.
10.5. Incompatible materials	
Materials to avoid	Strong acids. Strong oxidising agents. Alkalis - organic.
10.6. Hazardous decomposition	on products
Hazardous decomposition products	When heated, vapours/gases hazardous to health may be formed.
SECTION 11: Toxicological in	formation
11.1. Information on toxicologi	cal effects
Inhalation	Unlikely to be hazardous by inhalation because of the low vapour pressure of the product at ambient temperature.
Ingestion	May cause discomfort if swallowed.
Skin contact	Slightly irritating. May cause sensitisation by skin contact.
Eye contact	Irritating to eyes.
Route of entry	Skin and/or eye contact
SECTION 12: Ecological Information	
Ecotoxicity	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Ecotoxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

12.1. Toxicity

Toxicity	Very toxic to aquatic organisms.
12.2. Persistence and degradability	
Persistence and degradability	There are no data on the degradability of this product.
12.3. Bioaccumulative potentia	<u>d</u>
Bioaccumulative potential	No data available on bioaccumulation.
12.4. Mobility in soil	
Mobility	Avoid the spillage or runoff entering drains, sewers or watercourses.
12.5. Results of PBT and vPvE	3 assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	Not available.
SECTION 13: Disposal conside	erations
13.1. Waste treatment method	<u>S</u>
General information	When handling waste, the safety precautions applying to handling of the product should be considered.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Waste class	08 04 99
SECTION 14: Transport information	
SECTION 14: Transport inform	nation
SECTION 14: Transport inform	No other information known.
General	
General 14.1. UN number	No other information known.
General <u>14.1. UN number</u> UN No. (ADR/RID)	No other information known. 3082
General <u>14.1. UN number</u> UN No. (ADR/RID) UN No. (IMDG)	No other information known. 3082 3082 3082
General <u>14.1. UN number</u> UN No. (ADR/RID) UN No. (IMDG) UN No. (ICAO)	No other information known. 3082 3082 3082
General <u>14.1. UN number</u> UN No. (ADR/RID) UN No. (IMDG) UN No. (ICAO) <u>14.2. UN proper shipping name</u> (ADR/RID)	No other information known. 3082 3082 3082 <u>9</u> ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN
General <u>14.1. UN number</u> UN No. (ADR/RID) UN No. (IMDG) UN No. (ICAO) <u>14.2. UN proper shipping name</u> (ADR/RID)	No other information known. 3082 3082 3082 e ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN (Number average MW <= 700)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN (Number average MW <= 700))
General <u>14.1. UN number</u> UN No. (ADR/RID) UN No. (IMDG) UN No. (ICAO) <u>14.2. UN proper shipping name</u> (ADR/RID) Proper shipping name (IMDG)	No other information known. 3082 3082 3082 e ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN (Number average MW <= 700)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN (Number average MW <= 700)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN
General <u>14.1. UN number</u> UN No. (ADR/RID) UN No. (IMDG) UN No. (ICAO) <u>14.2. UN proper shipping name</u> (ADR/RID) Proper shipping name (IMDG) Proper shipping name (ICAO)	No other information known. 3082 3082 3082 9 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN (Number average MW <= 700)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN (Number average MW <= 700)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN (Number average MW <= 700)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN (Number average MW <= 700))
General <u>14.1. UN number</u> UN No. (ADR/RID) UN No. (IMDG) UN No. (ICAO) <u>14.2. UN proper shipping name</u> (ADR/RID) Proper shipping name (IMDG) Proper shipping name (ICAO) Proper shipping name (ADN)	No other information known. 3082 3082 3082 9 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN (Number average MW <= 700)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN (Number average MW <= 700)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN (Number average MW <= 700)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN (Number average MW <= 700))
General <u>14.1. UN number</u> UN No. (ADR/RID) UN No. (IMDG) UN No. (ICAO) <u>14.2. UN proper shipping name</u> (ADR/RID) Proper shipping name (IMDG) Proper shipping name (ICAO) Proper shipping name (ADN) <u>14.3. Transport hazard class(e</u>	No other information known. 3082 3082 3082 e ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN (Number average MW <= 700)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN (Number average MW <= 700)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN (Number average MW <= 700)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN (Number average MW <= 700)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN (Number average MW <= 700))
General <u>14.1. UN number</u> UN No. (ADR/RID) UN No. (IMDG) UN No. (ICAO) <u>14.2. UN proper shipping name</u> (ADR/RID) Proper shipping name (IMDG) Proper shipping name (IMDG) Proper shipping name (ICAO) Proper shipping name (ADN) <u>14.3. Transport hazard class(er</u> ADR/RID class	No other information known. 3082 3082 3082 3082 2 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN (Number average MW <= 700)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN (Number average MW <= 700)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN (Number average MW <= 700)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN (Number average MW <= 700)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN (Number average MW <= 700))

ICAO class/division

Transport labels



14.4. Packing group	
ADR/RID packing group	Ш
IMDG packing group	
ICAO packing group	Ш

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

9



14.6. Special precautions for user

EmS F-A, S-F

Emergency Action Code •3Z

Hazard Identification Number 90 (ADR/RID)

Tunnel restriction code

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

(E)

Transport in bulk according to No information required. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information	
Revision date	06/04/2018
Revision	7
Supersedes date	03/05/2016
Hazard statements in full	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.