### SAFETY DATA SHEET

Version # 10

Issue date: 06-24-2013 Revision date: 07-27-2023 Supersedes date: 07-16-2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

Phillymastic TG-7B Paste Resin

Registration number

None. Synonyms SKU# 3331R

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available. Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

**ITW Performance Polymers Company Name** 

Bay 150 Address

Shannon Industrial Estate

Co. Clare Ireland V14 DF82

**Contact Person Customer Service Telephone Number** 353(61)771500 353(61)471285

customerservice.shannon@itwpp.com **Fmail** 

**Emergency Phone Number** 44(0) 1235 239 670 (24 hours)

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

**Austria National Poisons** 

Information Center

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Belgium National Poisons** 

**Control Center** 

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Bulgaria National** 

**Toxicological Information** 

Center

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Croatia Poisons Information Center**  +385 1 2348 342 (Hours of operation not provided. SDS/Product information may

not be available for the Emergency Service.)

**Cyprus Poison Center** 

1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

**Czech Republic National Poisons Information** 

Center

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

**Denmark National Poisons** 

**Control Center** 

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Estonia National Poisons Information Center** 

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

**Finland National Poison** Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**France National Poisons Control Center** 

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Material name: Phillymastic TG-7B Paste Resin

#### 1.4. Emergency telephone number

**Greece Poison Information** Centre

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

**Hungary National Emergency Phone Number**  +36-80-201-199 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Iceland Poison Center** 

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Latvia Emergency medical

aid

113

Latvia Poison and Drug Information Center

+371 67042473 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department** 

2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

**Netherlands National Poisons Information** Center (NVIC)

NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel

in cases of acute intoxications)

**Norway Norwegian Poison Information Center** 

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Portugal Poison Center** 

800 250 250 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

available for the Emergency Service.)

**Slovakia National Toxicological Information** Center

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

**Spain Toxicology Information Service**  + 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

**Sweden National Poison Information Center** 

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

**Switzerland Tox Info** Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Regulation (EC) No 1272/2008 as amended

#### Health hazards

Skin corrosion/irritation Category 2 H315 - Causes skin irritation. Serious eye damage/eye irritation Category 2 H319 - Causes serious eye

irritation.

Skin sensitization H317 - May cause an allergic skin Category 1

reaction.

**Environmental hazards** 

Hazardous to the aquatic environment, Category 2 H411 - Toxic to aquatic life with

long lasting effects. long-term aquatic hazard

### 2.2. Label elements

3331R Version #: 10 Revision date: 07-27-2023 Issue date: 06-24-2013

### Label according to Regulation (EC) No. 1272/2008 as amended

UFI:

Austria: JAE0-90T2-100F-CPEP Belgium: JAE0-90T2-100F-CPEP Bulgaria: JAE0-90T2-100F-CPEP Croatia: JAE0-90T2-100F-CPEP Cyprus: JAE0-90T2-100F-CPEP

Czech Republic: JAE0-90T2-100F-CPEP Denmark: JAE0-90T2-100F-CPEP Estonia: JAE0-90T2-100F-CPEP EU: JAE0-90T2-100F-CPEP Finland: JAE0-90T2-100F-CPEP France: JAE0-90T2-100F-CPEP Germany: JAE0-90T2-100F-CPEP Greece: JAE0-90T2-100F-CPEP Hungary: JAE0-90T2-100F-CPEP Iceland: JAE0-90T2-100F-CPEP Ireland: JAE0-90T2-100F-CPEP Italy: JAE0-90T2-100F-CPEP Latvia: JAE0-90T2-100F-CPEP Lithuania: JAE0-90T2-100F-CPEP Luxembourg: JAE0-90T2-100F-CPEP Malta: JAE0-90T2-100F-CPEP Netherlands: JAE0-90T2-100F-CPEP Norway: JAE0-90T2-100F-CPEP

Norway: JAE0-90T2-100F-CPEP Poland: JAE0-90T2-100F-CPEP Portugal: JAE0-90T2-100F-CPEP Romania: JAE0-90T2-100F-CPEP Slovakia: JAE0-90T2-100F-CPEP Slovenia: JAE0-90T2-100F-CPEP Spain: JAE0-90T2-100F-CPEP Sweden: JAE0-90T2-100F-CPEP

Contains: 1,2-benzenedicarboxylic Acid, Mixed Decyl And Hexyl And Octyl Diesters, reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700), Talc

**Hazard pictograms** 



Signal word Warning

**Hazard statements** 

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements** 

Prevention

P261 Avoid breathing mist/vapors.
P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.
P280 Wear eye protection/face protection.

P280 Wear protective gloves.

Response

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage. **Storage** Not available.

**Disposal** 

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information 66% of the mixture consists of component(

66% of the mixture consists of component(s) of unknown acute inhalation toxicity. 95% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 36% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

#### 2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)	30 - 60	25068-38-6 500-033-5	01-2119456619-26-0000	603-074-00-8	
	Skin Irrit. 2 Chronic 2;		819, Skin Sens. 1;H317, Aqւ	ıatic	
Specific Concentration Limits:	Skin Irrit. 2	2;H315: C ≥ 5 %, Eye	Irrit. 2;H319: C ≥ 5 %		
Talc	10 - 30	14807-96-6 238-877-9	-	-	
Classification:	Carc. 2;H3	51			
1,2-benzenedicarboxylic Acid, Mixed Decyl And Hexyl And Octyl Diesters	5 - 10	68648-93-1 272-013-1	-	-	
Classification:	_				

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

Other components below reportable

M: M-factor

levels

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The full text for all H-statements is displayed in section 16. Composition comments

< 5

### **SECTION 4: First aid measures**

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis.

Rash.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

### **SECTION 5: Firefighting measures**

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

3331R Version #: 10 Revision date: 07-27-2023 Issue date: 06-24-2013

Do not use water jet as an extinguisher, as this will spread the fire.

media

media

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Material name: Phillymastic TG-7B Paste Resin

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing

appropriate protective clothing. Do not touch or walk through spilled material.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing mist/vapors. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS

protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances Hazard categories in accordance with Regulation (EC) No 1272/2008

- E2 Hazardous to the Aquatic Environment Chronic (Lower-tier requirements = 200 tons;

Value

Form

Upper-tier requirements = 500 tons)

7.3. Specific end use(s) Observe industrial sector guidance on best practices.

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

### Occupational exposure limits

Austria. MAK List, OEI	Ordinance (GwV)	, BGBI. II, no.	184/2001, a	s amended
Components		Typo		

Componento	1,700	Value	
Talc (CAS 14807-96-6)	MAK	2 mg/m3	Respirable fraction.
	STEL	20 mg/m3	Inhalable fraction.
		10 mg/m3	Respirable fraction.

## Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 - Chemical agents, as amended

Components	Туре	Value	
Talc (CAS 14807-96-6)	TWA	2 mg/m3	

# Bulgaria. OELs. Ordinance No 13 on protection of workers against risks of exposure to chemical agents at work, as amended

Components	Туре	Value	Form
Talc (CAS 14807-96-6)	TWA	1 fibers/cm3	Respirable fraction.
		6 mg/m3	Inhalable fraction.
		3 mg/m3	Respirable fraction.

Material name: Phillymastic TG-7B Paste Resin

Components	(NN 91/2018), as amended Type	Value	Form
Talc (CAS 14807-96-6)	MAC	1 mg/m3	Respirable dust.
Cyprus. OELs. Control of factory Components	y atmosphere and dangerous su Type	bstances in factories regulatio Value	on, PI 311/73, as amend
Talc (CAS 14807-96-6)	TWA	706 part/cm3	
Czech Republic. Occupational ex 361/2007, Annex 2, Part A & Ann	ex 3, Part A, as amended)	Is at work (Decree on protection	on of health at work,
Components	Type	Value	
Гalc (CAS 14807-96-6)	TWA	2 mg/m3	Respirable dust. Total dust.
Denmark. Work Environment Au Components	thority. Exposure Limits for Sub Type	10 mg/m3 pstances & Materials, Annex 2 Value	Form
1,2-benzenedicarboxylic Acid, Mixed Decyl And Hexyl And Octyl Diesters (CAS 68648-93-1)	TLV	3 mg/m3	
Talc (CAS 14807-96-6)	TLV	0,003 fibers/cm3	Fiber.
Estonia. OELs. Occupational Ex Components	posure Limits of Hazardous Sub Type	ostances (Regulation No. 105/2 Value	001, Annex), as amend
1,2-benzenedicarboxylic Acid, Mixed Decyl And Hexyl And Octyl Diesters (CAS 68648-93-1)	STEL	5 mg/m3	
	TWA	3 mg/m3	
Finland. HTP-arvot, App 3., Bind Components	ing Limit Values, Social Affairs a Type	and Ministry of Health Value	Form
Talc (CAS 14807-96-6)	TWA	2 mg/m3	Inhalable dust.
		1 mg/m3	Respirable.
France. Threshold Limit Values ( Components	(VLEP) for Occupational Exposu Type	ıre to Chemicals in France, INF Value	RS ED 984 Form
Talc (CAS 14807-96-6)	VME	4 mg/m3	Total dust.
Regulatory status: Regula	tory binding (VRC)		
		0,9 mg/m3	Respirable dust.
Regulatory status: Regula	tory binding (VRC)		
Germany. DFG MAK List (adviso in the Work Area (DFG), as upda		nvestigation of Health Hazards	of Chemical Compoun
	tou		
• • •	Туре	Value	Form
Components Talc (CAS 14807-96-6)	<b>Type</b> TWA	Value 4 mg/m3	Form Inhalable dust.
Components Talc (CAS 14807-96-6) Germany. TRGS 900, Limit Value	TWA	4 mg/m3	Inhalable dust.
Components Talc (CAS 14807-96-6) Germany. TRGS 900, Limit Value Components	TWA es in the Ambient Air at the Worl Type	4 mg/m3 kplace Value	Inhalable dust.
Components Talc (CAS 14807-96-6) Germany. TRGS 900, Limit Value Components	TWA	4 mg/m3  kplace  Value  10 mg/m3	Inhalable dust.  Form  Inhalable fraction.
Components Talc (CAS 14807-96-6) Germany. TRGS 900, Limit Value Components	TWA es in the Ambient Air at the Worl Type	4 mg/m3 kplace Value	Inhalable dust.
Components  Falc (CAS 14807-96-6)  Germany. TRGS 900, Limit Value Components  Falc (CAS 14807-96-6)  Greece. OELs, Presidential Decre	TWA es in the Ambient Air at the Worl Type  AGW	4 mg/m3  kplace  Value  10 mg/m3	Inhalable dust.  Form  Inhalable fraction.
Components  Talc (CAS 14807-96-6)  Germany. TRGS 900, Limit Value Components  Talc (CAS 14807-96-6)  Greece. OELs, Presidential Decre Components	TWA es in the Ambient Air at the Worl Type  AGW eee No. 307/1986, as amended	4 mg/m3 kplace Value 10 mg/m3 1,25 mg/m3	Inhalable dust.  Form  Inhalable fraction.  Respirable fraction.
Components  Talc (CAS 14807-96-6)  Germany. TRGS 900, Limit Value Components  Talc (CAS 14807-96-6)  Greece. OELs, Presidential Decre Components	TWA es in the Ambient Air at the Worl Type AGW eee No. 307/1986, as amended Type	4 mg/m3  kplace  Value  10 mg/m3 1,25 mg/m3  Value	Inhalable dust.  Form  Inhalable fraction.  Respirable fraction.  Form
Components	TWA es in the Ambient Air at the Worl Type  AGW eee No. 307/1986, as amended Type  TWA	4 mg/m3  kplace  Value  10 mg/m3 1,25 mg/m3  Value  2 mg/m3 10 mg/m3	Inhalable dust.  Form  Inhalable fraction. Respirable fraction.  Form  Respirable. Inhalable

Talc (CAS 14807-96-6)	TWA	0,3 fibers/cm3	Fiber.
1410 (0/10 1 1007 00 0)	1777	5 mg/m3	Respirable dust.
		10 mg/m3	Total dust.
Ireland. OELVs, Schedules 1 & 2, Components	Code of Practice for Chemical	· ·	
Talc (CAS 14807-96-6)	TWA	10 mg/m3	Total inhalable dust.
,		0,8 mg/m3	Respirable dust.
Italy. OELs (Legislative Decree n. Components	81, 9 April 2008), as amended Type	Value	Form
Talc (CAS 14807-96-6)	TWA	2 mg/m3	Respirable fraction.
,		•	•
Lithuania. OELs. Occupational Ex V-824/A1-389), as amended	(posure Limit Values for Chem	nical Substances (Hygiene Norr	n HN 23:2011; Order No
Components	Туре	Value	Form
1,2-benzenedicarboxylic Acid, Mixed Decyl And Hexyl And Octyl Diesters (CAS 68648-93-1)	STEL	5 mg/m3	
	TWA	3 mg/m3	
Talc (CAS 14807-96-6)	TWA	2 mg/m3	Inhalable fraction.
		1 mg/m3	Respirable fraction.
Netherlands. OELs per Annex XIII amended	of Working Conditions Regul	ation (Staatscourant no. 252, 2	9 December 2006), as
Components	Туре	Value	Form
Talc (CAS 14807-96-6)	TWA	0,25 mg/m3	Respirable dust.
Norway. Regulation No. 1358 on I Infection Groups for Biological Fa		Physical and Chemical Factor	s in Work Environment
Components	Туре	Value	Form
Talc (CAS 14807-96-6)	TLV	6 mg/m3	Total dust.
		2 mg/m3	Respirable dust.
Poland. Maximum permissible co 1286/2018, Annex 1)	ncentrations and intensities o	f harmful factors in the work er	nvironment (Dz.U.Poz.
Components	Туре	Value	Form
Talc (CAS 14807-96-6)	TWA	4 mg/m3	Inhalable fraction.
		1 mg/m3	Respirable fraction.
Portugal. VLEs. Norm on occupat Components	tional exposure to chemical ag Type	gents (NP 1796-2014) Value	Form
Talc (CAS 14807-96-6)	TWA	2 mg/m3	Respirable fraction.
Romania. OELs. Limit Values of C amended)	Chemical Agents at Workplace	(Regulation 1.218/2006, M.O 84	45, Annex 1, 3&4, as
Components	Туре	Value	Form
Talc (CAS 14807-96-6)	TWA	2 mg/m3	Respirable fraction.
	ssible exposure limits for chen	nical factors in workplace air (F	Regulation No 355/2006,
Annex 1, Table 1, as amended)	Туре	Value	Form
Annex 1, Table 1, as amended) Components	<b>Type</b> TWA	Value 2 mg/m3	Form  Respirable fraction.
Slovakia. OELs. Maximum permis Annex 1, Table 1, as amended) Components Talc (CAS 14807-96-6)			

Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Workers from Risks due to Exp. to Chemicals at Work Annex I) as amended

Components	Туре	Value	Form
Talc (CAS 14807-96-6)	TWA	10 mg/m3	Inhalable fraction.
		1,25 mg/m3	Respirable fraction.

### Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales

Components	Туре	Value	Form
Talc (CAS 14807-96-6)	TWA	2 mg/m3	Respirable fraction.

# Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as

Components	Туре	Value	Form
1,2-benzenedicarboxylic Acid, Mixed Decyl And Hexyl And Octyl Diesters (CAS 68648-93-1)	STEL	5 mg/m3	
	TWA	3 mg/m3	
Talc (CAS 14807-96-6)	TWA	2 mg/m3	Total dust.
		1 mg/m3	Respirable dust.
Switzerland. SUVA Grenzwerte a	ım Arbeitsplatz: Aktuelle MAK-\	Werte	
Components	Туре	Value	Form
Talc (CAS 14807-96-6)	TWA	3 mg/m3	Respirable fraction.
UK. OELs. Workplace Exposure	Limits (WELs) (EH40/2005 (Fou	rth Edition 2020)), Table 1	
Components	Type	Value	Form

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

TWA

Follow standard monitoring procedures.

**Recommended monitoring** 

Talc (CAS 14807-96-6)

procedures

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs) Not available.

### 8.2. Exposure controls

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

1 mg/m3

#### Individual protection measures, such as personal protective equipment

**General information** Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin protection

Wear appropriate chemical resistant gloves. - Hand protection

- Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection

Wear appropriate thermal protective clothing, when necessary.

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

**Environmental exposure** 

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable

Respirable dust.

#### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state Liquid.

Form Liquid. Viscous.

Color Off-white
Odor Aromatic.

Melting point/freezing point Not available.

Boiling point or initial boiling Not available.

point and boiling range

Flammability Not applicable.

Flash point >339,8 °F (>171,0 °C)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.pHNot available.Kinematic viscosityNot available.

Solubility

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water) (log value)

Vapor pressure 0,00001 hPa

Density and/or relative density

Density1,75 g/cm3Vapor densityNot available.Particle characteristicsNot available.

9.2. Other information

**9.2.1. Information with regard** No re

to physical hazard classes

No relevant additional information available.

**9.2.2. Other safety characteristics**Specific gravity
1,75

### **SECTION 10: Stability and reactivity**

**10.1. Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**10.4. Conditions to avoid**Contact with incompatible materials.

10.5. Incompatible materials Strong oxidizing agents.

**10.6. Hazardous** No hazardous decomposition products are known.

decomposition products

### **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

**Skin contact** Causes skin irritation. May cause an allergic skin reaction.

**Eye contact** Causes serious eye irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

**Symptoms** Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction.

Dermatitis. Rash.

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not known.

**Skin corrosion/irritation** Causes skin irritation.

Serious eye damage/eye Causes serious eye irritation.

irritation

Material name: Phillymastic TG-7B Paste Resin

3331R Version #: 10 Revision date: 07-27-2023 Issue date: 06-24-2013

Respiratory sensitization Due to partial or complete lack of data the classification is not possible.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible.

Carcinogenicity Due to partial or complete lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

Talc (CAS 14807-96-6) 2B Possibly carcinogenic to humans.

3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. **Aspiration hazard** 

Mixture versus substance

information

No information available.

11.2. Information on other hazards

**Endocrine disrupting** 

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Other information Not available.

### **SECTION 12: Ecological information**

12.1. Toxicity Toxic to aquatic life with long lasting effects. Based on available data, the classification criteria are

not met for hazardous to the aquatic environment, acute hazard.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

No data available 12.3. Bioaccumulative potential **Partition coefficient** 

n-octanol/water (log Kow)

Not available.

**Bioconcentration factor (BCF)** Not available. No data available. 12.4. Mobility in soil

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

12.7. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Dispose of in accordance with local regulations. Empty containers or liners may retain some Residual waste

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow Disposal methods/information

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

**Special precautions** Dispose in accordance with all applicable regulations.

#### **SECTION 14: Transport information**

14.1. UN number UN3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: 14.2. UN proper shipping bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)) name 14.3. Transport hazard class(es) 9 Class Subsidiary risk 9 Label(s) Hazard No. (ADR) 90 Ε **Tunnel restriction code** Ш 14.4. Packing group 14.5. Environmental hazards No. Read safety instructions, SDS and emergency procedures before handling. 14.6. Special precautions for user **RID** 14.1. UN number UN3082 14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: name bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)) 14.3. Transport hazard class(es) Class 9 Subsidiary risk Label(s) 9 14.4. Packing group Ш 14.5. Environmental hazards No. Read safety instructions, SDS and emergency procedures before handling. 14.6. Special precautions for user **ADN** 14.1. UN number UN3082 14.2. UN proper shipping Environmentally Hazardous Liquid, N.o.s. (reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)) name 14.3. Transport hazard class(es) Class 9 Subsidiary risk 9 Label(s) 14.4. Packing group Ш 14.5. Environmental hazards No. Read safety instructions, SDS and emergency procedures before handling. 14.6. Special precautions for user **IATA** 14.1. UN number UN3082 Environmentally hazardous substance, liquid, n.o.s. (reaction product: 14.2. UN proper shipping bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)) name 14.3. Transport hazard class(es) 9 Class Subsidiary risk Ш 14.4. Packing group 14.5. Environmental hazards No. **ERG Code** Read safety instructions, SDS and emergency procedures before handling. 14.6. Special precautions for user Other information Allowed with restrictions. Passenger and cargo aircraft Allowed with restrictions. Cargo aircraft only **IMDG** 14.1. UN number UN3082 14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)), MARINE name **POLLUTANT** 14.3. Transport hazard class(es) 9 Class Subsidiary risk Ш 14.4. Packing group 14.5. Environmental hazards Marine pollutant Yes **EmS** F-A. S-F


14.6. Special precautions for user

Read safety instructions, SDS and emergency procedures before handling.

14.7. Maritime transport in bulk according to IMO instruments

Not established.

ADN; ADR; IATA; IMDG; RID



#### Marine pollutant



**General information** 

IMDG Regulated Marine Pollutant.

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Talc (CAS 14807-96-6)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA 1,2-benzenedicarboxylic Acid, Mixed Decyl And Hexyl And Octyl Diesters (CAS 68648-93-1)

Material name: Phillymastic TG-7B Paste Resin

SDS EU

UFI:

Austria: JAE0-90T2-100F-CPEP Belgium: JAE0-90T2-100F-CPEP Bulgaria: JAE0-90T2-100F-CPEP Croatia: JAE0-90T2-100F-CPEP Cyprus: JAE0-90T2-100F-CPEP

Czech Republic: JAE0-90T2-100F-CPEP Denmark: JAE0-90T2-100F-CPEP Estonia: JAE0-90T2-100F-CPEP EU: JAE0-90T2-100F-CPEP Finland: JAE0-90T2-100F-CPEP France: JAE0-90T2-100F-CPEP Germany: JAE0-90T2-100F-CPEP Greece: JAE0-90T2-100F-CPEP Hungary: JAE0-90T2-100F-CPEP Iceland: JAE0-90T2-100F-CPEP Ireland: JAE0-90T2-100F-CPEP Italy: JAE0-90T2-100F-CPEP Latvia: JAE0-90T2-100F-CPEP Lithuania: JAE0-90T2-100F-CPEP Luxembourg: JAE0-90T2-100F-CPEP Malta: JAE0-90T2-100F-CPEP Netherlands: JAE0-90T2-100F-CPEP Norway: JAE0-90T2-100F-CPEP Poland: JAE0-90T2-100F-CPEP Portugal: JAE0-90T2-100F-CPEP Romania: JAE0-90T2-100F-CPEP Slovakia: JAE0-90T2-100F-CPEP Slovenia: JAE0-90T2-100F-CPEP

Slovenia: JAE0-90T2-100F-CPEF Spain: JAE0-90T2-100F-CPEP Sweden: JAE0-90T2-100F-CPEP

#### **Authorizations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

1,2-benzenedicarboxylic Acid, Mixed Decyl And Hexyl And Octyl Diesters (CAS 68648-93-1)

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances

Hazard categories in accordance with Regulation (EC) No 1272/2008

- E2 Hazardous to the Aquatic Environment Chronic

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

**National regulations** 

Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

Contains a substance which is included on the TRGS 905 list of carcinogenic, germ cell mutagenic and reproductive toxic substances

Talc (CAS 14807-96-6)

Anorganische Faserstäube, soweit nicht erwähnt (ausgenommen Gipsfasernund Wollastonitfasern)

France regulations

France INRS Table of Occupational Diseases

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)

(CAS 25068-38-6) Talc (CAS 14807-96-6) Maladies professionnelles provoquées par les résines époxydiques et leurs constituants 51

Affections consécutives à l'inhalation de poussières minérales renfermant de la silicecristalline (quartz, cristobalite, tridymite), des silicates cristallins (kaolin, talc), du graphite ou de la houille 25

**Product registration number** 

AustriaUFI: JAE0-90T2-100F-CPEPBelgiumUFI: JAE0-90T2-100F-CPEP

Material name: Phillymastic TG-7B Paste Resin

01 1. 0/\L0-3012-1001 -01 L

**Czech Republic** UFI: JAE0-90T2-100F-CPEP Denmark UFI: JAE0-90T2-100F-CPEP **European Union** UFI: JAE0-90T2-100F-CPEP **Finland** UFI: JAE0-90T2-100F-CPEP France UFI: JAE0-90T2-100F-CPEP Germany UFI: JAE0-90T2-100F-CPEP UFI: JAE0-90T2-100F-CPEP Greece UFI: JAE0-90T2-100F-CPEP Hungary UFI: JAE0-90T2-100F-CPEP Italy UFI: JAE0-90T2-100F-CPEP Netherlands Norway UFI: JAE0-90T2-100F-CPEP **Poland** UFI: JAE0-90T2-100F-CPEP **Portugal** UFI: JAE0-90T2-100F-CPEP UFI: JAE0-90T2-100F-CPEP Slovakia Slovenia UFI: JAE0-90T2-100F-CPEP **Spain** UFI: JAE0-90T2-100F-CPEP UFI: JAE0-90T2-100F-CPEP Sweden **Switzerland** UFI: JAE0-90T2-100F-CPEP

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

#### List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

Not available

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

#### References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eve irritation. H351 Suspected of causing cancer.

H411 Toxic to aquatic life with long lasting effects.

**Revision information** 

**Training information** 

Disclaimer

Follow training instructions when handling this material.

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

Material name: Phillymastic TG-7B Paste Resin

SDS FII