SAFETY DATA SHEET

Version #: 14

Issue date: 10-21-2015 Revision date: 07-27-2023 Supersedes date: 07-16-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

Phillymastic TG-7B Liquid Hardener

Registration number

Synonyms None.
SKU# DM030H

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesNot available.Uses advised againstNone known.

1.3. Details of the supplier of the safety data sheet

Company Name ITW Performance Polymers

Address Bay 150

Shannon Industrial Estate

Co. Clare Ireland V14 DF82

Contact Person Customer Service
Telephone Number 353(61)771500

353(61)471285

Email customerservice.shannon@itwpp.com

Emergency Phone Number 44(0) 1235 239 670 (24 hours)

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons

Information Center

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons

Control Center

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National

Toxicological Information

Center

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Croatia Poisons Information Center

+385 1 2348 342 (Hours of operation not provided. SDS/Product information may

not be available for the Emergency Service.)

Cyprus Poison Center 1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

Czech Republic National Poisons Information

Center

Control Center

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons

+45 82 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Estonia National Poisons Information Center

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Material name: Phillymastic TG-7B Liquid Hardener

DM030H Version #: 14 Revision date: 07-27-2023 Issue date: 10-21-2015

1.4. Emergency telephone number

Greece Poison Information Centre

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Hungary National Emergency Phone Number

+36-80-201-199 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Iceland Poison Center

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

113

Latvia Emergency medical

aid

+371 67042473 (Available 24 hours a day. SDS/Product information may not be

Latvia Poison and Drug Information Center Lithuania Neatidėliotina

available for the Emergency Service.)

informacija apsinuodijus Malta Accident and

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Emergency Department Netherlands National Poisons Information

2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Center (NVIC) **Norway Norwegian Poison Information Center**

NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel in cases of acute intoxications)

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

800 250 250 (Available 24 hours a day. SDS/Product information may not be **Portugal Poison Center** available for the Emergency Service.)

be available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)

Slovakia National Toxicological Information

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Center **Spain Toxicology**

+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not

Sweden National Poison Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info Suisse

Information Service

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Acute toxicity, oral Category 4 H302 - Harmful if swallowed. Acute toxicity, dermal Category 4 H312 - Harmful in contact with skin. Skin corrosion/irritation H314 - Causes severe skin burns Category 1B

and eye damage.

Serious eye damage/eye irritation Category 1 H318 - Causes serious eye

> damage. H317 - May cause an allergic skin

Skin sensitization Category 1 reaction.

Environmental hazards

Category 3 Hazardous to the aquatic environment, H412 - Harmful to aquatic life with long-term aquatic hazard

long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

UFI:

Austria: FQ25-T1F4-G002-0X1A Belgium: FQ25-T1F4-G002-0X1A Bulgaria: FQ25-T1F4-G002-0X1A Croatia: FQ25-T1F4-G002-0X1A Cyprus: FQ25-T1F4-G002-0X1A

Czech Republic: FQ25-T1F4-G002-0X1A Denmark: FQ25-T1F4-G002-0X1A Estonia: FQ25-T1F4-G002-0X1A EU: FQ25-T1F4-G002-0X1A Finland: FQ25-T1F4-G002-0X1A France: FQ25-T1F4-G002-0X1A Germany: FQ25-T1F4-G002-0X1A Greece: FQ25-T1F4-G002-0X1A Hungary: FQ25-T1F4-G002-0X1A Iceland: FQ25-T1F4-G002-0X1A Ireland: FQ25-T1F4-G002-0X1A Italy: FQ25-T1F4-G002-0X1A Latvia: FQ25-T1F4-G002-0X1A Lithuania: FQ25-T1F4-G002-0X1A Luxembourg: FQ25-T1F4-G002-0X1A Malta: FQ25-T1F4-G002-0X1A

Malta: FQ25-T1F4-G002-0X1A
Netherlands: FQ25-T1F4-G002-0X1A
Norway: FQ25-T1F4-G002-0X1A
Poland: FQ25-T1F4-G002-0X1A
Portugal: FQ25-T1F4-G002-0X1A
Romania: FQ25-T1F4-G002-0X1A
Slovakia: FQ25-T1F4-G002-0X1A
Slovenia: FQ25-T1F4-G002-0X1A
Spain: FQ25-T1F4-G002-0X1A
Sweden: FQ25-T1F4-G002-0X1A

Contains: 3,6-diazaoctanethylenediamin; triethylenetetramine, PINE OIL

Hazard pictograms



Signal word Danger

Hazard statements

H302 Harmful if swallowed. H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention

P260 Do not breathe vapor.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Response

P330 Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P312 Call a PÓISON CENTER/doctor if you feel unwell.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information

100% of the mixture consists of component(s) of unknown acute inhalation toxicity. 100% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 25% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a

concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

| Chemical name | % | CAS-No. / EC No. | REACH Registration No. | Index No. | Notes |
|--|-----------|-----------------------|---|--------------|-------|
| 3,6-diazaoctanethylenediamin; triethylenetetramine | 60 - 100 | 112-24-3 203-950-6 | 01-2119487919-13-0000 | 612-059-00-5 | |
| Classification: | mg/kg bw) | | mg/kg bw), Acute Tox. 4;H3 , Eye Dam. 1;H318, Skin Se | | |
| PINE OIL | 10 - 30 | 8002-09-3 - | - | - | |
| Classification | • | 51, Asp. Tox. 1;H304 | H315, Skin Sens. 1;H317, M I, Aquatic Acute 1;H400, Aq | | |

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. Chemical burns must be treated by a physician. Get medical advice/attention if you feel unwell. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion

Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and

delaved

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards

No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

Alcohol resistant foam. Powder. Carbon dioxide (CO2).

media

Unsuitable extinguishing

Do not use water jet as an extinguisher, as this will spread the fire.

media

5.2. Special hazards arising During fire, gases hazardous to health may be formed.

from the substance or mixture

Material name: Phillymastic TG-7B Liquid Hardener

DM030H Version #: 14 Revision date: 07-27-2023 Issue date: 10-21-2015

5.3. Advice for firefighters

Special protective equipment for firefighters

Special fire fighting

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing

appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing mist/vapors. Local authorities should be advised if significant spillages cannot be contained. Use personal

protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into

drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not breathe mist/vapors. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store away from incompatible materials (see

Section 10 of the SDS).

Observe industrial sector guidance on best practices. 7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances (Regulation No. 105/2001, Annex), as amended Components Type Value

3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3)

STEL 12 mg/m3

TWA 6 mg/m3 1 ppm

Iceland. OELs. Regulation 390/2009 on Pollution Limits and Measures to Reduce Pollution at the Workplace, as amended Components Value Type

3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3)

6 mg/m3

1 ppm

Lithuania. OELs. Occupational Exposure Limit Values for Chemical Substances (Hygiene Norm HN 23:2011; Order No. V-824/A1-389), as amended

Components Value Type 3,6-diazaoctanethylenedia STEL 12 mg/m3

TWA

min; triethylenetetramine (CAS 112-24-3)

| Components | Туре | Value | |
|------------|------|---------|--|
| | | 2 ppm | |
| | TWA | 6 mg/m3 | |
| | | 1 ppm | |

Norway. Regulation No. 1358 on Measures and Limit Values for Physical and Chemical Factors in Work Environment and Infection Groups for Biological Factors, as amended

| Components | Туре | Value | |
|--|------|---------|--|
| 3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3) | TLV | 6 mg/m3 | |
| | | 1 ppm | |

Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018. Annex 1)

| Components | Туре | Value | |
|--|------|---------|--|
| 3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3) | STEL | 3 mg/m3 | |
| | TWA | 1 mg/m3 | |

Romania. OELs. Limit Values of Chemical Agents at Workplace (Regulation 1.218/2006, M.O 845, Annex 1, 3&4, as amended)

| Components | Туре | Value | |
|--|------|----------|--|
| 3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3) | STEL | 20 mg/m3 | |
| | | 3,3 ppm | |
| | TWA | 10 mg/m3 | |
| | | | |

Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended

| Components | Туре | Value | |
|--|------|----------|--|
| 3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3) | STEL | 12 mg/m3 | |
| | | 2 ppm | |
| | TWA | 6 mg/m3 | |
| | | 1 nnm | |

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring Follow standard monitoring procedures.

procedures

Derived no effect levels Not available.
(DNELs)

Predicted no effect Not available concentrations (PNECs)

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

General information

Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield. Face shield is recommended.

recommen

Skin protection

Wear appropriate chemical resistant gloves. - Hand protection

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. - Other

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Keep away from food and drink. Always observe good personal hygiene measures, such as

washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing

should not be allowed out of the workplace.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Liquid. Physical state **Form** Liquid.

Colorless to light yellow. Color

Ammoniacal. Odor Not available. Melting point/freezing point

Boiling point or initial boiling

392 °F (200 °C) estimated

point and boiling range

Flammability Not applicable. Upper/lower flammability or explosive limits

1 % estimated Explosive limit - lower (%) Explosive limit - upper (%) 9,5 % estimated

298,4 °F (148,0 °C) estimated Flash point 561,2 °F (294 °C) estimated **Auto-ignition temperature**

Decomposition temperature Not available. Not available. Kinematic viscosity Not available.

Solubility

Solubility (water) Not available. Not available. Partition coefficient

(n-octanol/water) (log value)

Vapor pressure 0,01 hPa estimated

Density and/or relative density

0.96 g/cm3 estimated Density

Not available Vapor density **Particle characteristics** Not available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

0.96 estimated Specific gravity

SECTION 10: Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. 10.1. Reactivity

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

Peroxides. Phenols. 10.5. Incompatible materials

10.6. Hazardous

No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contactCauses severe skin burns. Harmful in contact with skin. May cause an allergic skin reaction.

Eye contact Causes serious eye damage.

Ingestion Causes digestive tract burns. Harmful if swallowed.

Symptoms Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may

include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful in contact with skin. Harmful if swallowed.

Components Species Test Results

3,6-diazaoctanethylenediamin; triethylenetetramine (CAS 112-24-3)

<u>Acute</u>

Dermal *Liquid*

LD50 Rat

1465 mg/kg

Oral *Liquid*

LD50 Rat

1716 mg/kg

PINE OIL (CAS 8002-09-3)

<u>Acute</u>

Dermal

LD50 Rat > 2000 mg/kg

Oral

LD50 Rat 3200 mg/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory sensitization Due to partial or complete lack of data the classification is not possible.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Reproductive toxicity

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity - single exposure

...........

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Aspiration hazardDue to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity Harmful to aquatic life with long lasting effects. Due to partial or complete lack of data the

classification for hazardous to the aquatic environment, acute hazard, is not possible.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential No data available.

Material name: Phillymastic TG-7B Liquid Hardener

Partition coefficient n-octanol/water (log Kow) Not available.

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

12.8. Additional information

Estonia Dangerous substances in soil Data

PINE OIL (CAS 8002-09-3)

Chemical pesticides (As the total sum of the active substances)

0,5 MG/KG

Chemical pesticides (As the total sum of the active substances) 20

MG/KG

Chemical pesticides (As the total sum of the active substances) 5

MG/KG

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number

14.2. UN proper shipping

CORROSIVE LIQUID, N.O.S. (3,6-diazaoctanethylenediamin; triethylenetetramine)

name

14.3. Transport hazard class(es)

Class 8 Subsidiary risk Label(s) 8 Hazard No. (ADR) 80

Tunnel restriction code Not assigned.

14.4. Packing group Ш 14.5. Environmental hazards No.

14.6. Special precautions

Read safety instructions, SDS and emergency procedures before handling.

for user

RID

14.1. UN number UN1760

14.2. UN proper shipping CORROSIVE LIQUID, N.O.S. (3,6-diazaoctanethylenediamin; triethylenetetramine)

name

14.3. Transport hazard class(es)

8 Class Subsidiary risk 8 Label(s) 14.4. Packing group Ш 14.5. Environmental hazards

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

Material name: Phillymastic TG-7B Liquid Hardener DM030H Version #: 14 Revision date: 07-27-2023 Issue date: 10-21-2015

ADN

14.1. UN number UN1760

14.2. UN proper shipping Corrosive Liquid, N.o.s. (3,6-diazaoctanethylenediamin; triethylenetetramine)

name

14.3. Transport hazard class(es)

Class 8
Subsidiary risk Label(s) 8
14.4. Packing group II
14.5. Environmental hazards No.

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

IATA

14.1. UN number UN1760

14.2. UN proper shipping Corrosive liquid, n.o.s. (3,6-diazaoctanethylenediamin; triethylenetetramine)

name

14.3. Transport hazard class(es)

Class 8
Subsidiary risk
14.4. Packing group II

14.5. Environmental hazards Yes
ERG Code 8L

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

Other information

Passenger and cargo Allowed with restrictions.

aircraft

Cargo aircraft only Allowed with restrictions.

IMDG

14.1. UN number UN1760

14.2. UN proper shipping CORROSIVE LIQUID, N.O.S. (3,6-diazaoctanethylenediamin; triethylenetetramine), MARINE

name POLLUTANT

14.3. Transport hazard class(es)

Class 8
Subsidiary risk 14.4. Packing group II
14.5. Environmental hazards
Marine pollutant Yes
EmS F-A

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

14.7. Maritime transport in bulk Not established.

according to IMO instruments



Material name: Phillymastic TG-7B Liquid Hardener

Marine pollutant



General information

IMDG Regulated Marine Pollutant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

UFI:

Austria: FQ25-T1F4-G002-0X1A Belgium: FQ25-T1F4-G002-0X1A Bulgaria: FQ25-T1F4-G002-0X1A Croatia: FQ25-T1F4-G002-0X1A Cyprus: FQ25-T1F4-G002-0X1A

Czech Republic: FQ25-T1F4-G002-0X1A Denmark: FQ25-T1F4-G002-0X1A Estonia: FQ25-T1F4-G002-0X1A EU: FQ25-T1F4-G002-0X1A Finland: FQ25-T1F4-G002-0X1A France: FQ25-T1F4-G002-0X1A Germany: FQ25-T1F4-G002-0X1A Greece: FQ25-T1F4-G002-0X1A Hungary: FQ25-T1F4-G002-0X1A Iceland: FQ25-T1F4-G002-0X1A Ireland: FQ25-T1F4-G002-0X1A Italy: FQ25-T1F4-G002-0X1A Latvia: FQ25-T1F4-G002-0X1A Lithuania: FQ25-T1F4-G002-0X1A Luxembourg: FQ25-T1F4-G002-0X1A Malta: FQ25-T1F4-G002-0X1A Netherlands: FQ25-T1F4-G002-0X1A Norway: FQ25-T1F4-G002-0X1A

Poland: FQ25-T1F4-G002-0X1A Portugal: FQ25-T1F4-G002-0X1A Romania: FQ25-T1F4-G002-0X1A Slovakia: FQ25-T1F4-G002-0X1A Slovenia: FQ25-T1F4-G002-0X1A Spain: FQ25-T1F4-G002-0X1A Sweden: FQ25-T1F4-G002-0X1A

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Young people under 18 years old are not allowed to work with this product according to EU

Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

France regulations

France INRS Table of Occupational Diseases

Not regulated.

Product registration number

Austria UFI: FQ25-T1F4-G002-0X1A **Belgium** UFI: FQ25-T1F4-G002-0X1A **Czech Republic** UFI: FQ25-T1F4-G002-0X1A **Denmark** UFI: FQ25-T1F4-G002-0X1A **European Union** UFI: FQ25-T1F4-G002-0X1A **Finland** UFI: FQ25-T1F4-G002-0X1A UFI: FQ25-T1F4-G002-0X1A **France** UFI: FQ25-T1F4-G002-0X1A Germany Greece UFI: FQ25-T1F4-G002-0X1A Hungary UFI: FQ25-T1F4-G002-0X1A Italy UFI: FQ25-T1F4-G002-0X1A **Netherlands** UFI: FQ25-T1F4-G002-0X1A Norway UFI: FQ25-T1F4-G002-0X1A **Poland** UFI: FQ25-T1F4-G002-0X1A UFI: FQ25-T1F4-G002-0X1A **Portugal** Slovakia UFI: FQ25-T1F4-G002-0X1A Slovenia UFI: FQ25-T1F4-G002-0X1A Spain UFI: FQ25-T1F4-G002-0X1A Sweden UFI: FQ25-T1F4-G002-0X1A UFI: FQ25-T1F4-G002-0X1A **Switzerland**

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References Not available

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H226 Flammable liquid and vapor.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Revision information

Training information

Disclaimer

None.

Follow training instructions when handling this material.

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.