SAFETY DATA SHEET

Version #: 17 Issue date: 03-11-2013 Revision date: 07-26-2023 Supersedes date: 07-12-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

	of the cubetalleesinixture and of the company, and of taking
1.1. Product identifier	
Trade name or designation of the mixture	Chockfast Orange Hardener
Registration number	-
Synonyms	None.
SKU#	GP101H, GP102H
1.2. Relevant identified uses of the literative set of the literat	he substance or mixture and uses advised against Not available.
Uses advised against	None known.
1.3. Details of the supplier of the	safety data sheet
Company Name	ITW Performance Polymers
Address	Bay 150
	Shannon Industrial Estate
	Co. Clare
	Ireland
	V14 DF82
Contact Person	
Telephone Number	353(61)771500
Free all	353(61)471285
Email	customerservice.shannon@itwpp.com 44(0) 1235 239 670 (24 hours)
Emergency Phone Number	
1.4. Emergency telephone numb General in EU	er 112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Austria National Poisons Information Center	+431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Belgium National Poisons Control Center	070 245 245 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Bulgaria National Toxicological Information Center	+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Croatia Poisons Information Center	+385 1 2348 342 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Cyprus Poison Center	1401 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Czech Republic National Poisons Information Center	+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Denmark National Poisons Control Center	+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Estonia National Poisons Information Center	16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)
Finland National Poison Information Center	(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
France National Poisons Control Center	ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

I.4. Emergency telephone num	
Greece Poison Information Centre	 (0030) 2107793777 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Hungary National Emergency Phone Number	+36-80-201-199 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Iceland Poison Center	(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Latvia Emergency medical aid	113
Latvia Poison and Drug Information Center	+371 67042473 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Lithuania Neatidėliotina informacija apsinuodijus	+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Malta Accident and Emergency Department	2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Netherlands National Poisons Information Center (NVIC)	NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel in cases of acute intoxications)
Norway Norwegian Poison Information Center	22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Portugal Poison Center	800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Romania Biroul RSI si Informare Toxicologica	021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)
Slovakia National Toxicological Information Center	+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Spain Toxicology Information Service	+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Sweden National Poison Information Center	112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Switzerland Tox Info Suisse	145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards		
Acute toxicity, oral	Category 4	H302 - Harmful if swallowed.
Acute toxicity, dermal	Category 4	H312 - Harmful in contact with skin.
Skin corrosion/irritation	Category 1	H314 - Causes severe skin burns and eye damage.
Serious eye damage/eye irritation	Category 1	H318 - Causes serious eye damage.
Skin sensitization	Category 1	H317 - May cause an allergic skin reaction.
Environmental hazards		
Hazardous to the aquatic environment, long-term aquatic hazard	Category 3	H412 - Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended UFI:

Austria: FVC0-Q029-U001-3VHK Belgium: FVC0-Q029-U001-3VHK Bulgaria: FVC0-Q029-U001-3VHK Croatia: FVC0-Q029-U001-3VHK Cyprus: FVC0-Q029-U001-3VHK Czech Republic: FVC0-Q029-U001-3VHK Denmark: FVC0-Q029-U001-3VHK Estonia: FVC0-Q029-U001-3VHK EU: FVC0-Q029-U001-3VHK Finland: FVC0-Q029-U001-3VHK France: FVC0-Q029-U001-3VHK Germany: FVC0-Q029-U001-3VHK Greece: FVC0-Q029-U001-3VHK Hungary: FVC0-Q029-U001-3VHK Iceland: FVC0-Q029-U001-3VHK Ireland: FVC0-Q029-U001-3VHK Italy: FVC0-Q029-U001-3VHK Latvia: FVC0-Q029-U001-3VHK Lithuania: FVC0-Q029-U001-3VHK Luxembourg: FVC0-Q029-U001-3VHK Malta: FVC0-Q029-U001-3VHK Netherlands: FVC0-Q029-U001-3VHK Norway: FVC0-Q029-U001-3VHK Poland: FVC0-Q029-U001-3VHK Portugal: FVC0-Q029-U001-3VHK Romania: FVC0-Q029-U001-3VHK Slovakia: FVC0-Q029-U001-3VHK Slovenia: FVC0-Q029-U001-3VHK Spain: FVC0-Q029-U001-3VHK Sweden: FVC0-Q029-U001-3VHK

Contains:

Hazard pictograms

3,6-diazaoctanethylenediamin; triethylenetetramine



Signal word

Hazard statements

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

······	
Prevention	
P260	Do not breathe vapor.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
Response	
P330	Rinse mouth.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
Storage	
P405	Store locked up.
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations

Supplemental label information

2.3. Other hazards

100% of the mixture consists of component(s) of unknown acute inhalation toxicity. 100% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment.

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
3,6-diazaoctanethylenediamin; triethylenetetramine	90 - 100	112-24-3 203-950-6	01-2119487919-13-0000	612-059-00-5	
	mg/kg bw),		mg/kg bw), Acute Tox. 4;H3 Eye Dam. 1;H318, Skin Se		

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments

The full text for all H-statements is displayed in section 16. SECTION 4: First aid measures

General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminate clothing before reuse.	
4.1. Description of first aid meas	sures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.	
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Chemical burns must be treated by a physician. Get medical advice/attention if you feel unwell. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.	
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.	
Ingestion	Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.	
4.2. Most important symptoms and effects, both acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.	
4.3. Indication of any immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.	

SECTION 5: Firefighting measures General fire hazards No unusual fire or explosion hazards noted. 5.1. Extinguishing media Suitable extinguishing Alcohol resistant foam. Powder. Carbon dioxide (CO2). media Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire. media During fire, gases hazardous to health may be formed. 5.2. Special hazards arising from the substance or mixture 5.3. Advice for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire. **Special protective** equipment for firefighters Special fire fighting Move containers from fire area if you can do so without risk. procedures Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protect	ctive equipment and emergency procedures
For non-emergency personnel	Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
For emergency responders	Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing mist/vapors. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.
6.2. Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for	This product is miscible in water. Prevent product from entering drains.
containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use.
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.
SECTION 7: Handling and	storage
7.1. Precautions for safe handling	Do not breathe mist/vapors. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.
7.2. Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).
7.3. Specific end use(s)	Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Components	Туре	Value
3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3)	STEL	12 mg/m3
	TWA	6 mg/m3
		1 ppm
Components	Туре	asures to Reduce Pollution at the Workplace, as amend Value
3,6-diazaoctanethylenedia min; triethylenetetramine	TWA	6 mg/m3
(CAS 112-24-3)		
(0/10/112-24-0)		
(0/10/112/24/0)		1 ppm
Lithuania. OELs. Occupational Ex	φosure Limit Values for Chem	1 ppm ical Substances (Hygiene Norm HN 23:2011; Order No
	xposure Limit Values for Chem Type	
Lithuania. OELs. Occupational Ex V-824/A1-389), as amended		ical Substances (Hygiene Norm HN 23:2011; Order No

6 mg/m3 1 ppm

TWA

Components	gical Factors, as amended Type	Value
3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3)	TLV	6 mg/m3
. ,		1 ppm
Poland. Maximum permiss 1286/2018, Annex 1)	sible concentrations and intensities o	of harmful factors in the work environment (Dz.U.Poz.
Components	Туре	Value
3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3)	STEL	3 mg/m3
	TWA	1 mg/m3
Romania. OELs. Limit Val	ues of Chemical Agents at Workplace	e (Regulation 1.218/2006, M.O 845, Annex 1, 3&4, as
amended) Components	Type	Value
3,6-diazaoctanethylenedia	Type STEL	20 mg/m3
min; triethylenetetramine (CAS 112-24-3)	STEL	20 mg/m3
		3,3 ppm
	TWA	10 mg/m3
		1,7 ppm
Sweden. OELs (Annex 1). amended	Work Environment Authority (AV), O	ccupational Exposure Limit Values (AFS 2018:1), as
Components	Туре	Value
3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3)	STEL	12 mg/m3
		2 ppm
	TWA	6 mg/m3
		1 ppm
logical limit values	No biological exposure limits noted	for the ingredient(s).
commended monitoring cedures	Follow standard monitoring procedu	ires.
ived no effect levels ELs)	Not available.	
dicted no effect centrations (PNECs)	Not available.	
Exposure controls		
propriate engineering trols	applicable, use process enclosures, maintain airborne levels below reco	used. Ventilation rates should be matched to conditions. If local exhaust ventilation, or other engineering controls to mmended exposure limits. If exposure limits have not been s to an acceptable level. Eye wash facilities and emergency idling this product.
vidual protection measure General information	according to the CEN standards and	nent as required. Personal protection equipment should be chos d in discussion with the supplier of the personal protective
Eye/face protection	equipment. Wear safety glasses with side shield recommended.	ds (or goggles) and a face shield. Face shield is
Skin protection		
- Hand protection	Wear appropriate chemical resistan	t gloves.
- Other	Wear appropriate chemical resistan	t clothing. Use of an impervious apron is recommended.
Respiratory protection	In case of insufficient ventilation, we	ear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective	e clothing, when necessary.

Hygiene measures	Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.
Environmental exposure controls	Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

-	• •
9.1. Information on basic physic	al and chemical properties
Physical state	Liquid.
Form	Liquid.
Color	Colorless to light yellow.
Odor	Ammoniacal.
Melting point/freezing point	Not available.
Boiling point or initial boiling point and boiling range	530,6 °F (277 °C)
Flammability	Not applicable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	1 % estimated
Explosive limit - upper (%)	9,5 % estimated
Flash point	251,6 °F (122,0 °C) Closed Cup
Auto-ignition temperature	635 °F (335 °C)
Decomposition temperature	Not available.
рН	11,5
Kinematic viscosity	Not available.
Solubility	
Solubility (water)	miscible with water
Partition coefficient (n-octanol/water) (log value)	Not available.
Vapor pressure	<0,001 kPa
Density and/or relative density	
Density	0,98 g/cm3
Vapor density	Not available.
Particle characteristics	Not available.
9.2. Other information	
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.
9.2.2. Other safety characteristic	CS
Specific gravity	0,98

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.		
10.2. Chemical stability	Material is stable under normal conditions.		
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.		
10.4. Conditions to avoid	Contact with incompatible materials.		
10.5. Incompatible materials	Peroxides. Phenols.		
10.6. Hazardous decomposition products	No hazardous decomposition products are known.		
SECTION 11: Toxicologic	al information		
General information	Occupational exposure to the substance or mixture may cause adverse effects.		
Information on likely routes of e	exposure		
Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.		

Skin contact Causes severe skin burns. Harmful in contact with skin. May cause an allergic skin reaction.

Material name: Chockfast Orange Hardener

GP101H, GP102H Version #: 17 Revision date: 07-26-2023 Issue date: 03-11-2013

Eye contact	Causes serious eye damage.		
Ingestion	Causes digestive tract burns. Harmful if swallowed.		
Symptoms	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.		
11.1. Information on hazard clas	ses as defined in Regulation (EC) No 1272/2008		
	Harmful in contact with skin. Harmful if swallowed.		
Acute toxicity		Test Results	
Components 3,6-diazaoctanethylenediamin; trie	Species		
Acute			
Dermal			
Liquid			
LD50	Rat	1465 mg/kg	
Oral			
Liquid			
LD50	Rat	1716 mg/kg	
Skin corrosion/irritation	Causes severe skin burns and eye damage.		
Serious eye damage/eye irritation	Causes serious eye damage.		
Respiratory sensitization	Due to partial or complete lack of data the classification	on is not possible.	
Skin sensitization	May cause an allergic skin reaction.		
Germ cell mutagenicity	Due to partial or complete lack of data the classification	on is not possible.	
Carcinogenicity	Due to partial or complete lack of data the classification is not possible.		
Reproductive toxicity	Due to partial or complete lack of data the classification is not possible.		
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.		
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.		
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.		
Mixture versus substance information	No information available.		
11.2. Information on other hazar	ds		
Endocrine disrupting properties	This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.		
Other information	Not available.		
SECTION 12: Ecological i	nformation		
12.1. Toxicity	Harmful to aquatic life with long lasting effects. Due to classification for hazardous to the aquatic environmen		
12.2. Persistence and degradability	No data is available on the degradability of any ingred	lients in the mixture.	
12.3. Bioaccumulative potential	No data available.		
Partition coefficient n-octanol/water (log Kow)	Not available.		
Bioconcentration factor (BCF)	Not available.		
12.4. Mobility in soil	This product is miscible in water and may not disperse in soil.		
12.5. Results of PBT and vPvB assessment	This mixture does not contain substances assessed to (EC) No 1907/2006, Annex XIII.		
12.6. Endocrine disrupting properties	This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.		
12.7. Other adverse effects	No other adverse environmental effects (e.g. ozone de potential, endocrine disruption, global warming potenti		

SECTION 13: Disposal considerations 13.1. Waste treatment methods **Residual waste** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). **Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. The Waste code should be assigned in discussion between the user, the producer and the waste EU waste code disposal company. **Disposal methods/information** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. **Special precautions** Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR	
14.1. UN number	UN2259
14.2. UN proper shipping	TRIETHYLENETETRAMINE
name	
14.3. Transport hazard class	(es)
Class	8
Subsidiary risk	-
Label(s)	8
Hazard No. (ADR)	80
Tunnel restriction code	E
14.4. Packing group	1
14.5. Environmental hazards	No.
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
for user	
RID	
14.1. UN number	UN2259
14.2. UN proper shipping	TRIETHYLENETETRAMINE
name	
14.3. Transport hazard class	(es)
Class	8
Subsidiary risk	-
Label(s)	8
14.4. Packing group	1
14.5. Environmental hazards	No.
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
for user	
ADN	
14.1. UN number	UN2259
14.2. UN proper shipping	TRIETHYLENETETRAMINE
name	
14.3. Transport hazard class	(es)
Class	8
Subsidiary risk	-
Label(s)	8
14.4. Packing group	
14.5. Environmental hazards	
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
for user	
ΙΑΤΑ	
14.1. UN number	UN2259
14.2. UN proper shipping	Triethylenetetramine
name	
14.3. Transport hazard class	
Class	8
Subsidiary risk	-
14.4. Packing group	
14.5. Environmental hazards	
ERG Code	8L

14.6. Special precautions for user Other information	Read safety instructions, SDS and emergency procedures before handling.
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
14.1. UN number	UN2259
14.2. UN proper shipping	TRIETHYLENETETRAMINE
name	
14.3. Transport hazard class	(es)
Class	8
Subsidiary risk	-
14.4. Packing group	I
14.5. Environmental hazards	
Marine pollutant	No.
EmS	F-A, S-B
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
14.7. Maritime transport in bulk according to IMO instruments	Not established.
ADN; ADR; IATA; IMDG; RID	
\land	



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

- Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.
- Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.
- Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.
- Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Austria: FVC0-Q029-U001-3VHK Belgium: FVC0-Q029-U001-3VHK Bulgaria: FVC0-Q029-U001-3VHK Croatia: FVC0-Q029-U001-3VHK Cyprus: FVC0-Q029-U001-3VHK Czech Republic: FVC0-Q029-U001-3VHK Denmark: FVC0-Q029-U001-3VHK Estonia: FVC0-Q029-U001-3VHK EU: FVC0-Q029-U001-3VHK Finland: FVC0-Q029-U001-3VHK France: FVC0-Q029-U001-3VHK Germany: FVC0-Q029-U001-3VHK Greece: FVC0-Q029-U001-3VHK Hungary: FVC0-Q029-U001-3VHK Iceland: FVC0-Q029-U001-3VHK Ireland: FVC0-Q029-U001-3VHK Italy: FVC0-Q029-U001-3VHK Latvia: FVC0-Q029-U001-3VHK Lithuania: FVC0-Q029-U001-3VHK Luxembourg: FVC0-Q029-U001-3VHK Malta: FVC0-Q029-U001-3VHK Netherlands: FVC0-Q029-U001-3VHK Norway: FVC0-Q029-U001-3VHK Poland: FVC0-Q029-U001-3VHK Portugal: FVC0-Q029-U001-3VHK Romania: FVC0-Q029-U001-3VHK Slovakia: FVC0-Q029-U001-3VHK Slovenia: FVC0-Q029-U001-3VHK Spain: FVC0-Q029-U001-3VHK Sweden: FVC0-Q029-U001-3VHK

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other regulations	The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.
National regulations	Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

France regulations

France INRS Table of Occupational Diseases

Not regulated.

Product registration number

•	
Austria	UFI: FVC0-Q029-U001-3VHK
Belgium	UFI: FVC0-Q029-U001-3VHK
Czech Republic	UFI: FVC0-Q029-U001-3VHK
Denmark	UFI: FVC0-Q029-U001-3VHK
European Union	UFI: FVC0-Q029-U001-3VHK
Finland	UFI: FVC0-Q029-U001-3VHK
France	UFI: FVC0-Q029-U001-3VHK
Germany	UFI: FVC0-Q029-U001-3VHK
Greece	UFI: FVC0-Q029-U001-3VHK
Hungary	UFI: FVC0-Q029-U001-3VHK
Italy	UFI: FVC0-Q029-U001-3VHK
Netherlands	UFI: FVC0-Q029-U001-3VHK
Norway	UFI: FVC0-Q029-U001-3VHK
Poland	UFI: FVC0-Q029-U001-3VHK
Portugal	UFI: FVC0-Q029-U001-3VHK
Slovakia	UFI: FVC0-Q029-U001-3VHK

UFI: FVC0-Q029-U001-3VHK UFI: FVC0-Q029-U001-3VHK UFI: FVC0-Q029-U001-3VHK UFI: FVC0-Q029-U001-3VHK No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List	of	abb	revi	iatic	ons
	~				

	ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
	 Waterways. ADR: Agreement concerning the International Carriage of Dangerous Goods by Road. AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany). CAS: Chemical Abstract Service. CEN: European Committee for Standardization. IATA: International Air Transport Association. IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk. IMDG: International Maritime Dangerous Goods. MAC: Maximum Allowed Concentration. MARPOL: International Convention for the Prevention of Pollution from Ships. PBT: Persistent, bioaccumulative and toxic. RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value.
	VME: Exposure Average Value.
	vPvB: Very persistent and very bioaccumulative.
References	Not available.
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any statements, which are not written out in full	
under sections 2 to 15	H302 Harmful if swallowed.
	H312 Harmful in contact with skin.
	H314 Causes severe skin burns and eye damage.
	H317 May cause an allergic skin reaction.
	H318 Causes serious eye damage.
	H412 Harmful to aquatic life with long lasting effects.
Revision information	None.
Training information	Follow training instructions when handling this material.
Disclaimer	ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for one handling, use presenting determent the product of the product of the product.

for safe handling, use, processing, storage, transportation, disposal and release.