SAFETY DATA SHEET

Version #: 05 Issue date: 10-15-2019 Revision date: 07-27-2023 Supersedes date: 06-23-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

	of the substance/mixture and of the company/undertaking
1.1. Product identifier	Charlyfaat Dad Varaaflaw Aggragata
Trade name or designation of the mixture	Chockfast Red Versaflow Aggregate
Registration number	-
Synonyms	None.
SKU#	GP141A
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Identified uses	Not available.
Uses advised against	None known.
1.3. Details of the supplier of the	e safety data sheet
Company Name	ITW Performance Polymers
Address	Bay 150
	Shannon Industrial Estate
	Co. Clare
	Ireland
	V14 DF82
Contact Person	Customer Service
Telephone Number	353(61)771500 353(61)471285
Email	customerservice.shannon@itwpp.com
Emergency Phone Number	44(0) 1235 239 670 (24 hours)
1.4. Emergency telephone numb General in EU	112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Austria National Poisons Information Center	+431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Belgium National Poisons Control Center	070 245 245 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Bulgaria National Toxicological Information Center	+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Croatia Poisons Information Center	+385 1 2348 342 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Cyprus Poison Center	1401 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Czech Republic National Poisons Information Center	+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Denmark National Poisons Control Center	+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Estonia National Poisons Information Center	16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)
Finland National Poison Information Center	(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
France National Poisons Control Center	ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

1.4. Emergency telephone numb	er
Greece Poison Information Centre	(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Hungary National Emergency Phone Number	+36-80-201-199 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Iceland Poison Center	(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Latvia Emergency medical aid	113
Latvia Poison and Drug Information Center	+371 67042473 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Lithuania Neatidėliotina informacija apsinuodijus	+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Malta Accident and Emergency Department	2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Netherlands National Poisons Information Center (NVIC)	NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel in cases of acute intoxications)
Norway Norwegian Poison Information Center	22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Portugal Poison Center	800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Romania Biroul RSI si Informare Toxicologica	021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)
Slovakia National Toxicological Information Center	+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Spain Toxicology Information Service	+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Sweden National Poison Information Center	112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Switzerland Tox Info Suisse	145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards
Carcinogenicity

Category 1A

H350 - May cause cancer.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended UFI:

Austria: GPE0-A0JN-800F-01RX Belgium: GPE0-A0JN-800F-01RX Bulgaria: GPE0-A0JN-800F-01RX Croatia: GPE0-A0JN-800F-01RX Cyprus: GPE0-A0JN-800F-01RX Czech Republic: GPE0-A0JN-800F-01RX Denmark: GPE0-A0JN-800F-01RX Estonia: GPE0-A0JN-800F-01RX EU: GPE0-A0JN-800F-01RX Finland: GPE0-A0JN-800F-01RX France: GPE0-A0JN-800F-01RX Germany: GPE0-A0JN-800F-01RX Greece: GPE0-A0JN-800F-01RX Hungary: GPE0-A0JN-800F-01RX Iceland: GPE0-A0JN-800F-01RX Ireland: GPE0-A0JN-800F-01RX Italy: GPE0-A0JN-800F-01RX Latvia: GPE0-A0JN-800F-01RX Lithuania: GPE0-A0JN-800F-01RX Luxembourg: GPE0-A0JN-800F-01RX Malta: GPE0-A0JN-800F-01RX Netherlands: GPE0-A0JN-800F-01RX Norway: GPE0-A0JN-800F-01RX Poland: GPE0-A0JN-800F-01RX Portugal: GPE0-A0JN-800F-01RX Romania: GPE0-A0JN-800F-01RX Slovakia: GPE0-A0JN-800F-01RX Slovenia: GPE0-A0JN-800F-01RX Spain: GPE0-A0JN-800F-01RX Sweden: GPE0-A0JN-800F-01RX Crystalline SiO2 (Quartz), IRON OXIDE

Contains: Hazard pictograms



Signal word	Danger
Hazard statements	
H350	May cause cancer.
Precautionary statements	
Prevention	
P201 P202 P280	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
Response	
P308 + P313	IF exposed or concerned: Get medical advice/attention.
Storage	
P405	Store locked up.
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental label information	99% of the mixture consists of component(s) of unknown acute inhalation toxicity. 99% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 99% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.
2.3. Other hazards	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information Chemical name	%	CAS-No / FC No	REACH Registration	No. Index No.	Notes
Crystalline SiO2 (Quartz)	60 - 100	14808-60-7 238-878-4	-	-	#
Classif	ication: Carc. 1A;H				
IRON OXIDE	0,1 - 1	1309-37-1			
INON OXIDE	0,1-1	215-168-2	-	-	
Classif	ication: -				
Other components below repo levels	rtable < 1				
ist of abbreviations and symbo ATE: Acute toxicity estimate. M: M-factor vPvB: very persistent and very PBT: persistent, bioaccumulat #: This substance has been as All concentrations are in perce	v bioaccumulative su ive and toxic substa ssigned Union workp	ibstance. nce. blace exposure limit		in percent by volum	e.
SECTION 4: First aid meas	sures				
Seneral information			l advice/attention. Ensure recautions to protect the		nnel are aware
.1. Description of first aid meas	ures				
Inhalation			mptoms develop or per		
Skin contact	-		edical attention if irritatio		sts.
Eye contact	Rinse with water.	Get medical attentio	n if irritation develops a	nd persists.	
Ingestion	Rinse mouth. Get medical attention if symptoms occur.				
.2. Most important symptoms and effects, both acute and lelayed	Coughing.				
I.3. Indication of any mmediate medical attention and special treatment needed	Provide general su Symptoms may be		and treat symptomatica	lly. Keep victim unde	r observation.
SECTION 5: Firefighting m	neasures				
General fire hazards	No unusual fire or	explosion hazards i	noted.		
5.1. Extinguishing media Suitable extinguishing media	Water fog. Foam.	Dry chemical powde	er. Carbon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water j	et as an extinguishe	er, as this will spread the	e fire.	
.2. Special hazards arising rom the substance or mixture	During fire, gases	hazardous to health	n may be formed.		
.3. Advice for firefighters Special protective equipment for firefighters	Self-contained bre	athing apparatus ar	nd full protective clothing	ı must be worn in cas	se of fire.
Special fire fighting procedures	Move containers from fire area if you can do so without risk.				
pecific methods	Use standard firefi	ghting procedures a	and consider the hazard	s of other involved m	aterials.
SECTION 6: Accidental re	lease measures	;			
6.1. Personal precautions, prote					
For non-emergency personnel	Wear appropriate	personal protective	equipment.		
For emergency responders			nsure adequate ventilat be contained. For perso		

6.2. Environmental precautions Avoid discharge into drains, water courses or onto the ground.

SDS.

8. Methods and material for ntainment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.			
	Never return spills to original containers for re-use. containers.	Put material in s	uitable, covered, labeled	
l. Reference to other ctions	For personal protection, see section 8 of the SDS.	For waste dispos	al, see section 13 of the SDS	
ECTION 7: Handling and	d storage			
. Precautions for safe ndling	Obtain special instructions before use. Do not hand and understood. Avoid prolonged exposure. Should Provide adequate ventilation. Wear appropriate per industrial hygiene practices.	d be handled in c rsonal protective	losed systems, if possible. equipment. Observe good	
2. Conditions for safe prage, including any compatibilities	Store locked up. Store in tightly closed container. S Section 10 of the SDS).	Store away from in	ncompatible materials (see	
8. Specific end use(s)	Observe industrial sector guidance on best practice	es.		
ECTION 8: Exposure co	ntrols/personal protection			
. Control parameters				
cupational exposure limits				
Austria. MAK List, OEL Ord Components	linance (GwV), BGBI. II, no. 184/2001, as amended Type	Value	Form	
Crystalline SiO2 (Quartz) (CAS 14808-60-7)	МАК	0,05 mg/m3	Respirable dust.	
(CAS 14000-00-7) IRON OXIDE (CAS 1309-37-1)	МАК	5 mg/m3	Respirable fraction.	
		10 mg/m3	Inhalable fraction.	
	STEL	20 mg/m3	Inhalable fraction.	
	STEL	-		
Belgium. OEL. Exposure Li	mit Values to Chemical Substances at Work, Code	20 mg/m3 10 mg/m3	Inhalable fraction. Respirable fraction.	
·	mit Values to Chemical Substances at Work, Code	20 mg/m3 10 mg/m3	Inhalable fraction. Respirable fraction.	
Belgium. OEL. Exposure Li Chemical agents, as amenc	mit Values to Chemical Substances at Work, Code led	20 mg/m3 10 mg/m3 e of Well-being a	Inhalable fraction. Respirable fraction. It work, Book VI, Title 1 -	
Belgium. OEL. Exposure Li Chemical agents, as amend Components Crystalline SiO2 (Quartz)	mit Values to Chemical Substances at Work, Code led Type	20 mg/m3 10 mg/m3 e of Well-being a Value	Inhalable fraction. Respirable fraction. It work, Book VI, Title 1 - Form	
Belgium. OEL. Exposure Li Chemical agents, as amend Components Crystalline SiO2 (Quartz) (CAS 14808-60-7) IRON OXIDE (CAS 1309-37-1) Bulgaria. OEL values of car	mit Values to Chemical Substances at Work, Code led Type TWA	20 mg/m3 10 mg/m3 e of Well-being a Value 0,1 mg/m3 5 mg/m3	Inhalable fraction. Respirable fraction. It work, Book VI, Title 1 - Form Respirable dust. Respirable fraction.	
Belgium. OEL. Exposure Li Chemical agents, as amend Components Crystalline SiO2 (Quartz) (CAS 14808-60-7) IRON OXIDE (CAS 1309-37-1)	mit Values to Chemical Substances at Work, Code led Type TWA TWA TWA	20 mg/m3 10 mg/m3 e of Well-being a Value 0,1 mg/m3 5 mg/m3	Inhalable fraction. Respirable fraction. It work, Book VI, Title 1 - Form Respirable dust. Respirable fraction.	
Belgium. OEL. Exposure Li Chemical agents, as amend Components Crystalline SiO2 (Quartz) (CAS 14808-60-7) IRON OXIDE (CAS 1309-37-1) Bulgaria. OEL values of car work, Ann. 1), as amended	mit Values to Chemical Substances at Work, Code led Type TWA TWA	20 mg/m3 10 mg/m3 e of Well-being a Value 0,1 mg/m3 5 mg/m3 prot. from carci	Inhalable fraction. Respirable fraction. It work, Book VI, Title 1 - Form Respirable dust. Respirable fraction.	
Belgium. OEL. Exposure Li Chemical agents, as amend Components Crystalline SiO2 (Quartz) (CAS 14808-60-7) IRON OXIDE (CAS 1309-37-1) Bulgaria. OEL values of car work, Ann. 1), as amended Components Crystalline SiO2 (Quartz) (CAS 14808-60-7) Bulgaria. OELs. Ordinance amended	mit Values to Chemical Substances at Work, Code led Type TWA TWA rcinogens and mutagens at work (Reg. 10/2003 on Type TWA No 13 on protection of workers against risks of ex	20 mg/m3 10 mg/m3 e of Well-being a Value 0,1 mg/m3 5 mg/m3 prot. from carci Value 0,1 mg/m3 cposure to chem	Inhalable fraction. Respirable fraction. It work, Book VI, Title 1 - Form Respirable dust. Respirable fraction. Inogens and mutagens at Form Respirable fraction and dust	
Belgium. OEL. Exposure Li Chemical agents, as amend Components Crystalline SiO2 (Quartz) (CAS 14808-60-7) IRON OXIDE (CAS 1309-37-1) Bulgaria. OEL values of car work, Ann. 1), as amended Components Crystalline SiO2 (Quartz) (CAS 14808-60-7) Bulgaria. OELs. Ordinance amended Components	mit Values to Chemical Substances at Work, Code led Type TWA TWA rcinogens and mutagens at work (Reg. 10/2003 on Type TWA No 13 on protection of workers against risks of ex Type	20 mg/m3 10 mg/m3 e of Well-being a Value 0,1 mg/m3 5 mg/m3 prot. from carci Value 0,1 mg/m3 cposure to chem Value	Inhalable fraction. Respirable fraction. It work, Book VI, Title 1 - Form Respirable dust. Respirable fraction. Inogens and mutagens at Form Respirable fraction and dust	
Belgium. OEL. Exposure Li Chemical agents, as amend Components Crystalline SiO2 (Quartz) (CAS 14808-60-7) IRON OXIDE (CAS 1309-37-1) Bulgaria. OEL values of car work, Ann. 1), as amended Components Crystalline SiO2 (Quartz) (CAS 14808-60-7) Bulgaria. OELs. Ordinance amended Components IRON OXIDE (CAS 1309-37-1)	mit Values to Chemical Substances at Work, Code led Type TWA TWA rcinogens and mutagens at work (Reg. 10/2003 on Type TWA No 13 on protection of workers against risks of ex Type TWA TWA	20 mg/m3 10 mg/m3 e of Well-being a Value 0,1 mg/m3 5 mg/m3 prot. from carci Value 0,1 mg/m3 cposure to chem Value 5 mg/m3	Inhalable fraction. Respirable fraction. It work, Book VI, Title 1 - Form Respirable dust. Respirable fraction. Inogens and mutagens at Form Respirable fraction and dust itical agents at work, as	
Belgium. OEL. Exposure Li Chemical agents, as amend Components Crystalline SiO2 (Quartz) (CAS 14808-60-7) IRON OXIDE (CAS 1309-37-1) Bulgaria. OEL values of car work, Ann. 1), as amended Components Crystalline SiO2 (Quartz) (CAS 14808-60-7) Bulgaria. OELs. Ordinance amended Components IRON OXIDE (CAS 1309-37-1) Croatia. OELs (GVI). Regula	mit Values to Chemical Substances at Work, Code led Type TWA TWA rcinogens and mutagens at work (Reg. 10/2003 on Type TWA No 13 on protection of workers against risks of ex Type	20 mg/m3 10 mg/m3 e of Well-being a Value 0,1 mg/m3 5 mg/m3 prot. from carci Value 0,1 mg/m3 cposure to chem Value 5 mg/m3	Inhalable fraction. Respirable fraction. It work, Book VI, Title 1 - Form Respirable dust. Respirable fraction. Inogens and mutagens at Form Respirable fraction and dust itical agents at work, as	
Belgium. OEL. Exposure Li Chemical agents, as amend Components Crystalline SiO2 (Quartz) (CAS 14808-60-7) IRON OXIDE (CAS 1309-37-1) Bulgaria. OEL values of car work, Ann. 1), as amended Components Crystalline SiO2 (Quartz) (CAS 14808-60-7) Bulgaria. OELs. Ordinance amended Components IRON OXIDE (CAS 1309-37-1) Croatia. OELs (GVI). Regula	mit Values to Chemical Substances at Work, Code led Type TWA TWA rcinogens and mutagens at work (Reg. 10/2003 on Type TWA No 13 on protection of workers against risks of ex Type TWA ation on Protection of Workers against Exposure t	20 mg/m3 10 mg/m3 e of Well-being a Value 0,1 mg/m3 5 mg/m3 prot. from carci Value 0,1 mg/m3 cposure to chem Value 5 mg/m3	Inhalable fraction. Respirable fraction. It work, Book VI, Title 1 - Form Respirable dust. Respirable fraction. Inogens and mutagens at Form Respirable fraction and dust itical agents at work, as	
Belgium. OEL. Exposure Li Chemical agents, as amend Components Crystalline SiO2 (Quartz) (CAS 14808-60-7) IRON OXIDE (CAS 1309-37-1) Bulgaria. OEL values of car work, Ann. 1), as amended Components Crystalline SiO2 (Quartz) (CAS 14808-60-7) Bulgaria. OELs. Ordinance amended Components IRON OXIDE (CAS 1309-37-1) Croatia. OELs (GVI). Regula Biological Limit Values, An Components Crystalline SiO2 (Quartz) (CAS 14808-60-7)	mit Values to Chemical Substances at Work, Code led Type TWA TWA TWA rcinogens and mutagens at work (Reg. 10/2003 on Type TWA No 13 on protection of workers against risks of ex Type TWA ation on Protection of Workers against Exposure to nex I (NN 91/2018), as amended Type MAC	20 mg/m3 10 mg/m3 e of Well-being a Value 0,1 mg/m3 5 mg/m3 prot. from carci Value 0,1 mg/m3 cposure to chem Value 5 mg/m3 co Dangerous Ch Value 0,1 mg/m3	Inhalable fraction. Respirable fraction. It work, Book VI, Title 1 - Form Respirable dust. Respirable fraction. Inogens and mutagens at Form Respirable fraction and dust stical agents at work, as	
Belgium. OEL. Exposure Li Chemical agents, as amend Components Crystalline SiO2 (Quartz) (CAS 14808-60-7) IRON OXIDE (CAS 1309-37-1) Bulgaria. OEL values of car work, Ann. 1), as amended Components Crystalline SiO2 (Quartz) (CAS 14808-60-7) Bulgaria. OELs. Ordinance amended Components IRON OXIDE (CAS 1309-37-1) Croatia. OELs (GVI). Regula Biological Limit Values, An Components Crystalline SiO2 (Quartz)	mit Values to Chemical Substances at Work, Code led Type TWA TWA TWA rcinogens and mutagens at work (Reg. 10/2003 on Type TWA No 13 on protection of workers against risks of ex Type TWA ation on Protection of Workers against Exposure to nex I (NN 91/2018), as amended Type Type	20 mg/m3 10 mg/m3 e of Well-being a Value 0,1 mg/m3 5 mg/m3 prot. from carci Value 0,1 mg/m3 cposure to chem Value 5 mg/m3 co Dangerous Ch Value	Inhalable fraction. Respirable fraction. It work, Book VI, Title 1 - Form Respirable dust. Respirable fraction. Inogens and mutagens at Form Respirable fraction and dust stical agents at work, as	
Belgium. OEL. Exposure Li Chemical agents, as amend Components Crystalline SiO2 (Quartz) (CAS 14808-60-7) IRON OXIDE (CAS 1309-37-1) Bulgaria. OEL values of car work, Ann. 1), as amended Components Crystalline SiO2 (Quartz) (CAS 14808-60-7) Bulgaria. OELs (GVI). Regula Biological Limit Values, An Components Crystalline SiO2 (Quartz) (CAS 14808-60-7) IRON OXIDE (CAS 1309-37-1)	mit Values to Chemical Substances at Work, Code led Type TWA TWA TWA rcinogens and mutagens at work (Reg. 10/2003 on Type TWA No 13 on protection of workers against risks of ex Type TWA ation on Protection of Workers against Exposure to nex I (NN 91/2018), as amended Type MAC	20 mg/m3 10 mg/m3 e of Well-being a Value 0,1 mg/m3 5 mg/m3 prot. from carci Value 0,1 mg/m3 cposure to chem Value 5 mg/m3 co Dangerous Ch Value 0,1 mg/m3	Inhalable fraction. Respirable fraction. It work, Book VI, Title 1 - Form Respirable dust. Respirable fraction. Inogens and mutagens at Form Respirable fraction and dust stical agents at work, as	
Belgium. OEL. Exposure Li Chemical agents, as amend Components Crystalline SiO2 (Quartz) (CAS 14808-60-7) IRON OXIDE (CAS 1309-37-1) Bulgaria. OEL values of car work, Ann. 1), as amended Components Crystalline SiO2 (Quartz) (CAS 14808-60-7) Bulgaria. OELs (GVI). Regula Biological Limit Values, An Components Crystalline SiO2 (Quartz) (CAS 14808-60-7) IRON OXIDE (CAS 1309-37-1)	mit Values to Chemical Substances at Work, Code led Type TWA TWA TWA rcinogens and mutagens at work (Reg. 10/2003 on Type TWA No 13 on protection of workers against risks of ex Type TWA ation on Protection of Workers against Exposure to nex I (NN 91/2018), as amended Type MAC	20 mg/m3 10 mg/m3 e of Well-being a Value 0,1 mg/m3 5 mg/m3 prot. from carci Value 0,1 mg/m3 cposure to chem Value 5 mg/m3 co Dangerous Ch Value 0,1 mg/m3 5 mg/m3	Inhalable fraction. Respirable fraction. It work, Book VI, Title 1 - Form Respirable dust. Respirable fraction. Inogens and mutagens at Form Respirable fraction and dust nical agents at work, as hemicals at Work, OELs ar Form Fume.	

(CAS 14808-60-7)	Components	Туре	Value	Form
Components Type Value Form Chystalline SIO2 (Quartz) TLV 0.3 mg/m3 Total CAS 14308-60-7) 0.1 mg/m3 Respirable. SON OXIDE (CAS TLV 3.5 mg/m3 Respirable. SON OXIDE (CAS TLV 3.5 mg/m3 Fine dust, respiratory fraction Components Type Value Form Cystalline SIO2 (Quartz) TWA 0.1 mg/m3 Fine dust, respiratory fraction CAS 14808-60-7) TWA 0.5 mg/m3 Respiratory fraction Side SIO2 (Quartz) TWA 0.05 mg/m3 Respiratory fraction CAS 14808-60-7) TWA 0.05 mg/m3 Respiratole. CAS 14808-60-7) TWA 0.05 mg/m3 Respiratole. CAS 14808-60-7) TWA 0.1 mg/m3 Respiratole. CAS 14808-60-7) TWA 0.1 mg/m3 Respiratole. CAS 14808-60-7) TWA 5 mg/m3 Fure. CAS 14808-60-7) TWA 5 mg/m3 Fure. CAS 14808-60-7) TYPE Value <t< td=""><td></td><td>TWA</td><td>0,1 mg/m3</td><td>Respirable dust.</td></t<>		TWA	0,1 mg/m3	Respirable dust.
CAS 14808-80-7) 0,1 mg/m3 Respirable. 0,1 mg		* .		
0.1 mg/m3 Respirable. RON OXIDE (CAS TLV 3.5 mg/m3 RON OXIDE (CAS TVP 3.5 mg/m3 Estonia. OELs. Occupational Exposure Limits of Hazardous Substances (Regulation No. 105/2001, Annex), as amended Components Type Cystalline SIO2 (Quartz) TWA 0.1 mg/m3 Fine dust, respiratory fraction (CAS 14808-60-7) TWA 3.5 mg/m3 Fine dust, respiratory fraction (CAS 14808-60-7) TWA 0.05 mg/m3 Respirable. (CAS 14808-60-7) TWA 5 mg/m3 Furne. (CAS 14808-60-7) TWA 5 mg/m3 Furne. (CAS 14808-60-7) VME 0.1 mg/m3 Respirable dust. (CAS 14808-60-7) Type Value Form Crystalline SIO2 (Quartz) VME 0.1 mg/m3 Respirable fraction. CAS 14808-60-7) Type Value Form Crystalline SIO2 (Quartz) VME 5 mg/m3 Furne. Chystalline SIO2 (Quartz) VME 5 mg/m3 Respirable fraction. CAS 14808-60-7) Typ	, , , , , , , , , , , , , , , , , , ,	TLV	0,3 mg/m3	Total
1309-37-1) Estonia. OELs. Occupational Exposure Limits of Hazardous Substances (Regulation No. 105/2001, Annex), as amend Components Chystalline SiO2 (Quartz) TWA 0,1 mg/m3 Fine dust, respiratory fraction CAS 14808-60-7) TWA 3,5 mg/m3 Fine dust, respiratory fraction RON OXIDE (CAS TWA 3,5 mg/m3 Fine dust, respiratory fraction Somponents Type Value Form Crystalline SiO2 (Quartz) TWA 0.05 mg/m3 Respirable. CAS 14808-60-7) TWA 0.05 mg/m3 Respirable. CAS 14908-60-7) TWA 0.05 mg/m3 Fume. France. OELs. Occupational Exposure Limits as Prescribed by Art. R:4412-149 of Labor Code, as amended Components Type Value Form Crystalline SiO2 (Quartz) VME 0,1 mg/m3 Respirable dust. CAS 14808-60-7) France. OELs. Occupational Exposure Limits as Prescribed by Art. R:4412-149 of Labor Code, as amended Components Type Value Form Crystalline SiO2 (Quartz) VME 0,1 mg/m3 Respirable dust. CAS 14808-60-7) France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984 Form Components			0,1 mg/m3	Respirable.
Components Type Value Form Crystalline SiO2 (Quartz) TWA 0,1 mg/m3 Fine dust, respiratory fraction CAS 14308-60-7) TWA 3,5 mg/m3 Fine dust, respiratory fraction Finand, HTP-arvot, App 3., Binding Limit Values, Social Affairs and Ministry of Health Form Components Type Value Form Crystalline SIO2 (Quartz) TWA 0.05 mg/m3 Respiratory fraction Crystalline SIO2 (Quartz) TWA 5 mg/m3 Fume. Crystalline SIO2 (Quartz) TWA 5 mg/m3 Fume. Crystalline SIO2 (Quartz) TWA 5 mg/m3 Respirable. CAS 14808-60-7) TYPe Value Form Crystalline SIO2 (Quartz) VME 0,1 mg/m3 Respirable dust. CAS 14808-60-7) Type Value Form Crystalline SIO2 (Quartz) VME 0,1 mg/m3 Respirable fraction. CAS 14808-60-7) Regulatory status: Regulatory status: Regulatory status: Regulatory status: Note. CRON OXIDE (CAS YPP	`	TLV	3,5 mg/m3	
Charlential Store Cype Value Fine dust, respiratory CAS 14808-60-7) TWA 0.1 mg/m3 Fine dust, respiratory GAS 14808-60-7) TWA 3,5 mg/m3 Fine dust, respiratory GAS 14808-60-7) TWA 3,5 mg/m3 Fine dust, respiratory GAS 14808-60-7) TWA 0.05 mg/m3 Fine dust, respiratory GAS 14808-60-7) TWA 0.05 mg/m3 Respirable. CAS 14808-60-7) TWA 0.05 mg/m3 Fume. State Sta				
CAS 14808-60.7) Fraction Fraction Fraction Fraction Fraction Fraction Fraction Fraction Fraction Status, respiratory fraction (International Status, respiratory fraction) (International Status, respiratory fraction) (International Status, respiratory fraction) (International Status, respiratory fraction) (International Status, respiratory Status, respiratory Value Form Value (CAS 14808-60.7) (International Status, and Ministry of Health CAS 14808-60.7) (International Status, and Ministry of Health (International Status, and Ministry of Maximum (International Status, and Ministry of Min	Components	Туре	Value	Form
1309-37-1) fraction Finland, HTP-arvot, App 3., Binding Limit Values, Social Affairs and Ministry of Health Components Type Value Form Chystalline SIO2 (Quartz) TWA 0.05 mg/m3 Respirable. CAS 14808-60-7) TWA 0.05 mg/m3 Fume. CAS 14808-60-7) TWA 5 mg/m3 Fume. S0M OXIDE (CAS TWA 5 mg/m3 Fume. CAS 14808-60-7) Type Value Form Crystalline SIO2 (Quartz) VME 0,1 mg/m3 Respirable dust. CAS 14808-60-7) France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984 Components Type Value Form Crystalline SIO2 (Quartz) VME 0,1 mg/m3 Respirable fraction. CAS 14808-60-7) Regulatory status: Regulatory binding (VRC) RON OXIDE (CAS VME 5 mg/m3 Fume. Sign-37-1) Regulatory status: Indicative limit (VL) Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compount nt the Work Area (DFG), as updated Form Components Type Value Form RON OXIDE (CAS		TWA	0,1 mg/m3	
Components Type Value Form Typstalline SiO2 (Quartz) CAS 14808-60-7) TWA 0.05 mg/m3 Respirable. CAS 14808-60-7) TWA 5 mg/m3 Fume. Si309-37-1) France. OELs. Occupational Exposure Limits as Prescribed by Art. R.4412-149 of Labor Code, as amended Components Form Drystalline SiO2 (Quartz) VME 0.1 mg/m3 Respirable dust. CAS 14808-60-7) France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984 Components Type Value Form Crystalline SiO2 (Quartz) VME 0.1 mg/m3 Respirable fraction. CAS 14808-60-7) Regulatory status: Regulatory binding (VRC) Respirable fraction. RAS 14808-60-7) Regulatory status: Indicative limit (VL) Semany. DFG MAK List (advisory OELS). Commission for the Investigation of Health Hazards of Chemical Compount in the Work Area (DFG), as updated Form Components Type Value Form RON OXIDE (CAS TWA 4 mg/m3 Inhalable dust. Sign-37-1) Intel VAL Form Components Type Value </td <td>RON OXIDE (CAS</td> <td>TWA</td> <td>3,5 mg/m3</td> <td></td>	RON OXIDE (CAS	TWA	3,5 mg/m3	
CAS 14408-60-7) RON OXIDE (CAS Type Value Form Crystalline SiO2 (Quartz) VME 0,1 mg/m3 Respirable dust. CAS 14408-60-7) France. OELs. Occupational Exposure Limits as Prescribed by Art. R.4412-149 of Labor Code, as amended Components Type Value Form Crystalline SiO2 (Quartz) VME 0,1 mg/m3 Respirable dust. CAS 14408-60-7) France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984 Components Type Value Form Crystalline SiO2 (Quartz) VME 0,1 mg/m3 Respirable fraction. CRS 14408-60-7) Regulatory status: Regulatory binding (VRC) RON OXIDE (CAS VME 5 mg/m3 Fume. 1309-37-1) Regulatory status: Indicative limit (VL) Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compound the Work Area (DFG), as updated Components Type Value Form RON OXIDE (CAS AGW 10 mg/m3 Inhalable dust. 1309-37-1) Regulatory TRGS 900, Limit Values in the Ambient Air at the Workplace Components Type Value Form RON OXIDE (CAS AGW 10 mg/m3 Inhalable fraction. Greece. OELs, Presidential Decree No. 307/1986, as amended Components Type Value RON OXIDE (CAS STEL 10 mg/m3 Respirable fraction. Greece. OELs, Decree on protection of workers exposed to chemical agents (5/2020, (II.6)), Annex 182, as amended Components Type Value Form Crystalline SiO2 (Quartz) TWA 0, 1 mg/m3 Respirable faction. Crystalline SiO2 (Quartz) TWA 0, 1 mg/m3 Respirable ford Components Type Value Form Crystalline SiO2 (Quartz) TWA 0, 1 mg/m3 Respirable faction. Crystalline SiO2 (Quartz) TWA 0, 1 mg/m3 Respirable faction. Crystalline SiO2 (Quartz) TWA 0, 1 mg/m3 Respirable ford Components Type Value Form Crystalline SiO2 (Quartz) TWA 0, 1 mg/m3 Respirable faction. Crystalline SiO2 (Quartz) TWA 0, 1 mg/m3 Respirable faction. Crystalline SiO2 (Quartz) TWA 0, 1 mg/m3 Respirable faction. Crystalline SiO2 (Quartz) TWA 0, 1 mg/m3 Respirable ford Components Type Value Form Crystalline SiO2 (Quartz) TWA 0, 1 mg/m3 Respirable faction. Crystalline SiO2 (Quartz) TWA 0, 1 mg/m3 Respirable faction. Crystallin		•	-	Form
RON OXIDE (CAS 1309-37-1) TWA 5 mg/m3 Fume. France. OELs. Occupational Exposure Limits as Prescribed by Art. R.4412-149 of Labor Code, as amended Components Type Value Form Chystalline SiO2 (Quartz) CAS 14808-60-7) VME 0,1 mg/m3 Respirable dust. France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984 Components Type Value Form Chystalline SiO2 (Quartz) VME 0,1 mg/m3 Respirable fraction. CAS 14808-60-7) Regulatory status: Regulatory binding (VRC) Regulatory status: Regulatory status: Indicative limit (VL) Regulatory status: Indicative limit (VL) S mg/m3 Fume. S Gornonents Type Value Form Components Type Value Form RON OXIDE (CAS TWA 4 mg/m3 Inhalable dust. Sign-37-1) TWA 4 mg/m3 Inhalable dust. Sign-37-1) TWA 4 mg/m3 Inhalable dust. Sign-37-1) TWA 4 mg/m3 Inhalable fraction. Sign-37-1) Type Value <t< td=""><td></td><td>-</td><td>0,05 mg/m3</td><td>Respirable.</td></t<>		-	0,05 mg/m3	Respirable.
France, OELs. Occupational Exposure Limits as Prescribed by Art. R.4412-149 of Labor Code, as amended Components Form Crystalline SiO2 (Quartz) VME 0,1 mg/m3 Respirable dust. CAS 14808-60-7) France, Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984 Despirable dust. Crystalline SiO2 (Quartz) VME 0,1 mg/m3 Respirable fraction. CAS 14808-60-7) Regulatory status: Regulatory binding (VRC) Regulatory status: Regulatory status: Regulatory status: Indicative limit (VL) Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compound in the Work Area (DFG), as updated Type Value Form Components Type Value Form Regulatory status: Inhalable dust. Gremany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compound in the Work Area (DFG), as updated Type Value Form Gomponents Type Value Form Regulatory status: Inhalable dust. 1309-37-1) Gremany. TRGS 900, Limit Values in the Ambient Air at the Workplace Components Type Value Form RON OXIDE (CAS AGW 10 mg/m3	RON OXIDE (CAS	TWA	5 mg/m3	Fume.
ComponentsTypeValueFormCrystalline SiO2 (Quartz)VME0,1 mg/m3Respirable dust.(CAS 14808-60-7)France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984FormComponentsTypeValueFormCrystalline SiO2 (Quartz)VME0,1 mg/m3Respirable fraction.(CAS 14808-60-7)Regulatory status:Regulatory binding (VRC)Respirable fraction.RRON OXIDE (CASVME5 mg/m3Fume.1309-37-1)Regulatory status:Indicative limit (VL)FormGermany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compound in the Work Area (DFG), as updatedFormComponentsTypeValueFormGermany. TRGS 900, Limit Values in the Ambient Air at the WorkplaceFormGermany. TRGS 900, Limit Values in the Ambient Air at the WorkplaceFormComponentsTypeValueFormRON OXIDE (CASAGW10 mg/m3Inhalable fraction.1309-37-1)TypeValueFormRON OXIDE (CASSTEL10 mg/m3Inhalable fraction.1309-37-1)TypeValueFormRON OXIDE (CASTypeValueFormRON OXIDE (CASTypeValueFormRON OXIDE (CASSTEL10 mg/m3Inhalable fraction.1309-37-1)TWA10 mg/m3Respirable fraction.RON OXIDE (CASTypeValueFormRON OXIDE (CAST	,			
CAS 14808-60-7) Type Value Form Components Type Value Form CAS 14808-60-7) Respirable fraction. CAS 14808-60-7) Regulatory status: Regulatory binding (VRC) Respirable fraction. RON OXIDE (CAS VME 5 mg/m3 Fume. 1309-37-1) Regulatory status: Indicative limit (VL) Form Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounts Type Value Form RON OXIDE (CAS TVWA 4 mg/m3 Inhalable dust. 109-37-10 Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounts Type Value Form RON OXIDE (CAS TWA 4 mg/m3 Inhalable dust. 109-37-10 Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace Components Type Value Form CON OXIDE (CAS AGW 10 mg/m3 Inhalable fraction. 1,25 mg/m3 Respirable fraction. I309-37-1) Instatus Type Value Form 1,25 mg/m3 Respirable fraction. Gomponents <td< td=""><td></td><td>-</td><td></td><td></td></td<>		-		
ComponentsTypeValueFormChystalline SiO2 (Quartz)VME0,1 mg/m3Respirable fraction.CAS 14808-60-7)Regulatory status:Regulatory binding (VRC)Rom OXIDE (CASVME5 mg/m3Fume.309-37-1)Regulatory status:Indicative limit (VL)Sermany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical CompountFormComponentsTypeValueFormRON OXIDE (CASTWA4 mg/m3Inhalable dust.309-37-1)TWA4 mg/m3Inhalable dust.Sermany. TRGS 900, Limit Values in the Ambient Air at the WorkplaceFormComponentsTypeValueFormRON OXIDE (CASAGW10 mg/m3Inhalable fraction.309-37-1)1,25 mg/m3Respirable fraction.Sermany. TRGS 900, Limit Values in the Ambient Air at the WorkplaceFormComponentsTypeValueFormRON OXIDE (CASAGW10 mg/m3Inhalable fraction.309-37-1)TWA10 mg/m3Inhalable fraction.Streece. OELs, Presidential Decree No. 307/1986, as amendedTop mg/m3Respirable fraction.ComponentsTypeValueFormRON OXIDE (CASSTEL10 mg/m3Inhalable fraction.309-37-1)TWA10 mg/m3FormComponentsTypeValueFormComponentsTypeValueFormComponentsTypeValueFormComponents <td>•</td> <td>VME</td> <td>0,1 mg/m3</td> <td>Respirable dust.</td>	•	VME	0,1 mg/m3	Respirable dust.
Crystalline SiO2 (Quartz) VME 0,1 mg/m3 Respirable fraction. CAS 14808-60-7) Regulatory status: Regulatory binding (VRC) Fume. RON OXIDE (CAS VME 5 mg/m3 Fume. 1309-37-1) Regulatory status: Indicative limit (VL) Form Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compound n the Work Area (DFG), as updated Form Components Type Value Form RON OXIDE (CAS TWA 4 mg/m3 Inhalable dust. Gomponents Type Value Form RON OXIDE (CAS TWA 4 mg/m3 Inhalable fraction. Gomponents Type Value Form RON OXIDE (CAS AGW 10 mg/m3 Inhalable fraction. I309-37-1) 1,25 mg/m3 Respirable fraction. Streece. OELs, Presidential Decree No. 307/1986, as amended 10 mg/m3 Components Type Value Form RON OXIDE (CAS STEL 10 mg/m3 10 mg/m3 I309-37-1) TWA 10 mg/m3 10 mg/m3				
CAS 14808-60-7) Regulatory status: Regulatory binding (VRC) RON OXIDE (CAS VME 5 mg/m3 Fume. 309-37-1) Regulatory status: Indicative limit (VL) Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compount n the Work Area (DFG), as updated Type Value Form COMPONENTS TWA 4 mg/m3 Inhalable dust. 309-37-1) Sermany. TRGS 900, Limit Values in the Ambient Air at the Workplace Sermany. Trops Value Form CON OXIDE (CAS AGW 10 mg/m3 Inhalable fraction. 309-37-1)	Components	Туре	Value	Form
RON OXIDE (CAS 309-37-1) VME 5 mg/m3 Fume. Regulatory status: Indicative limit (VL) Sermany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compount in the Work Area (DFG), as updated Type Value Form Components Type Value Form RON OXIDE (CAS 309-37-1) TWA 4 mg/m3 Inhalable dust. Sermany. TRGS 900, Limit Values in the Ambient Air at the Workplace Components Type Value Form RON OXIDE (CAS 309-37-1) AGW 10 mg/m3 Inhalable fraction. Song-37-1) 1,25 mg/m3 Respirable fraction. Song-37-1) Type Value Form RON OXIDE (CAS 309-37-1) STEL 10 mg/m3 Inhalable fraction. Song-37-1) TWA 10		VME	0,1 mg/m3	Respirable fraction.
Indicative limit (VL) Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compount in the Work Area (DFG), as updated Components Type Value Form RON OXIDE (CAS TWA 4 mg/m3 Inhalable dust. 309-37-1) Sermany. TRGS 900, Limit Values in the Ambient Air at the Workplace Form Components Type Value Form RON OXIDE (CAS AGW 10 mg/m3 Inhalable fraction. 309-37-1) 1,25 mg/m3 Respirable fraction. Streece. OELs, Presidential Decree No. 307/1986, as amended Type Value Components Type Value Value RON OXIDE (CAS STEL 10 mg/m3 Inhalable fraction. 309-37-1) TWA 10 mg/m3 Inhalable fraction. Streece. OELs, Presidential Decree No. 307/1986, as amended Type Value Form RON OXIDE (CAS STEL 10 mg/m3 TwA 10 mg/m3 309-37-1) TWA 10 mg/m3 Form Components Type Value Form Components Type <td< td=""><td>Regulatory status: Regulate</td><td>ory binding (VRC)</td><td></td><td></td></td<>	Regulatory status: Regulate	ory binding (VRC)		
Regulatory status: Indicative limit (VL) Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compount n the Work Area (DFG), as updated Components Type Value Form RON OXIDE (CAS 1309-37-1) TWA 4 mg/m3 Inhalable dust. Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace Components Type Value Form RON OXIDE (CAS 1309-37-1) AGW 10 mg/m3 Inhalable fraction. RON OXIDE (CAS 1309-37-1) AGW 10 mg/m3 Respirable fraction. RON OXIDE (CAS 1309-37-1) Type Value Form RON OXIDE (CAS 1309-37-1) Type Value Form RON OXIDE (CAS 1309-37-1) Type Value Value RON OXIDE (CAS 1309-37-1) STEL 10 mg/m3 Type RON OXIDE (CAS 1309-37-1) TWA 10 mg/m3 Type RON OXIDE (CAS 1309-37-1) TWA 0,1 mg/m3 Respirable dust.		VME	5 mg/m3	Fume.
n the Work Area (DFG), as updated Type Value Form Components TWA 4 mg/m3 Inhalable dust. 1309-37-1) Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace Form Components Type Value Form RON OXIDE (CAS AGW 10 mg/m3 Inhalable fraction. 1309-37-1) 1,25 mg/m3 Respirable fraction. RON OXIDE (CAS AGW 10 mg/m3 Respirable fraction. 1309-37-1) Type Value Form RON OXIDE (CAS AGW 10 mg/m3 Respirable fraction. 1309-37-1) Type Value Value RON OXIDE (CAS STEL 10 mg/m3 Inhalable fraction. 1309-37-1) TWA 10 mg/m3 Inhalable fraction. RON OXIDE (CAS STEL 10 mg/m3 Inhalable fraction. I309-37-1) TWA 10 mg/m3 Inhalable fraction. I309-37-1) TWA 10 mg/m3 Inhalable fraction. I309-37-1) TWA 10 mg/m3 Inhalable fraction. ISO (CAS) Type Value <	,	e limit (VL)		
In the Work Area (DFG), as updatedTypeValueFormComponentsTWA4 mg/m3Inhalable dust.RON OXIDE (CAS (309-37-1)TWA4 mg/m3Inhalable dust.Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace ComponentsFormRON OXIDE (CAS (309-37-1)AGW10 mg/m3Inhalable fraction.RON OXIDE (CAS (309-37-1)AGW10 mg/m3Respirable fraction.RON OXIDE (CAS (309-37-1)AGW10 mg/m3Respirable fraction.RON OXIDE (CAS (309-37-1)TypeValueValueRON OXIDE (CAS (309-37-1)STEL TWA10 mg/m3RON OXIDE (CAS (309-37-1)STEL TWA10 mg/m3RON OXIDE (CAS (309-37-1)TWA0,1 mg/m3RON OXIDE (CAS (309-37-1)TWA0,1 mg/m3	Germany. DFG MAK List (advisor	y OELs). Commission for the I	nvestigation of Health Hazard	s of Chemical Compoun
RON OXIDE (CAS TWA 4 mg/m3 Inhalable dust. I309-37-1) Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace Value Form Components Type Value Form RON OXIDE (CAS AGW 10 mg/m3 Inhalable fraction. I309-37-1) 1,25 mg/m3 Respirable fraction. RON OXIDE (CAS AGW 10 mg/m3 Inhalable fraction. I309-37-1) Type Value Value RON OXIDE (CAS STEL 10 mg/m3 Respirable fraction. I309-37-1) TWA 10 mg/m3 Inhalable fraction. Growthere is the interval of the i	n the Work Area (DFG), as updat	ed	-	-
I 309-37-1) Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace Components Type Value Form RON OXIDE (CAS AGW 10 mg/m3 Inhalable fraction. 1309-37-1) 1,25 mg/m3 Respirable fraction. I309-37-1) 1,25 mg/m3 Respirable fraction. Greece. OELs, Presidential Decree No. 307/1986, as amended Components Type Value RON OXIDE (CAS STEL 10 mg/m3 1309-37-1) TWA 10 mg/m3 Hungary. OELs. Decree on protection of workers exposed to chemical agents (5/2020. (II.6)), Annex 1&2, as amended Form Components Type Value Form Crystalline SiO2 (Quartz) TWA 0,1 mg/m3 Respirable dust.	Components	Туре	Value	Form
ComponentsTypeValueFormRON OXIDE (CAS 1309-37-1)AGW10 mg/m3Inhalable fraction.1,25 mg/m3Respirable fraction.30 recee. OELs, Presidential Decree No. 307/1986, as amended ComponentsValueComponentsTypeValueRON OXIDE (CAS 1309-37-1)STEL10 mg/m3RON OXIDE (CAS 1309-37-1)TWA10 mg/m3Hungary. OELs. Decree on protection of workers exposed to chemical agents(5/2020. (II.6)), Annex 1&2, as amended ValueComponentsType0,1 mg/m3ComponentsTWA0,1 mg/m3	`	TWA	4 mg/m3	Inhalable dust.
RON OXIDE (CAS 1309-37-1) AGW 10 mg/m3 Inhalable fraction. 1,25 mg/m3 Respirable fraction. Greece. OELs, Presidential Decree No. 307/1986, as amended Components Type Value RON OXIDE (CAS 1309-37-1) STEL 10 mg/m3 RON OXIDE (CAS 1309-37-1) STEL 10 mg/m3 Hungary. OELs. Decree on protection of workers exposed to chemical agents (5/2020. (II.6)), Annex 1&2, as amended Components Type Crystalline SiO2 (Quartz) CAS 14808-60-7) TWA 0,1 mg/m3 Respirable dust.	Germany. TRGS 900, Limit Values	s in the Ambient Air at the Wor	kplace	
1309-37-1)1,25 mg/m3Respirable fraction.Grystalline SiO2 (Quartz)TWA0NO OXIDE (CAS TypeSTEL TWA10 mg/m3Hungary. OELs. Decree on protection of workers exposed to chemical agents(5/2020. (II.6)), Annex 1&2, as amended ValueCrystalline SiO2 (Quartz)TWA0,1 mg/m3Respirable dust.	Components	Туре	Value	Form
1,25 mg/m3Respirable fraction.Greece. OELs, Presidential Decree No. 307/1986, as amended ComponentsValueValueRON OXIDE (CAS 1309-37-1)STEL10 mg/m3TWA10 mg/m310 mg/m3Hungary. OELs. Decree on protection of workers exposed to chemical agents Components(5/2020. (II.6)), Annex 1&2, as amended FormCrystalline SiO2 (Quartz) CAS 14808-60-7)TWA0,1 mg/m3		AGW	10 mg/m3	Inhalable fraction.
ComponentsTypeValueRON OXIDE (CAS 1309-37-1)STEL10 mg/m3TWA10 mg/m3Hungary. OELs. Decree on protection of workers exposed to chemical agents Components(5/2020. (II.6)), Annex 1&2, as amended FormCrystalline SiO2 (Quartz) (CAS 14808-60-7)TWA0,1 mg/m3	,		1,25 mg/m3	Respirable fraction.
RON OXIDE (CAS STEL 10 mg/m3 1309-37-1) TWA 10 mg/m3 Hungary. OELs. Decree on protection of workers exposed to chemical agents (5/2020. (II.6)), Annex 1&2, as amended Components Type Crystalline SiO2 (Quartz) TWA 0,1 mg/m3 Crystalline SiO2 (Quartz) TWA 0,1 mg/m3				
1309-37-1) TWA 10 mg/m3 Hungary. OELs. Decree on protection of workers exposed to chemical agents (5/2020. (II.6)), Annex 1&2, as amended Components Type Crystalline SiO2 (Quartz) TWA 0,1 mg/m3 Crystalline SiO2 (Quartz) TWA 0,1 mg/m3	Components	Туре	Value	
Hungary. OELs. Decree on protection of workers exposed to chemical agents (5/2020. (II.6)), Annex 1&2, as amended Components Type Value Form Crystalline SiO2 (Quartz) TWA 0,1 mg/m3 Respirable dust. CAS 14808-60-7) CAS 14808-60-7 CAS 14808-60-7 CAS 14808-60-7		STEL	10 mg/m3	
ComponentsTypeValueFormCrystalline SiO2 (Quartz)TWA0,1 mg/m3Respirable dust.CAS 14808-60-7)CAS 14808-60-7)CAS 14808-60-7CAS 14808-60-7		TWA	10 mg/m3	
CAS 14808-60-7)		-		
		T \A/A	0.1 mg/m3	Pesnirable dust
		IWA	0, i ing/ins	Respirable dust.
	Crystalline SiO2 (Quartz) (CAS 14808-60-7) IRON OXIDE (CAS 1309-37-1)	TWA	4 mg/m3	Respirable.

Iceland. OELs. Regulation 390/2009 on F Components	Pollution Limits and Measur Type	es to Reduce Pollution at t Value	the Workplace, as amended Form
Crystalline SiO2 (Quartz) (CAS 14808-60-7)	TWA	0,3 mg/m3	Total dust.
		0,1 mg/m3	Respirable dust.
IRON OXIDE (CAS 1309-37-1)	TWA	3,5 mg/m3	Respirable dust.
Ireland. OELVs, Schedules 1 & 2, Code o Components	of Practice for Chemical Age Type	ents and Carcinogens Reg Value	ulations Form
Crystalline SiO2 (Quartz) (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.
IRON OXIDE (CAS 1309-37-1)	STEL	10 mg/m3	Fume.
	TWA	5 mg/m3	Fume.
		4 mg/m3	Respirable dust.
		10 mg/m3	Total inhalable dust.
Italy. OELs (Legislative Decree n.81, 9 A Components	pril 2008), as amended Type	Value	Form
Crystalline SiO2 (Quartz)	TWA	0,025 mg/m3	Respirable fraction.
(CAS 14808-60-7) IRON OXIDE (CAS	TWA	5 mg/m3	Respirable fraction.
1309-37-1)		-	
Latvia. OELs. Occupational Exposure Li 1), as amended	mits of chemical Substance	es al workplace (Reg. NO.	323/ 2007, L.V. 60, ANNEX
Components	Туре	Value	Form
Crystalline SiO2 (Quartz) (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.
Lithuania. OELs. Occupational Exposure V-824/A1-389), as amended	e Limit Values for Chemical	Substances (Hygiene Nor	m HN 23:2011; Order No.
Components	Туре	Value	Form
Crystalline SiO2 (Quartz) (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable fraction.
IRON OXIDE (CAS 1309-37-1)	TWA	3,5 mg/m3	Respirable fraction.
Luxembourg. Chemical Substances Pro 235/2016, as amended	hibited at Work (Annex III),	G.D.R. of 14 November 201	l6, OJ Memorial A, n °
Components	Туре	Value	Form
Crystalline SiO2 (Quartz) (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.
Netherlands. OELs per Annex XIII of Wo amended	rking Conditions Regulation	n (Staatscourant no. 252, 2	9 December 2006), as
Components	Туре	Value	Form
Crystalline SiO2 (Quartz) (CAS 14808-60-7)	TWA	0,075 mg/m3	Respirable dust.
Norway. Regulation No. 1358 on Measur Infection Groups for Biological Factors,		vsical and Chemical Factor	s in Work Environment and
Components	Туре	Value	Form
Crystalline SiO2 (Quartz) (CAS 14808-60-7)	TLV	0,3 mg/m3	Total dust.
-		0,05 mg/m3	Respirable dust.
IRON OXIDE (CAS 1309-37-1)	TLV	3 mg/m3	
Poland. Maximum permissible concentra 1286/2018, Annex 1)	ations and intensities of ha	rmful factors in the work e	nvironment (Dz.U.Poz.
Components	Туре	Value	Form
	TWA		

Components	Туре	Value	Form
RON OXIDE (CAS 309-37-1)	STEL	5 mg/m3	Respirable fraction.
,		10 mg/m3	Inhalable fraction.
	TWA	5 mg/m3	Inhalable fraction.
		2,5 mg/m3	Respirable fraction.
Portugal. VLEs. Norm on occupa Components	tional exposure to chemical agents (N Type	IP 1796-2014) Value	Form
rystalline SiO2 (Quartz) CAS 14808-60-7)	TWA	0,025 mg/m3	Respirable fraction.
RON OXIDE (CAS 309-37-1)	TWA	5 mg/m3	Respirable fraction.
omania. OELs. Limit Values of (mended)	Chemical Agents at Workplace (Regul	ation 1.218/2006, M.O 8	45, Annex 1, 3&4, as
components	Туре	Value	Form
RON OXIDE (CAS 309-37-1)	STEL	10 mg/m3	Dust and fume.
	TWA	5 mg/m3	Dust and fume.
lovakia. OELs for carcinogens a mended	and mutagens. Regulation No. 356/200	06 on carcinogenic and	-
Components	Туре	Value	Form
Crystalline SiO2 (Quartz) CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable fraction.
lovakia. OELs. Maximum permis nnex 1, Table 1, as amended) components	ssible exposure limits for chemical fa	ctors in workplace air (Value	Regulation No 355/2006, Form
omponento	Type	Value	
	Τ\Λ/Λ	1 ma/m3	Inhalabla fuma
	TWA	4 mg/m3	Inhalable fume.
309-37-1)		1,5 mg/m3	Respirable fume.
309-37-1)	posure Limits of Chemicals at Workp	1,5 mg/m3	Respirable fume.
309-37-1) Iovenia. OELs. Occupational Ex ue to Exp. to Chemicals at Worl	posure Limits of Chemicals at Workp	1,5 mg/m3	Respirable fume.
309-37-1) Glovenia. OELs. Occupational Ex lue to Exp. to Chemicals at Work components RON OXIDE (CAS	xposure Limits of Chemicals at Workp k, Annex I), as amended	1,5 mg/m3 lace (Reg. on Protectio	Respirable fume.
309-37-1) Iovenia. OELs. Occupational Ex ue to Exp. to Chemicals at Work omponents RON OXIDE (CAS	xposure Limits of Chemicals at Workp k, Annex I), as amended Type	1,5 mg/m3 lace (Reg. on Protectio Value	Respirable fume. n of Workers from Risks Form
309-37-1) Slovenia. OELs. Occupational Ex lue to Exp. to Chemicals at Work components RON OXIDE (CAS 309-37-1) Spain. OELs. INSST, Límites de E	xposure Limits of Chemicals at Workp k, Annex I), as amended Type	1,5 mg/m3 lace (Reg. on Protection Value 10 mg/m3 1,25 mg/m3	Respirable fume. n of Workers from Risks Form Inhalable fraction. Respirable fraction.
309-37-1) Iovenia. OELs. Occupational Ex ue to Exp. to Chemicals at Work components RON OXIDE (CAS 309-37-1) pain. OELs. INSST, Límites de E /LAs)	cposure Limits of Chemicals at Workp k, Annex I), as amended Type TWA Exposición Profesional Para Agentes (1,5 mg/m3 lace (Reg. on Protection Value 10 mg/m3 1,25 mg/m3 Químicos, Table 1-Valo	Respirable fume. n of Workers from Risks Form Inhalable fraction. Respirable fraction.
309-37-1) Glovenia. OELs. Occupational Ex lue to Exp. to Chemicals at Work components RON OXIDE (CAS 309-37-1) Gpain. OELs. INSST, Límites de E VLAs) components	xposure Limits of Chemicals at Workp k, Annex I), as amended Type TWA Exposición Profesional Para Agentes Type	1,5 mg/m3 lace (Reg. on Protection Value 10 mg/m3 1,25 mg/m3 Químicos, Table 1-Valo Value	Respirable fume. n of Workers from Risks Form Inhalable fraction. Respirable fraction. res Límites Ambientales Form
309-37-1) Iovenia. OELs. Occupational Ex ue to Exp. to Chemicals at Work components RON OXIDE (CAS 309-37-1) pain. OELs. INSST, Límites de E /LAs) components rystalline SiO2 (Quartz) CAS 14808-60-7)	xposure Limits of Chemicals at Workp k, Annex I), as amended Type TWA Exposición Profesional Para Agentes o Type TWA	1,5 mg/m3 lace (Reg. on Protection Value 10 mg/m3 1,25 mg/m3 Químicos, Table 1-Valo Value 0,05 mg/m3	Respirable fume. n of Workers from Risks Form Inhalable fraction. Respirable fraction. res Límites Ambientales Form Respirable fraction.
309-37-1) Slovenia. OELs. Occupational Ex ue to Exp. to Chemicals at Work components RON OXIDE (CAS 309-37-1) Spain. OELs. INSST, Límites de E VLAs) components Crystalline SiO2 (Quartz) CAS 14808-60-7) RON OXIDE (CAS	xposure Limits of Chemicals at Workp k, Annex I), as amended Type TWA Exposición Profesional Para Agentes Type	1,5 mg/m3 lace (Reg. on Protection Value 10 mg/m3 1,25 mg/m3 Químicos, Table 1-Valo Value	Respirable fume. n of Workers from Risks Form Inhalable fraction. Respirable fraction. res Límites Ambientales Form
309-37-1) Slovenia. OELs. Occupational Ex lue to Exp. to Chemicals at Work components RON OXIDE (CAS 309-37-1) Spain. OELs. INSST, Límites de E VLAs) Components Crystalline SiO2 (Quartz) CAS 14808-60-7) RON OXIDE (CAS 309-37-1) Sweden. OELs (Annex 1). Work E	xposure Limits of Chemicals at Workp k, Annex I), as amended Type TWA Exposición Profesional Para Agentes o Type TWA	1,5 mg/m3 lace (Reg. on Protection Value 10 mg/m3 1,25 mg/m3 Químicos, Table 1-Valo Value 0,05 mg/m3 5 mg/m3	Respirable fume. n of Workers from Risks Form Inhalable fraction. Respirable fraction. res Límites Ambientales Form Respirable fraction. Dust and fume.
309-37-1) Iovenia. OELs. Occupational Ex ue to Exp. to Chemicals at Work components RON OXIDE (CAS 309-37-1) pain. OELs. INSST, Límites de E /LAs) components rrystalline SiO2 (Quartz) CAS 14808-60-7) RON OXIDE (CAS 309-37-1) weden. OELs (Annex 1). Work E mended	xposure Limits of Chemicals at Workp k, Annex I), as amended Type TWA Exposición Profesional Para Agentes of Type TWA TWA TWA TWA	1,5 mg/m3 lace (Reg. on Protection Value 10 mg/m3 1,25 mg/m3 Químicos, Table 1-Valo Value 0,05 mg/m3 5 mg/m3	Respirable fume. n of Workers from Risks Form Inhalable fraction. Respirable fraction. res Límites Ambientales Form Respirable fraction. Dust and fume.
309-37-1) Slovenia. OELs. Occupational Ex ue to Exp. to Chemicals at Work components RON OXIDE (CAS 309-37-1) Spain. OELs. INSST, Límites de E VLAs) components Crystalline SiO2 (Quartz) CAS 14808-60-7) RON OXIDE (CAS 309-37-1) Sweden. OELs (Annex 1). Work E mended components Crystalline SiO2 (Quartz)	xposure Limits of Chemicals at Workp k, Annex I), as amended Type TWA Exposición Profesional Para Agentes o Type TWA TWA	1,5 mg/m3 lace (Reg. on Protection Value 10 mg/m3 1,25 mg/m3 Químicos, Table 1-Valo Value 0,05 mg/m3 5 mg/m3	Respirable fume. n of Workers from Risks Form Inhalable fraction. Respirable fraction. res Límites Ambientales Form Respirable fraction. Dust and fume. Iues (AFS 2018:1), as
309-37-1) Slovenia. OELs. Occupational Ex lue to Exp. to Chemicals at Work Components RON OXIDE (CAS 309-37-1) Spain. OELs. INSST, Límites de E VLAs) Components Crystalline SiO2 (Quartz) CAS 14808-60-7) RON OXIDE (CAS 309-37-1) Sweden. OELs (Annex 1). Work E mended Components Crystalline SiO2 (Quartz) CAS 14808-60-7) RON OXIDE (CAS	xposure Limits of Chemicals at Workp k, Annex I), as amended Type TWA Exposición Profesional Para Agentes of Type TWA TWA TWA Environment Authority (AV), Occupation	1,5 mg/m3 lace (Reg. on Protection Value 10 mg/m3 1,25 mg/m3 Químicos, Table 1-Valo Value 0,05 mg/m3 5 mg/m3 onal Exposure Limit Va Value	Respirable fume. n of Workers from Risks Form Inhalable fraction. Respirable fraction. res Límites Ambientales Form Respirable fraction. Dust and fume. lues (AFS 2018:1), as Form
lue to Exp. to Chemicals at Work Components RON OXIDE (CAS 309-37-1) Spain. OELs. INSST, Límites de E VLAs) Components Crystalline SiO2 (Quartz) CAS 14808-60-7) RON OXIDE (CAS 309-37-1) Sweden. OELs (Annex 1). Work E Immended Components Crystalline SiO2 (Quartz) CAS 14808-60-7) RON OXIDE SiO2 (Quartz) CAS 14808-60-7) RON OXIDE (CAS 309-37-1)	xposure Limits of Chemicals at Workp k, Annex I), as amended Type TWA Exposición Profesional Para Agentes of Type TWA TWA Environment Authority (AV), Occupation Type TWA	1,5 mg/m3 lace (Reg. on Protection Value 10 mg/m3 1,25 mg/m3 Químicos, Table 1-Valo Value 0,05 mg/m3 5 mg/m3 onal Exposure Limit Va Value 0,1 mg/m3	Respirable fume. n of Workers from Risks Form Inhalable fraction. Respirable fraction. res Límites Ambientales Form Respirable fraction. Dust and fume. Iues (AFS 2018:1), as Form Respirable dust.
309-37-1) Slovenia. OELs. Occupational Ex lue to Exp. to Chemicals at Work Components RON OXIDE (CAS 309-37-1) Spain. OELs. INSST, Límites de E VLAs) Components Crystalline SiO2 (Quartz) CAS 14808-60-7) RON OXIDE (CAS 309-37-1) Sweden. OELs (Annex 1). Work E mended Components Crystalline SiO2 (Quartz) CAS 14808-60-7) RON OXIDE (CAS 309-37-1) Switzerland. SUVA Grenzwerte at	xposure Limits of Chemicals at Workp k, Annex I), as amended Type TWA Exposición Profesional Para Agentes of Type TWA TWA Environment Authority (AV), Occupation Type TWA TWA TWA TWA TWA	1,5 mg/m3 lace (Reg. on Protection Value 10 mg/m3 1,25 mg/m3 Químicos, Table 1-Valo Value 0,05 mg/m3 5 mg/m3 onal Exposure Limit Va Value 0,1 mg/m3 3,5 mg/m3	Respirable fume. n of Workers from Risks Form Inhalable fraction. Respirable fraction. Ites Límites Ambientales Form Respirable fraction. Dust and fume. Iues (AFS 2018:1), as Form Respirable dust. Respirable dust.

Components	Туре	Value	Form
Crystalline SiO2 (Quartz) (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable.
IRON OXIDE (CAS 1309-37-1)	STEL	10 mg/m3	Fume.
	TWA	5 mg/m3	Fume.
		4 mg/m3	Respirable.
		10 mg/m3	Inhalable
EU. OELs, Directive 2004/3	37/EC on carcinogen and mutagens fr	om Annex III, Part A, as amer	nded
Components	Туре	Value	Form
Crystalline SiO2 (Quartz) (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable fraction and dust
ological limit values	No biological exposure limits noted for	or the ingredient(s).	
ecommended monitoring rocedures	Follow standard monitoring procedur	es.	
erived no effect levels INELs)	Not available.		
redicted no effect oncentrations (PNECs)	Not available.		
2. Exposure controls			
opropriate engineering ontrols	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
dividual protection measure	s, such as personal protective equipm	ent	
General information	Use personal protective equipment a according to the CEN standards and equipment.		
Eye/face protection	Chemical respirator with organic vap	or cartridge and full facepiece.	
Skin protection			
- Hand protection	Wear appropriate chemical resistant	gloves.	
- Other	Use of an impervious apron is recom	mended.	
Respiratory protection	Chemical respirator with organic vap	or cartridge and full facepiece.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
ygiene measures	Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		
nvironmental exposure ontrols	Emissions from ventilation or work pr with the requirements of environmen engineering modifications to the proc	tal protection legislation. Fume	scrubbers, filters or

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties			
Physical state	Liquid.		
Form	Liquid. Granular.		
Color	Natural color		
Odor	None.		
Melting point/freezing point	Not available.		
Boiling point or initial boiling point and boiling range	Not available.		
Flammability	Not applicable.		
Flash point	Not available.		
Auto-ignition temperature	Not available.		
Decomposition temperature	Not available.		
рН	Not available.		

Kinematic viscosity	Not available.		
Solubility			
Solubility (water)	Not available.		
Partition coefficient	Not available.		
(n-octanol/water) (log value)	-0.01 hPa estimated		
Vapor pressure	-0,01 HFA estimated		
Density and/or relative density Density	5,24 g/cm3 estimated		
Vapor density	Not available.		
Particle characteristics	Not available.		
9.2. Other information			
9.2.1. Information with regard	No relevant additional informati	on available.	
to physical hazard classes			
9.2.2. Other safety characteristic	S		
Specific gravity	5,25 estimated		
SECTION 10: Stability and	d reactivity		
10.1. Reactivity	The product is stable and non-r	eactive under normal conditions of use, storage and transport.	
10.2. Chemical stability	Material is stable under normal		
10.3. Possibility of hazardous	No dangerous reaction known u	under conditions of normal use.	
reactions			
10.4. Conditions to avoid	Contact with incompatible mate	rials.	
10.5. Incompatible materials	Powerful oxidizers. Chlorine.	and water over two sums	
10.6. Hazardous decomposition products	No hazardous decomposition p	roducts are known.	
SECTION 11: Toxicologic	al information		
General information	Occupational exposure to the s	ubstance or mixture may cause adverse effects.	
Information on likely routes of e Inhalation	xposure Prolonged inhalation may be ha	armful.	
Skin contact	No adverse effects due to skin	contact are expected.	
Eye contact	Direct contact with eyes may ca	ause temporary irritation.	
Ingestion		ved. However, ingestion is not likely to be a primary route of	
Symptoms	Coughing.		
11.1. Information on hazard clas		C) No 1272/2008	
	Not known.		
Acute toxicity			
	Species	Test Results	
IRON OXIDE (CAS 1309-37-1) Acute			
Oral LD50	Pat	> 10000 malka	
	Rat > 10000 mg/kg		
Skin corrosion/irritation		of data the classification is not possible.	
Serious eye damage/eye irritation	Due to partial or complete lack of data the classification is not possible.		
Respiratory sensitization	Due to partial or complete lack of data the classification is not possible.		
Skin sensitization	Due to partial or complete lack of data the classification is not possible.		
Germ cell mutagenicity		of data the classification is not possible.	
Carcinogenicity	May cause cancer.		
	Evaluation of Carcinogenicity		
Crystalline SiO2 (Quartz) IRON OXIDE (CAS 1309		1 Carcinogenic to humans. 3 Not classifiable as to carcinogenicity to humans.	
Reproductive toxicity	-3/-1) 3 Not classifiable as to carcinogenicity to humans. Due to partial or complete lack of data the classification is not possible.		
Specific target organ toxicity - single exposure		of data the classification is not possible.	

Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.
Mixture versus substance information	No information available.
11.2. Information on other hazar	ds
Endocrine disrupting properties	This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.
Other information	Not available.
SECTION 12: Ecological in	nformation
12.1. Toxicity	Based on available data, the classification criteria are not met for hazardous to the aquatic environment.
12.2. Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
12.3. Bioaccumulative potential	No data available.
Partition coefficient n-octanol/water (log Kow)	Not available.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.
12.6. Endocrine disrupting properties	This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.
12.7. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.
SECTION 13: Disposal con	nsiderations
13.1. Waste treatment methods	
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contominated neeksains	Since emotion containers may retain product residue, follow lobal warnings even after container is

Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations.

Special precautions

SECTION 14: Transport information

ADR

ADR	
14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping	Not regulated as dangerous goods.
name	
14.3. Transport hazard class	(es)
Class	Not assigned.
Subsidiary risk	-
Hazard No. (ADR)	Not assigned.
Tunnel restriction code	Not assigned.
14.4. Packing group	-
14.5. Environmental hazards	No.
14.6. Special precautions	Not assigned.
for user	
RID	
14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping name	Not regulated as dangerous goods.

14.3. Transport hazard class(es) Not assigned. Class Subsidiary risk -14.4. Packing group 14.5. Environmental hazards No. 14.6. Special precautions Not assigned. for user ADN Not regulated as dangerous goods. 14.1. UN number 14.2. UN proper shipping Not regulated as dangerous goods. name 14.3. Transport hazard class(es) Not assigned. Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No. 14.6. Special precautions Not assigned. for user ΙΑΤΑ Not regulated as dangerous goods. 14.1. UN number 14.2. UN proper shipping Not regulated as dangerous goods. name 14.3. Transport hazard class(es) Not assigned. Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No. 14.6. Special precautions Not assigned. for user IMDG 14.1. UN number Not regulated as dangerous goods. Not regulated as dangerous goods. 14.2. UN proper shipping name 14.3. Transport hazard class(es) Not assigned. Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards Marine pollutant No. EmS Not assigned. 14.6. Special precautions Not assigned. for user 14.7. Maritime transport in bulk Not established. according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

- Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended IRON OXIDE (CAS 1309-37-1)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

UFI:

Austria: GPE0-A0JN-800F-01RX Belgium: GPE0-A0JN-800F-01RX Bulgaria: GPE0-A0JN-800F-01RX Croatia: GPE0-A0JN-800F-01RX Cyprus: GPE0-A0JN-800F-01RX Czech Republic: GPE0-A0JN-800F-01RX Denmark: GPE0-A0JN-800F-01RX Estonia: GPE0-A0JN-800F-01RX EU: GPE0-A0JN-800F-01RX Finland: GPE0-A0JN-800F-01RX France: GPE0-A0JN-800F-01RX Germany: GPE0-A0JN-800F-01RX Greece: GPE0-A0JN-800F-01RX Hungary: GPE0-A0JN-800F-01RX Iceland: GPE0-A0JN-800F-01RX Ireland: GPE0-A0JN-800F-01RX Italy: GPE0-A0JN-800F-01RX Latvia: GPE0-A0JN-800F-01RX Lithuania: GPE0-A0JN-800F-01RX Luxembourg: GPE0-A0JN-800F-01RX Malta: GPE0-A0JN-800F-01RX Netherlands: GPE0-A0JN-800F-01RX Norway: GPE0-A0JN-800F-01RX Poland: GPE0-A0JN-800F-01RX Portugal: GPE0-A0JN-800F-01RX Romania: GPE0-A0JN-800F-01RX Slovakia: GPE0-A0JN-800F-01RX Slovenia: GPE0-A0JN-800F-01RX Spain: GPE0-A0JN-800F-01RX Sweden: GPE0-A0JN-800F-01RX

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Crystalline SiO2 (Quartz) (CAS 14808-60-7)

Other regulations	The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.
National regulations	According to Directive 92/85/EEC as amended, pregnant women should not work with the product, if there is the least risk of exposure.
	Young people under 18 years old are not allowed to work with this product according to EU

Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation on the protection of workers from the risks of exposure to carcinogens and mutagens at work, in accordance with Directive 2004/37/EC, as amended.

Contains a substance which is included on the TRGS 905 list of carcinogenic, germ cell mutagenic and reproductive toxic substances

IRON OXIDE (CAS 13	309-37-1)	Anorganische Faserstäube, soweit nicht erwähnt (ausgenommen Gipsfasernund Wollastonitfasern)
France regulations		
France INRS Table of Oc	cupational Diseases	
Crystalline SiO2 (Qua	rtz) (CAS 14808-60-7)	Affections consécutives à l'inhalation de poussières minérales renfermant de la silicecristalline (quartz, cristobalite, tridymite), des silicates cristallins (kaolin, talc), du graphite ou de la houille 25
Product registration number		
Austria	UFI: GPE0-A0JN-800F-01RX	
Belgium	UFI: GPE0-A0JN-800F-01RX	
Czech Republic	UFI: GPE0-A0JN-800F-01RX	
Denmark	UFI: GPE0-A0JN-800F-01RX	

European Union	UFI: GPE0-A0JN-800F-01RX
Finland	UFI: GPE0-A0JN-800F-01RX
France	UFI: GPE0-A0JN-800F-01RX
Germany	UFI: GPE0-A0JN-800F-01RX
Greece	UFI: GPE0-A0JN-800F-01RX
Hungary	UFI: GPE0-A0JN-800F-01RX
Italy	UFI: GPE0-A0JN-800F-01RX
Netherlands	UFI: GPE0-A0JN-800F-01RX
Norway	UFI: GPE0-A0JN-800F-01RX
Poland	UFI: GPE0-A0JN-800F-01RX
Portugal	UFI: GPE0-A0JN-800F-01RX
Slovakia	UFI: GPE0-A0JN-800F-01RX
Slovenia	UFI: GPE0-A0JN-800F-01RX
Spain	UFI: GPE0-A0JN-800F-01RX
Sweden	UFI: GPE0-A0JN-800F-01RX
Switzerland	UFI: GPE0-A0JN-800F-01RX
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

List of appreviations	
	ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
	ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.
	AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).
	CAS: Chemical Abstract Service.
	CEN: European Committee for Standardization.
	IATA: International Air Transport Association.
	IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous
	Chemicals in Bulk.
	IMDG: International Maritime Dangerous Goods.
	MAC: Maximum Allowed Concentration.
	MARPOL: International Convention for the Prevention of Pollution from Ships.
	PBT: Persistent, bioaccumulative and toxic.
	RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.
	STEL: Short term exposure limit.
	TLV: Threshold Limit Value.
	TWA: Time Weighted Average.
	VLE: Exposure Limit Value.
	VME: Exposure Average Value.
	vPvB: Very persistent and very bioaccumulative.
References	Not available.
References Information on evaluation method leading to the classification of mixture	Not available. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Information on evaluation method leading to the	The classification for health and environmental hazards is derived by a combination of calculation
Information on evaluation method leading to the classification of mixture Full text of any statements,	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Information on evaluation method leading to the classification of mixture Full text of any statements, which are not written out in full	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Information on evaluation method leading to the classification of mixture Full text of any statements, which are not written out in full under sections 2 to 15	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available. H350 May cause cancer.
Information on evaluation method leading to the classification of mixture Full text of any statements, which are not written out in full under sections 2 to 15 Revision information	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available. H350 May cause cancer. None.