SAFETY DATA SHEET

Version #: 07

Issue date: 05-29-2019 Revision date: 07-26-2023 Supersedes date: 07-13-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

DEVCON® Brushable Ceramic Blue Resin

Registration number

None

Synonyms SKU#

0144

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Uses advised against Not available. None known.

1.3. Details of the supplier of the safety data sheet

ITW Performance Polymers Company Name

Address

Bay 150

Shannon Industrial Estate

Co. Clare Ireland V14 DF82

Contact Person Telephone Number Customer Service 353(61)771500

353(61)471285

Email

customerservice.shannon@itwpp.com

Emergency Phone Number

44(0) 1235 239 670 (24 hours)

1.4. Emergency telephone number

General in EU

112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons Information Center

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons

Control Center

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National

Toxicological Information

Center

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Croatia Poisons Information Center

+385 1 2348 342 (Hours of operation not provided. SDS/Product information may

not be available for the Emergency Service.)

Cyprus Poison Center

1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

Czech Republic National Poisons Information

Center

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons

Control Center

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Estonia National Poisons Information Center

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

1.4. Emergency telephone number

France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Greece Poison Information

Centre

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Hungary National

Emergency Phone Number

+36-80-201-199 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Iceland Poison Center

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Latvia Emergency medical

Latvia Poison and Drug Information Center

Lithuania Neatidėliotina informacija apsinuodijus

Malta Accident and **Emergency Department**

Netherlands National Poisons Information Center (NVIC)

+371 67042473 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel in cases of acute intoxications)

2545 4030 (Hours of operation not provided. SDS/Product information may not be

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be

Norway Norwegian Poison available for the Emergency Service.) **Information Center**

available for the Emergency Service.)

Portugal Poison Center 800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Romania Biroul RSI si **Informare Toxicologica** 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)

Slovakia National Toxicological Information Center

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Spain Toxicology Information Service

+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Sweden National Poison

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Information Center **Switzerland Tox Info** Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin corrosion/irritation H315 - Causes skin irritation. Category 2 Serious eye damage/eye irritation Category 2 H319 - Causes serious eye

irritation.

Skin sensitization Category 1 H317 - May cause an allergic skin

reaction.

2.2 Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

UFI:

Austria: C770-C0SV-900A-DF23 Belgium: C770-C0SV-900A-DF23 Bulgaria: C770-C0SV-900A-DF23 Croatia: C770-C0SV-900A-DF23 Cyprus: C770-C0SV-900A-DF23

Czech Republic: C770-C0SV-900A-DF23 Denmark: C770-C0SV-900A-DF23 Estonia: C770-C0SV-900A-DF23 EU: C770-C0SV-900A-DF23 Finland: C770-C0SV-900A-DF23 France: C770-C0SV-900A-DF23 Germany: C770-C0SV-900A-DF23 Greece: C770-C0SV-900A-DF23 Hungary: C770-C0SV-900A-DF23 Iceland: C770-C0SV-900A-DF23 Ireland: C770-C0SV-900A-DF23 Italy: C770-C0SV-900A-DF23 Latvia: C770-C0SV-900A-DF23 Lithuania: C770-C0SV-900A-DF23 Luxembourg: C770-C0SV-900A-DF23 Malta: C770-C0SV-900A-DF23

Netherlands: C770-C0SV-900A-DF23 Norway: C770-C0SV-900A-DF23 Poland: C770-C0SV-900A-DF23 Portugal: C770-C0SV-900A-DF23 Romania: C770-C0SV-900A-DF23 Slovakia: C770-C0SV-900A-DF23 Slovenia: C770-C0SV-900A-DF23 Spain: C770-C0SV-900A-DF23 Sweden: C770-C0SV-900A-DF23

Contains: Aluminium Oxide, Epoxy Resin: reaction product of Bisphenol A and epichlorohydrin (refer to

epichlorohydrin

Hazard pictograms



Signal word Warning

Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

Precautionary statements

Prevention

P261 Avoid breathing mist/vapors.
P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear eye protection/face protection.

P280 Wear protective gloves.

Response

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Ğet medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage Not available.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information None.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Aluminium Oxide	40 - < 50	1344-28-1 215-691-6	-	-	
Classificatio	n: -				
Epoxy Resin: reaction product of Bisphenol A and epichlorohydrin (refer to epichlorohydrin)	40 - < 50	25068-38-6 -	01-2119456619-26-0000	-	
Classificatio	n: Skin Irrit. 2	;H315, Eye Irrit. 2;H3	319, Skin Sens. 1;H317		

10 - < 20 Other components below reportable

levels

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The full text for all H-statements is displayed in section 16. Composition comments

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing immediately and wash skin with soap and water. In case of Skin contact

eczema or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.

For emergency responders Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing mist/vapors.

Local authorities should be advised if significant spillages cannot be contained. Use personal

protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up

Avoid discharge into drains, water courses or onto the ground.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene

practices

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. N	MAK List,	OEL Ordinance	e (GwV),	BGBI. II,	, no.	184/2001, as amended
------------	-----------	----------------------	----------	-----------	-------	----------------------

Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	MAK	5 mg/m3	Respirable fraction.
		5 mg/m3	Respirable fume.
		10 mg/m3	Inhalable fraction.
	STEL	20 mg/m3	Inhalable fraction.
		10 mg/m3	Respirable fume.
		10 mg/m3	Respirable fraction.

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 - Chemical agents, as amended

Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.

Bulgaria. OELs. Ordinance No 13 on protection of workers against risks of exposure to chemical agents at work, as amended

Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	10 mg/m3	Inhalable fraction.
,		1.5 mg/m3	Respirable fraction

Croatia. OELs (GVI). Regulation on Protection of Workers against Exposure to Dangerous Chemicals at Work, OELs and Biological Limit Values, Annex I (NN 91/2018), as amended

Components	Туре	Value	Form	
Aluminium Oxide (CAS 1344-28-1)	MAC	4 mg/m3	Respirable dust.	
,		10 mg/m3	Total dust.	

Czech Republic. Occupational exposure limit values of chemicals at work (Decree on protection of health at work, 361/2007, Annex 2, Part A & Annex 3, Part A, as amended)

Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	0,1 mg/m3	Respirable dust.

	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TLV	5 mg/m3	Total
		2 mg/m3	Respirable.
Estonia. OELs. Occupational Ex Components	posure Limits of Hazardous Sul Type	bstances (Regulation No. 105/ Value	/2001, Annex), as amended Form
Aluminium Oxide (CAS 1344-28-1)	TWA	4 mg/m3	Fine dust, respiratory fraction
		10 mg/m3	Total dust.
France. Threshold Limit Values Components	(VLEP) for Occupational Expos Type	ure to Chemicals in France, IN Value	IRS ED 984
Aluminium Oxide (CAS 1344-28-1)	VME	10 mg/m3	
•	ve limit (VL)		
Germany. DFG MAK List (adviso in the Work Area (DFG), as upda		nvestigation of Health Hazard	ls of Chemical Compounds
Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	4 mg/m3	Inhalable dust.
		1,5 mg/m3	Respirable dust.
Germany. TRGS 900, Limit Value		-	-
Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	AGW	10 mg/m3	Inhalable fraction.
		1,25 mg/m3	Respirable fraction.
•	ree No. 307/1986, as amended Type	1,25 mg/m3 Value	Respirable fraction. Form
Components Aluminium Oxide (CAS			·
Components Aluminium Oxide (CAS	Туре	Value	Form
Components Aluminium Oxide (CAS 1344-28-1) Hungary. OELs. Decree on prote	Type TWA	Value 5 mg/m3 10 mg/m3	Form Respirable. Inhalable
Components Aluminium Oxide (CAS 1344-28-1) Hungary. OELs. Decree on prote Components Aluminium Oxide (CAS	Type TWA ection of workers exposed to ch	Value 5 mg/m3 10 mg/m3 emical agents (5/2020. (II.6)),	Form Respirable. Inhalable Annex 1&2, as amended
Components Aluminium Oxide (CAS 1344-28-1) Hungary. OELs. Decree on prote Components Aluminium Oxide (CAS	Type TWA ection of workers exposed to ch Type	Value 5 mg/m3 10 mg/m3 emical agents (5/2020. (II.6)), a	Form Respirable. Inhalable Annex 1&2, as amended
Components Aluminium Oxide (CAS 1344-28-1) Hungary. OELs. Decree on prote Components Aluminium Oxide (CAS 1344-28-1) Iceland. OELs. Regulation 390/2	Type TWA ection of workers exposed to ch Type TWA	Value 5 mg/m3 10 mg/m3 remical agents (5/2020. (II.6)), value 5 mg/m3 2 mg/m3	Form Respirable. Inhalable Annex 1&2, as amended Form Respirable.
Components Aluminium Oxide (CAS 1344-28-1) Hungary. OELs. Decree on prote Components Aluminium Oxide (CAS 1344-28-1) Iceland. OELs. Regulation 390/20 Components Aluminium Oxide (CAS	Type TWA ection of workers exposed to ch Type TWA TWA 009 on Pollution Limits and Mea	Value 5 mg/m3 10 mg/m3 lemical agents (5/2020. (II.6)), Value 5 mg/m3 2 mg/m3 asures to Reduce Pollution at	Form Respirable. Inhalable Annex 1&2, as amended Form Respirable.
Components Aluminium Oxide (CAS 1344-28-1) Hungary. OELs. Decree on prote Components Aluminium Oxide (CAS 1344-28-1) Iceland. OELs. Regulation 390/2 Components Aluminium Oxide (CAS 1344-28-1) Ireland. OELVs, Schedules 1 & 2	Type TWA ection of workers exposed to ch Type TWA 009 on Pollution Limits and Mea Type TWA	Value 5 mg/m3 10 mg/m3 semical agents (5/2020. (II.6)), Value 5 mg/m3 2 mg/m3 asures to Reduce Pollution at Value 10 mg/m3	Form Respirable. Inhalable Annex 1&2, as amended Form Respirable. the Workplace, as amende
Components Aluminium Oxide (CAS 1344-28-1) Hungary. OELs. Decree on prote Components Aluminium Oxide (CAS 1344-28-1) Iceland. OELs. Regulation 390/2 Components Aluminium Oxide (CAS 1344-28-1) Ireland. OELVs, Schedules 1 & 2 Components Aluminium Oxide (CAS 1344-28-1)	Type TWA ection of workers exposed to ch Type TWA 009 on Pollution Limits and Mea Type TWA	Value 5 mg/m3 10 mg/m3 semical agents (5/2020. (II.6)), Value 5 mg/m3 2 mg/m3 asures to Reduce Pollution at Value 10 mg/m3	Form Respirable. Inhalable Annex 1&2, as amended Form Respirable. the Workplace, as amended
Components Aluminium Oxide (CAS 1344-28-1) Hungary. OELs. Decree on prote Components Aluminium Oxide (CAS 1344-28-1) Iceland. OELs. Regulation 390/2 Components Aluminium Oxide (CAS 1344-28-1) Ireland. OELVs, Schedules 1 & 2 Components Aluminium Oxide (CAS 1344-28-1)	Type TWA ection of workers exposed to ch Type TWA 009 on Pollution Limits and Mea Type TWA TWA c, Code of Practice for Chemical Type	Value 5 mg/m3 10 mg/m3 semical agents (5/2020. (II.6)), Value 5 mg/m3 2 mg/m3 asures to Reduce Pollution at Value 10 mg/m3 I Agents and Carcinogens Reg	Form Respirable. Inhalable Annex 1&2, as amended Form Respirable. the Workplace, as amended gulations Form
Aluminium Oxide (CAS 1344-28-1) Hungary. OELs. Decree on prote Components Aluminium Oxide (CAS 1344-28-1) Iceland. OELs. Regulation 390/2 Components Aluminium Oxide (CAS 1344-28-1) Ireland. OELVs, Schedules 1 & 2 Components Aluminium Oxide (CAS 1344-28-1) Ireland. OELVs, Schedules 1 & 2 Components Aluminium Oxide (CAS 1344-28-1) Latvia. OELs. Occupational Experience of the component of	Type TWA ection of workers exposed to ch Type TWA 009 on Pollution Limits and Mea Type TWA c, Code of Practice for Chemical Type TWA	Value 5 mg/m3 10 mg/m3 semical agents (5/2020. (II.6)), Value 5 mg/m3 2 mg/m3 asures to Reduce Pollution at Value 10 mg/m3 I Agents and Carcinogens Reg Value 4 mg/m3 10 mg/m3	Respirable. Inhalable Annex 1&2, as amended Form Respirable. the Workplace, as amended gulations Form Respirable dust. Total inhalable dust.
Aluminium Oxide (CAS 1344-28-1) Hungary. OELs. Decree on prote Components Aluminium Oxide (CAS 1344-28-1) Iceland. OELs. Regulation 390/2 Components Aluminium Oxide (CAS 1344-28-1) Ireland. OELVs, Schedules 1 & 2 Components Aluminium Oxide (CAS 1344-28-1) Ireland. OELVs, Occupational Expensive Schedules 1 Aluminium Oxide (CAS 1344-28-1) Latvia. OELs. Occupational Expensive Schedules 1	Type TWA ection of workers exposed to ch Type TWA 009 on Pollution Limits and Mea Type TWA c, Code of Practice for Chemical Type TWA	Value 5 mg/m3 10 mg/m3 semical agents (5/2020. (II.6)), Value 5 mg/m3 2 mg/m3 asures to Reduce Pollution at Value 10 mg/m3 I Agents and Carcinogens Reg Value 4 mg/m3 10 mg/m3	Respirable. Inhalable Annex 1&2, as amended Form Respirable. the Workplace, as amended gulations Form Respirable dust. Total inhalable dust.
Greece. OELs, Presidential Decr Components Aluminium Oxide (CAS 1344-28-1) Hungary. OELs. Decree on prote Components Aluminium Oxide (CAS 1344-28-1) Iceland. OELs. Regulation 390/2 Components Aluminium Oxide (CAS 1344-28-1) Ireland. OELVs, Schedules 1 & 2 Components Aluminium Oxide (CAS 1344-28-1) Latvia. OELs. Occupational Expensional Components Aluminium Oxide (CAS 1344-28-1) Latvia. OELs. Occupational Expensional Components Aluminium Oxide (CAS	Type TWA Pection of workers exposed to chemical Type TWA TWA TWA TWA TWA TWA TWA TW	Value 5 mg/m3 10 mg/m3 nemical agents (5/2020. (II.6)), Value 5 mg/m3 2 mg/m3 asures to Reduce Pollution at Value 10 mg/m3 Agents and Carcinogens Reg Value 4 mg/m3 10 mg/m3 ances at Workplace (Reg. No.	Respirable. Inhalable Annex 1&2, as amended Form Respirable. the Workplace, as amended Gulations Form Respirable dust. Total inhalable dust. 325/ 2007, L.V. 80, Annex

Components	actors, as amended Type	Value	
Aluminium Oxide (CAS 1344-28-1)	TLV	10 mg/m3	
Poland. Maximum permissible co l286/2018, Annex 1)			•
Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	2,5 mg/m3	Inhalable fraction.
		1,2 mg/m3	Respirable fraction.
Portugal. VLEs. Norm on occupa Components	tional exposure to chemical age Type	ents (NP 1796-2014) Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
Romania. OELs. Limit Values of (Chemical Agents at Workplace ((Regulation 1.218/2006, M.O 8	345, Annex 1, 3&4, as
Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	STEL	5 mg/m3	Aerosol.
	TWA	2 mg/m3	Aerosol.
Slovakia. OELs. Maximum permis	ssible exposure limits for chem	ical factors in workplace air (Regulation No 355/2006,
Annex 1, Table 1, as amended) Components	Туре	Value	Form
Aluminium Oxide (CAS	TWA	4 mg/m3	Inhalable fraction.
1344-28-1)	TWA	· ·	
		0,1 mg/m3	Respirable fraction.
Slovenia. OELs. Occupational Ex due to Exp. to Chemicals at Work		Workplace (Reg. on Protection	n of Workers from Risks
Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	10 mg/m3	Inhalable fraction.
		1,25 mg/m3	Respirable fraction.
			res Límites Ambientales
= · · · · · · · · · · · · · · · · · · ·	Exposición Profesional Para Ago	entes Quimicos, Table 1-Valo	
(VLAs)	_		
Spain. OELs. INSST, Límites de E (VLAs) Components Aluminium Oxide (CAS	Exposición Profesional Para Ago Type TWA	Value 10 mg/m3	
(VLAs) Components Aluminium Oxide (CAS 1344-28-1)	Type TWA	Value 10 mg/m3	
VLAs) Components Aluminium Oxide (CAS 1344-28-1) Sweden. OELs (Annex 1). Work E	Type TWA	Value 10 mg/m3	
(VLAs) Components Aluminium Oxide (CAS 1344-28-1) Sweden. OELs (Annex 1). Work E	Type TWA	Value 10 mg/m3	
(VLAs) Components Aluminium Oxide (CAS 1344-28-1) Sweden. OELs (Annex 1). Work Eamended Components Aluminium Oxide (CAS	Type TWA Environment Authority (AV), Occ	Value 10 mg/m3 cupational Exposure Limit Va	alues (AFS 2018:1), as
(VLAs) Components Aluminium Oxide (CAS 1344-28-1) Sweden. OELs (Annex 1). Work Eamended Components Aluminium Oxide (CAS	Type TWA Environment Authority (AV), Occ Type	Value 10 mg/m3 cupational Exposure Limit Va Value	ilues (AFS 2018:1), as Form
(VLAs) Components Aluminium Oxide (CAS 1344-28-1) Sweden. OELs (Annex 1). Work Eamended Components Aluminium Oxide (CAS 1344-28-1)	Type TWA Environment Authority (AV), Occ Type TWA	Value 10 mg/m3 cupational Exposure Limit Va Value 5 mg/m3 2 mg/m3	nlues (AFS 2018:1), as Form Total dust.
(VLAs) Components Aluminium Oxide (CAS 1344-28-1) Sweden. OELs (Annex 1). Work Eamended Components Aluminium Oxide (CAS 1344-28-1) Switzerland. SUVA Grenzwerte al	Type TWA Environment Authority (AV), Occ Type TWA	Value 10 mg/m3 cupational Exposure Limit Va Value 5 mg/m3 2 mg/m3	llues (AFS 2018:1), as Form Total dust.
(VLAs) Components Aluminium Oxide (CAS 1344-28-1) Sweden. OELs (Annex 1). Work Eamended Components Aluminium Oxide (CAS 1344-28-1) Switzerland. SUVA Grenzwerte and Components Aluminium Oxide (CAS	Type TWA Environment Authority (AV), Occ Type TWA TWA m Arbeitsplatz: Aktuelle MAK-W	Value 10 mg/m3 cupational Exposure Limit Value 5 mg/m3 2 mg/m3 /erte	Form Total dust. Respirable dust. Form
Aluminium Oxide (CAS 1344-28-1) Sweden. OELs (Annex 1). Work Eamended Components Aluminium Oxide (CAS 1344-28-1) Switzerland. SUVA Grenzwerte at Components Aluminium Oxide (CAS 1344-28-1)	Type TWA Environment Authority (AV), Occ Type TWA m Arbeitsplatz: Aktuelle MAK-W Type	Value 10 mg/m3 cupational Exposure Limit Value 5 mg/m3 2 mg/m3 /erte Value	Form Total dust. Respirable dust. Form Respirable dust and/o
(VLAs) Components Aluminium Oxide (CAS 1344-28-1) Sweden. OELs (Annex 1). Work Eamended Components Aluminium Oxide (CAS 1344-28-1) Switzerland. SUVA Grenzwerte and Components Aluminium Oxide (CAS	Type TWA Environment Authority (AV), Occ Type TWA TWA m Arbeitsplatz: Aktuelle MAK-W Type STEL	Value 10 mg/m3 cupational Exposure Limit Value 5 mg/m3 2 mg/m3 Verte Value 24 mg/m3	Total dust. Respirable dust and/o fume. Respirable dust.
(VLAs) Components Aluminium Oxide (CAS	Type TWA Environment Authority (AV), Occ Type TWA m Arbeitsplatz: Aktuelle MAK-W Type STEL TWA	Value 10 mg/m3 cupational Exposure Limit Value 5 mg/m3 2 mg/m3 Verte Value 24 mg/m3 3 mg/m3 3 mg/m3	Total dust. Respirable dust. Form Respirable dust and/o fume. Respirable dust. Respirable dust.
(VLAs) Components Aluminium Oxide (CAS 1344-28-1) Sweden. OELs (Annex 1). Work Eamended Components Aluminium Oxide (CAS 1344-28-1) Switzerland. SUVA Grenzwerte at Components Aluminium Oxide (CAS 1344-28-1) UK. OELs. Workplace Exposure I	Type TWA Environment Authority (AV), Occ Type TWA m Arbeitsplatz: Aktuelle MAK-W Type STEL TWA Limits (WELs) (EH40/2005 (Four	Value 10 mg/m3 cupational Exposure Limit Value 5 mg/m3 2 mg/m3 Verte Value 24 mg/m3 3 mg/m3 3 mg/m3 1th Edition 2020)), Table 1	Form Total dust. Respirable dust. Form Respirable dust and/o fume. Respirable dust. Respirable dust.

Biological limit values

Hungary. BELs. Decree on protection of workers exposed to chemical agents (5/2020. (II.6)), Annex 3&4, as amended

Components	Value	Determinant	Specimen	Sampling Time
Aluminium Oxide (CAS 1344-28-1)	0,25 µmol/mmol	Aluminum	Creatinine in urine	*
	0,06 mg/g	Aluminum	Creatinine in urine	*

^{* -} For sampling details, please see the source document.

Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle BAT-Werte

Components	Value	Determinant	Specimen	Sampling Time
Aluminium Oxide (CAS 1344-28-1)	50 μg/g	Aluminium	Creatinine in urine	*

^{* -} For sampling details, please see the source document.

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no effect levels

Not available.

Predicted no effect concentrations (PNECs)

Not available.

8.2. Exposure controls

Appropriate engineering

controls

(DNELs)

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. **Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid.

Form Viscous. Liquid.

ColorBlue.OdorSlight.

Melting point/freezing point Not available.

Boiling point or initial boiling point and boiling range

608 °F (320 °C) estimated

Flammability Not applicable.

Flash point 265,0 °F (129,4 °C) estimated

Auto-ignition temperature Not available.

Decomposition temperature Not available.

pH Not available.

Not available. Kinematic viscosity

Solubility

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water) (log value)

Not available. Vapor pressure

Density and/or relative density

Density 1,20 g/cm3 estimated

Vapor density Not available. Not available. Particle characteristics

9.2 Other information

No relevant additional information available. 9.2.1. Information with regard to physical hazard classes

9.2.2. Other safety characteristics

Specific gravity 1,2 estimated

VOC 0 g/l

SECTION 10: Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. 10.1. Reactivity

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Strong oxidizing agents.

No hazardous decomposition products are known. 10.6. Hazardous

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

No adverse effects due to inhalation are expected. Inhalation

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred **Symptoms**

vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction.

Dermatitis. Rash.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Not known. Acute toxicity

Components **Test Results Species**

Aluminium Oxide (CAS 1344-28-1)

Acute Oral

LD50 Rat > 5000 mg/kg

Causes skin irritation. Skin corrosion/irritation

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitization Due to partial or complete lack of data the classification is not possible.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Carcinogenicity

Not applicable. Reproductive toxicity

Specific target organ toxicity -

Due to partial or complete lack of data the classification is not possible.

single exposure

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential Not available. **Bioconcentration factor (BCF)**

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

The Waste code should be assigned in discussion between the user, the producer and the waste EU waste code

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of Disposal methods/information

contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number

Not regulated as dangerous goods.

14.2. UN proper shipping name

Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

Hazard No. (ADR) Not assigned. **Tunnel restriction code** Not assigned.

14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions

for user

Not assigned.

RID

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Material name: DEVCON® Brushable Ceramic Blue Resin

0144 Version #: 07 Revision date: 07-26-2023 Issue date: 05-29-2019

Subsidiary risk -14.4. Packing group -14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

ADN

14.1. UN numberNot regulated as dangerous goods. **14.2. UN proper shipping**Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IATA

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -14.4. Packing group -14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IMDG

14.1. UN numberNot regulated as dangerous goods. **14.2. UN proper shipping**Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -14.4. Packing group -14.5. Environmental hazards

Marine pollutant No.

EmS Not assigned.

14.6. Special precautions Not assigned.

14.6. Special precautions for user

port in bulk Not established.

14.7. Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Aluminium Oxide (CAS 1344-28-1)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

UFI:

Austria: C770-C0SV-900A-DF23 Belgium: C770-C0SV-900A-DF23 Bulgaria: C770-C0SV-900A-DF23 Croatia: C770-C0SV-900A-DF23 Cyprus: C770-C0SV-900A-DF23 Czech Republic: C770-C0SV-900A-DF23 Denmark: C770-C0SV-900A-DF23 Estonia: C770-C0SV-900A-DF23 EU: C770-C0SV-900A-DF23 Finland: C770-C0SV-900A-DF23 France: C770-C0SV-900A-DF23 Germany: C770-C0SV-900A-DF23 Greece: C770-C0SV-900A-DF23 Hungary: C770-C0SV-900A-DF23 Iceland: C770-C0SV-900A-DF23 Ireland: C770-C0SV-900A-DF23 Italy: C770-C0SV-900A-DF23 Latvia: C770-C0SV-900A-DF23

Latvia: C770-C0SV-900A-DF23 Lithuania: C770-C0SV-900A-DF23 Luxembourg: C770-C0SV-900A-DF23 Malta: C770-C0SV-900A-DF23 Netherlands: C770-C0SV-900A-DF23 Norway: C770-C0SV-900A-DF23 Poland: C770-C0SV-900A-DF23 Portugal: C770-C0SV-900A-DF23 Romania: C770-C0SV-900A-DF23 Slovakia: C770-C0SV-900A-DF23 Slovenia: C770-C0SV-900A-DF23 Spain: C770-C0SV-900A-DF23

Sweden: C770-C0SV-900A-DF23

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Young people under 18 years old are not allowed to work with this product according to EU

Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

Contains a substance which is included on the TRGS 905 list of carcinogenic, germ cell mutagenic and reproductive toxic substances

Aluminium Oxide (CAS 1344-28-1)

Faserstäube, anorganische (außer Asbest), Künstlich hergestellte anorganische einkristalline Fasern (Whisker) aus Aluminoxid

France regulations

France INRS Table of Occupational Diseases

Epoxy Resin: reaction product of Bisphenol A and epichlorohydrin (refer to epichlorohydrin)

(CAS 25068-38-6)

Maladies professionnelles provoquées par les résines

époxydiques et leurs constituants 51

Product registration number

UFI: C770-C0SV-900A-DF23 **Austria Belgium** UFI: C770-C0SV-900A-DF23 **Czech Republic** UFI: C770-C0SV-900A-DF23 UFI: C770-C0SV-900A-DF23 Denmark UFI: C770-C0SV-900A-DF23 **European Union** UFI: C770-C0SV-900A-DF23 **Finland** France UFI: C770-C0SV-900A-DF23 UFI: C770-C0SV-900A-DF23 Germany UFI: C770-C0SV-900A-DF23 Greece UFI: C770-C0SV-900A-DF23 Hungary UFI: C770-C0SV-900A-DF23

Netherlands UFI: C770-C0SV-900A-DF23 UFI: C770-C0SV-900A-DF23 Norway UFI: C770-C0SV-900A-DF23 **Poland** UFI: C770-C0SV-900A-DF23 **Portugal** Slovakia UFI: C770-C0SV-900A-DF23 Slovenia UFI: C770-C0SV-900A-DF23 **Spain** UFI: C770-C0SV-900A-DF23 Sweden UFI: C770-C0SV-900A-DF23 **Switzerland** UFI: C770-C0SV-900A-DF23

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

Not available

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full

under sections 2 to 15

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

Revision information Training information Physical & Chemical Properties: Multiple Properties
Follow training instructions when handling this material.

Disclaimer

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance

for safe handling, use, processing, storage, transportation, disposal and release.

Material name: DEVCON® Brushable Ceramic Blue Resin

0144 Version #: 07 Revision date: 07-26-2023 Issue date: 05-29-2019