### SAFETY DATA SHEET

Version #: 06

Issue date: 05-21-2019 Revision date: 07-30-2023 Supersedes date: 06-25-2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

**DEVCON® Flexane 94 Liquid Resin** 

Registration number

None. Synonyms SKU# 0321

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available. Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

**ITW Performance Polymers Company Name** 

Bay 150 Address

Shannon Industrial Estate

Co. Clare Ireland V14 DF82

**Contact Person Customer Service Telephone Number** 353(61)771500

353(61)471285

customerservice.shannon@itwpp.com **Fmail** 

**Emergency Phone Number** 44(0) 1235 239 670 (24 hours)

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

**Austria National Poisons** 

Information Center

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Belgium National Poisons** 

**Control Center** 

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Bulgaria National** 

**Toxicological Information** 

Center

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Croatia Poisons Information Center**  +385 1 2348 342 (Hours of operation not provided. SDS/Product information may

not be available for the Emergency Service.)

**Cyprus Poison Center** 1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

**Czech Republic National Poisons Information** 

Center

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

**Denmark National Poisons** 

**Control Center** 

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Estonia National Poisons** 

Information Center

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)

**Finland National Poison** 

**Information Center** 

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**France National Poisons Control Center** 

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Material name: DEVCON® Flexane 94 Liquid Resin 0321 Version #: 06 Revision date: 07-30-2023 Issue date: 05-21-2019

### 1.4. Emergency telephone number

**Greece Poison Information** Centre

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

**Hungary National Emergency Phone Number** 

+36-80-201-199 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be **Iceland Poison Center** 

available for the Emergency Service.)

113

Latvia Emergency medical

aid

+371 67042473 (Available 24 hours a day. SDS/Product information may not be

Latvia Poison and Drug Information Center Lithuania Neatidėliotina

available for the Emergency Service.) +370 5 236 20 52 or +37068753378 (Hours of operation not provided.

informacija apsinuodijus Malta Accident and **Emergency Department** 

SDS/Product information may not be available for the Emergency Service.)

**Netherlands National Poisons Information** Center (NVIC)

2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

**Norway Norwegian Poison Information Center** 

NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel in cases of acute intoxications)

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

800 250 250 (Available 24 hours a day. SDS/Product information may not be **Portugal Poison Center** available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)

**Slovakia National Toxicological Information** Center

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Spain Toxicology Information Service**  + 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

**Sweden National Poison Information Center** 

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.) 145 (Available 24 hours a day. SDS/Product information may not be available for

**Switzerland Tox Info** Suisse

the Emergency Service.)

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

### Classification according to Regulation (EC) No 1272/2008 as amended

### **Health hazards**

Acute toxicity, inhalation Category 2 H330 - Fatal if inhaled. Skin corrosion/irritation Category 2 H315 - Causes skin irritation. H319 - Causes serious eye Serious eye damage/eye irritation Category 2

irritation.

Respiratory sensitization Category 1 H334 - May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H317 - May cause an allergic skin Skin sensitization Category 1

reaction.

Specific target organ toxicity - single exposure

Category 3 respiratory tract irritation

H335 - May cause respiratory

irritation.

### 2.2. Label elements

0321 Version #: 06 Revision date: 07-30-2023 Issue date: 05-21-2019

### Label according to Regulation (EC) No. 1272/2008 as amended

UFI:

Austria: CN40-602Y-300G-J6K5 Belgium: CN40-602Y-300G-J6K5 Bulgaria: CN40-602Y-300G-J6K5 Croatia: CN40-602Y-300G-J6K5 Cyprus: CN40-602Y-300G-J6K5

Cyprus: CN40-602Y-300G-J6K5
Czech Republic: CN40-602Y-300G-J6K5
Denmark: CN40-602Y-300G-J6K5
Estonia: CN40-602Y-300G-J6K5
EU: CN40-602Y-300G-J6K5
Finland: CN40-602Y-300G-J6K5
France: CN40-602Y-300G-J6K5
Germany: CN40-602Y-300G-J6K5
Greece: CN40-602Y-300G-J6K5
Hungary: CN40-602Y-300G-J6K5
Iceland: CN40-602Y-300G-J6K5
Ireland: CN40-602Y-300G-J6K5
Italy: CN40-602Y-300G-J6K5
Latvia: CN40-602Y-300G-J6K5
Lithuania: CN40-602Y-300G-J6K5
Luxembourg: CN40-602Y-300G-J6K5

Malta: CN40-602Y-300G-J6K5
Netherlands: CN40-602Y-300G-J6K5
Norway: CN40-602Y-300G-J6K5
Poland: CN40-602Y-300G-J6K5
Portugal: CN40-602Y-300G-J6K5
Romania: CN40-602Y-300G-J6K5
Slovakia: CN40-602Y-300G-J6K5
Slovenia: CN40-602Y-300G-J6K5

Spain: CN40-602Y-300G-J6K5 Sweden: CN40-602Y-300G-J6K5

Contains: 4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate, Polyol

**Hazard pictograms** 



### Signal word Danger

### **Hazard statements**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

### **Precautionary statements**

### Prevention

P260 Do not breathe vapor.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear eye protection/face protection.

P280 Wear protective gloves. P284 Wear respiratory protection.

### Response

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor. P320 Specific treatment is urgent (see this label).

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information None.

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a

concentration equal to or greater than 0.1% by weight.

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Polyol	60 - < 70	N/A	-	-	
		-			
Classification	on: -				
4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocya	30 - < 40	5124-30-1 225-863-2	-	615-009-00-0	
e Classification	mg/l), Skin		mg/kg bw), Acute Tox. 3;H3 it. 2;H319, Resp. Sens. 1;H3 5		

Other components below reportable

levels

1 - < 3

### List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Specific Concentration Limits: Resp. Sens. 1;H334: C ≥ 0.5 %, Skin Sens. 1;H317: C ≥ 0.5 %

**Composition comments** The full text for all H-statements is displayed in section 16.

### **SECTION 4: First aid measures**

General information If you feel unwell, seek medical advice (show the label where possible). Ensure that medical

personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Coughing. Difficulty in breathing. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

SDS FII

### **SECTION 5: Firefighting measures**

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing Water. Do not use water jet as an extinguisher, as this will spread the fire.

media

Material name: DEVCON® Flexane 94 Liquid Resin

0321 Version #: 06 Revision date: 07-30-2023 Issue date: 05-21-2019 4 / 13

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

**Specific methods**Use standard firefighting procedures and consider the hazards of other involved materials.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Do not breathe vapors or spray mist. Do not touch damaged containers or spilled material unless

wearing appropriate protective clothing. Do not touch or walk through spilled material.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Do not breathe vapors or spray mist. Local authorities should be advised if significant spillages cannot be contained. Use personal

protection recommended in Section 8 of the SDS.

Avoid discharge into drains, water courses or onto the ground.

6.2. Environmental precautions6.3. Methods and material for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product

recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Do not breathe vapors or spray mist. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective

equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from

incompatible materials (see Section 10 of the SDS).

**7.3. Specific end use(s)**Observe industrial sector guidance on best practices.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### Occupational exposure limits

Austria. MAK List, OEL Ordinance Components	Type	Value	
4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate (CAS 5124-30-1)	Ceiling	0,054 mg/m3	
		0,005 ppm	
	MAK	0,054 mg/m3	
		0,005 ppm	

## Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 - Chemical agents, as amended

Components	Туре	Value	
4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate (CAS 5124-30-1)	TWA	0,055 mg/m3	
		0,005 ppm	

Material name: DEVCON® Flexane 94 Liquid Resin

SDS EU

Components	ority. Exposure Limits for Sul Type	Value
4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS 5124-30-1)	TLV	0,054 mg/m3
,		0,005 ppm
Estonia. OELs. Occupational Expo Components	sure Limits of Hazardous Sul Type	ostances (Regulation No. 105/2001, Annex), as amended Value
4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS 5124-30-1)	STEL	0,01 ppm
,	TWA	0,005 ppm
Finland. HTP-arvot, App 3., Binding Components	g Limit Values, Social Affairs Type	and Ministry of Health Value
4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS 5124-30-1)	STEL	0,035 mg/m3
Greece. OELs, Presidential Decree Components	No. 307/1986, as amended Type	Value
4,4'-methylenedi(cyclohexyl socyanate); dicyclohexylmethane-4,4'-di isocyanate (CAS 5124-30-1)	STEL	0,11 mg/m3
		0,01 ppm
	TWA	0,11 mg/m3
		0,01 ppm
Iceland. OELs. Regulation 390/2009 Components	on Pollution Limits and Mea Type	sures to Reduce Pollution at the Workplace, as amende Value
4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS 5124-30-1)	TWA	0,054 mg/m3
,		0,005 ppm
Italy. OELs (Legislative Decree n.8 <sup>.</sup> Components	1, 9 April 2008), as amended Type	Value
4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS 5124-30-1)	TWA	0,005 ppm
V-824/A1-389), as amended		ical Substances (Hygiene Norm HN 23:2011; Order No.
Components	Туре	Value
	Ceiling	0,01 ppm
4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS 5124-30-1)	g	

## Norway. Regulation No. 1358 on Measures and Limit Values for Physical and Chemical Factors in Work Environment and Infection Groups for Biological Factors, as amended

Components	Туре	Value	
4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS 5124-30-1)	STEL	0,01 ppm	
	TLV	0,05 mg/m3	
		0,005 ppm	

## Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014) Components Type Value

4,4'-methylenedi(cyclohexyl TWA 0,005 ppm isocyanate);
dicyclohexylmethane-4,4'-di

-isocyanate (CAS

5124-30-1)

## Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales (VLAs)

Components	Type	Value	
4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate (CAS 5124-30-1)	TWA	0,055 mg/m3	
		0,005 ppm	

## Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended

eiling	0.00E nnm
	0,005 ppm
NA	0,002 ppm
	WA

### Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte

Туре	Value	
STEL	0,02 mg/m3	
TWA	0,02 mg/m3	
		STEL 0,02 mg/m3

# UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1 Components Type Value

4,4'-methylenedi(cyclohexyl STEL 0,07 mg/m3 isocyanate); dicyclohexylmethane-4,4'-di-isocyanate (CAS 5124-30-1)

TWA 0,02 mg/m3

### **Biological limit values**

5124-30-1)

## UK. BELs. Biological Monitoring Guidance Values (BMGVs) (EH40/2005 (Fourth Edition 2020)), Table 2 Components Value Determinant Specimen Sampling Time

4,4'-methylenedi(cyclohexyl 1 umol/mol
isocyanate);
dicyclohexylmethane-4,4'-di
-isocvanate (CAS

Isocyanate-deri ved diamine Creatinine in urine

\* - For sampling details, please see the source document.

**Recommended monitoring** 

procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. General ventilation normally

adequate. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection

Skin protection

Chemical respirator with organic vapor cartridge and full facepiece.

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection Chemical respirator with organic vapor cartridge and full facepiece.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

**Environmental exposure** 

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical stateLiquid.FormLiquid.ColorClear.OdorMustv.

Melting point/freezing point 77 °F (25 °C) estimated

Boiling point or initial boiling point and boiling range

Not available.

Flammability Not applicable.

Flash point 392,0 °F (200,0 °C) estimated

Auto-ignition temperature

Decomposition temperature

pH

Not available.

Not available.

Not available.

Not available.

Solubility

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water) (log value)

Vapor pressure 0,00002 hPa estimated

Density and/or relative density

**Density** 1,04 g/cm3 estimated

Vapor densityNot available.Particle characteristicsNot available.

9.2. Other information

**9.2.1. Information with regard** No relevant additional information available. **to physical hazard classes** 

### 9.2.2. Other safety characteristics

Specific gravity 1.04 estimated

0,000007 % estimated VOC

### **SECTION 10: Stability and reactivity**

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Alcohols. Amines.

10.6. Hazardous decomposition products No hazardous decomposition products are known.

### SECTION 11: Toxicological information

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Fatal if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Causes serious eye irritation. Eye contact

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

**Symptoms** Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. May cause respiratory irritation. Coughing. Difficulty in breathing. Skin irritation. May cause

redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity** Fatal if inhaled.

**Test Results** Components Species

4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate (CAS 5124-30-1)

Acute Dermal

LD50 Rabbit > 10000 mg/kg

Oral

LD50 Rat 1065 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Respiratory sensitization

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Carcinogenicity Due to partial or complete lack of data the classification is not possible. Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

### 11.2. Information on other hazards

**Endocrine disrupting** 

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Not available. Other information

Material name: DEVCON® Flexane 94 Liquid Resin

### **SECTION 12: Ecological information**

**12.1. Toxicity**Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

**EU waste code**The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

**Disposal methods/information** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Special precautions**Dispose in accordance with all applicable regulations.

### **SECTION 14: Transport information**

### **ADR**

**14.1. UN number** Not regulated as dangerous goods.

14.2. UN proper shipping

name

Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

Hazard No. (ADR) Not assigned.
Tunnel restriction code Not assigned.

**14.4. Packing group** - **14.5. Environmental hazards** No.

**14.6. Special precautions** Not assigned.

for user

RID

**14.1. UN number** Not regulated as dangerous goods.

14.2. UN proper shipping

name

Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -14.4. Packing group -14.5. Environmental hazards No.

14.6. Special precautions Not as

for user

Not assigned.

### ADN

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

ΙΔΤΔ

14.1. UN number Not regulated as dangerous goods. Not regulated as dangerous goods. 14.2. UN proper shipping

14.3. Transport hazard class(es)

Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

Not assigned. 14.6. Special precautions

for user

**IMDG** 

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Not assigned. Class

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards Marine pollutant No.

Not assigned. **EmS** Not assigned. 14.6. Special precautions

for user

14.7. Maritime transport in bulk Not established.

according to IMO instruments

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU regulations**

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

0321 Version #: 06 Revision date: 07-30-2023 Issue date: 05-21-2019

### UFI:

Austria: CN40-602Y-300G-J6K5 Belgium: CN40-602Y-300G-J6K5 Bulgaria: CN40-602Y-300G-J6K5 Croatia: CN40-602Y-300G-J6K5 Cyprus: CN40-602Y-300G-J6K5

Czech Republic: CN40-602Y-300G-J6K5 Denmark: CN40-602Y-300G-J6K5 Estonia: CN40-602Y-300G-J6K5 EU: CN40-602Y-300G-J6K5 Finland: CN40-602Y-300G-J6K5 France: CN40-602Y-300G-J6K5 Germany: CN40-602Y-300G-J6K5 Greece: CN40-602Y-300G-J6K5 Hungary: CN40-602Y-300G-J6K5 Iceland: CN40-602Y-300G-J6K5 Ireland: CN40-602Y-300G-J6K5 Italy: CN40-602Y-300G-J6K5 Latvia: CN40-602Y-300G-J6K5 Lithuania: CN40-602Y-300G-J6K5 Luxembourg: CN40-602Y-300G-J6K5 Malta: CN40-602Y-300G-J6K5 Netherlands: CN40-602Y-300G-J6K5 Norway: CN40-602Y-300G-J6K5 Poland: CN40-602Y-300G-J6K5 Portugal: CN40-602Y-300G-J6K5 Romania: CN40-602Y-300G-J6K5 Slovakia: CN40-602Y-300G-J6K5

Slovakia: CN40-6021-300G-30K3 Slovenia: CN40-602Y-300G-J6K5 Spain: CN40-602Y-300G-J6K5 Sweden: CN40-602Y-300G-J6K5

### **Authorizations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Young people under 18 years old are not allowed to work with this product according to EU

Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

### France regulations

### France INRS Table of Occupational Diseases

4,4'-methylenedi(cyclohexyl isocyanate); Affections professionnelles provoquées par les isocyanates dicyclohexylmethane-4,4'-di-isocyanate (CAS 5124-30-1) organiques 62

### **Product registration number**

UFI: CN40-602Y-300G-J6K5 **Austria** UFI: CN40-602Y-300G-J6K5 **Belgium Czech Republic** UFI: CN40-602Y-300G-J6K5 **Denmark** UFI: CN40-602Y-300G-J6K5 **European Union** UFI: CN40-602Y-300G-J6K5 **Finland** UFI: CN40-602Y-300G-J6K5 **France** UFI: CN40-602Y-300G-J6K5 UFI: CN40-602Y-300G-J6K5 Germany UFI: CN40-602Y-300G-J6K5 Greece UFI: CN40-602Y-300G-J6K5 Hungary UFI: CN40-602Y-300G-J6K5 Italy UFI: CN40-602Y-300G-J6K5 Netherlands **Norway** UFI: CN40-602Y-300G-J6K5 **Poland** UFI: CN40-602Y-300G-J6K5 **Portugal** UFI: CN40-602Y-300G-J6K5 Slovakia UFI: CN40-602Y-300G-J6K5

UFI: CN40-602Y-300G-J6K5 Slovenia **Spain** UFI: CN40-602Y-300G-J6K5 Sweden UFI: CN40-602Y-300G-J6K5 UFI: CN40-602Y-300G-J6K5 **Switzerland** 

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

### **SECTION 16: Other information**

### List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

Not available.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

#### References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation. H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

**Revision information** 

**Training information** 

Disclaimer

Follow training instructions when handling this material.

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

Material name: DEVCON® Flexane 94 Liquid Resin

0321 Version #: 06 Revision date: 07-30-2023 Issue date: 05-21-2019