SAFETY DATA SHEET

Version #: 03

Issue date: 11-24-2021 Revision date: 07-28-2023 Supersedes date: 06-25-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

DEVCON® Flexane® 80 Liquid Curing Agent

Registration number

None. Synonyms SKU# 6922N1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available. Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

ITW Performance Polymers Company Name

Bay 150 Address

Shannon Industrial Estate

Co. Clare Ireland V14 DF82

Contact Person Customer Service Telephone Number 353(61)771500

353(61)471285

customerservice.shannon@itwpp.com **Fmail**

Emergency Phone Number 44(0) 1235 239 670 (24 hours)

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons

Information Center

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons

Control Center

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National

Toxicological Information

Center

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Croatia Poisons Information Center +385 1 2348 342 (Hours of operation not provided. SDS/Product information may

not be available for the Emergency Service.)

Cyprus Poison Center

1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

Czech Republic National Poisons Information

Center

Control Center

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Estonia National Poisons Information Center

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

1.4. Emergency telephone number

Greece Poison Information Centre

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Hungary National Emergency Phone Number +36-80-201-199 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Iceland Poison Center

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Latvia Emergency medical

aid

113

Latvia Poison and Drug Information Center

+371 67042473 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and Emergency Department 2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Netherlands National Poisons Information Center (NVIC) NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel

in cases of acute intoxications)

Norway Norwegian Poison Information Center

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

,

Portugal Poison Center 800 250 250 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

available for the Emergency Service.)

Slovakia National Toxicological Information Center +421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Spain Toxicology Information Service

+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

exposure

Acute toxicity, oral Category 4 H302 - Harmful if swallowed. Serious eye damage/eye irritation Category 2 H319 - Causes serious eye

irritation.

Specific target organ toxicity - repeated

Category 2

H373 - May cause damage to organs through prolonged or

H400 - Very toxic to aquatic life.

repeated exposure.

Environmental hazards

Hazardous to the aquatic environment, acute Category 1

aquatic hazard

Hazardous to the aquatic environment, Category 1 H410 - Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: 2,6-diamino-3,5-diethyltoluene; 4,6-diethyl-2-methyl-1,3-benzenediamine; [1]

2,4-diamino-3,5-diethyltoluene; 2,4-diethyl-6-methyl-1,3-benzenediamine; [2]

diethylmethylbenzenediamine [3]

Hazard pictograms



Signal word Warning

Hazard statements

H302 Harmful if swallowed.
H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P260 Do not breathe mist/vapors.
P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.
P280 Wear eye protection/face protection.

Response

P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P314 Get medical advice/attention if you feel unwell.
P337 + P313 If eye irritation persists: Get medical advice/attention.

Not available.

P391 Collect spillage.

Storage Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information

49,67% of the mixture consists of component(s) of unknown acute inhalation toxicity. 1,44% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 1,44% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a

concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
2,6-diamino-3,5-diethyltoluene; 4,6-diethyl-2-methyl-1,3-benzenediam ine; [1] 2,4-diamino-3,5-diethyltoluene; 2,4-diethyl-6-methyl-1,3-benzenediam ine; [2] diethylmethylbenzenediamine [3]	40 - < 50	68479-98-1 270-877-4	-	612-130-00-0	
1	ng/kg bw),		ng/kg bw), Acute Tox. 4;H31 FOT RE 2;H373, Aquatic Ac		

Aquatic Chronic 1;H410

4 4 2 4000 00 4

Carbon Black 1 - < 3 1333-86-4 - - - - 215-609-9

Classification: Carc. 2;H351

Other components below reportable 40 - < 50

levels

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

4.1. Description of first aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Prolonged exposure may cause chronic effects.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards

No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be For emergency responders

advised if significant spillages cannot be contained. Use personal protection recommended in

6.2. Environmental precautions

Section 8 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into

drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not breathe mist/vapors. Do not taste or swallow. Avoid contact with eyes. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances

Hazard categories in accordance with Regulation (EC) No 1272/2008

- E1 Hazardous to the Aquatic Environment Acute (Lower-tier requirements = 100 tons; Upper-tier requirements = 200 tons)
- E1 Hazardous to the Aquatic Environment Chronic (Lower-tier requirements = 100 tons; Upper-tier requirements = 200 tons)

7.3. Specific end use(s)

Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 - Chemical agents, as amended

Components	Туре	Value	
Carbon Black (CAS	TWA	3 mg/m3	
1333-86-4)			

Croatia. OELs (GVI). Regulation on Protection of Workers against Exposure to Dangerous Chemicals at Work, OELs and Biological Limit Values, Annex I (NN 91/2018), as amended

Components	Type	Value	
Carbon Black (CAS 1333-86-4)	MAC	3,5 mg/m3	
	STEL	7 mg/m3	

Cyprus. OELs. Control of factory atmosphere and dangerous substances in factories regulation, PI 311/73, as amended Components

Type

Value

Carbon Black (CAS

TWA

3,5 mg/m3

1333-86-4)

Czech Republic. Occupational exposure limit values of chemicals at work (Decree on protection of health at work,

361/2007, Annex 2, Part A & Annex 3, Part A, as amended)					
Components	Туре	Value	Form		
Carbon Black (CAS	TWA	10 mg/m3	Dust.		
1333-86-4)					

Denmark. Work Environment Authority. Exposure Limits for Substances & Materials, Annex 2
Components

Value

•	••	
Carbon Black (CAS	TLV	3,5 mg/m3
1333-86-4)		

Finland. HTP-arvot, App 3., Binding Limit Values, Social Affairs and Ministry of Health Components

Type

Carbon Black (CAS

STEL

7 mg/m3

1333-86-4)

TWA 3,5 mg/m3

France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984
Components Type Value

Carbon Black (CAS VME 3,5 mg/m3 1333-86-4)

Regulatory status: Indicative limit (VL)

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG), as updated

Components	Туре	Value	Form
Carbon Black (CAS	TWA	4 mg/m3	Inhalable dust.
1333-86-4)			

Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace

Components	Туре	Value	Form
Carbon Black (CAS 1333-86-4)	AGW	10 mg/m3	Inhalable fraction.

Material name: DEVCON® Flexane® 80 Liquid Curing Agent

6922N1 Version #: 03 Revision date: 07-28-2023 Issue date: 11-24-2021 5/

Components	in the Ambient Air at the Workplac Type	Value	Form
		1,25 mg/m3	Respirable fraction.
Greece. OELs, Presidential Decree Components	No. 307/1986, as amended Type	Value	
Carbon Black (CAS 1333-86-4)	STEL	7 mg/m3	
	TWA	3,5 mg/m3	
Hungary. OELs. Decree on protect Components	ion of workers exposed to chemic Type	al agents (5/2020. (II.6)), A Value	Annex 1&2, as amended Form
Carbon Black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable dust.
celand. OELs. Regulation 390/200 Components	9 on Pollution Limits and Measure Type	s to Reduce Pollution at Value	the Workplace, as amende
Carbon Black (CAS 333-86-4)	TWA	3,5 mg/m3	
reland. OELVs, Schedules 1 & 2, 0 Components	Code of Practice for Chemical Age Type	nts and Carcinogens Reç Value	gulations Form
Carbon Black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
taly. OELs (Legislative Decree n.8 Components	1, 9 April 2008), as amended Type	Value	Form
Carbon Black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
ithuania. OELs. Occupational Exp /-824/A1-389), as amended	posure Limit Values for Chemical S	Substances (Hygiene Noi	rm HN 23:2011; Order No.
Components	Туре	Value	Form
Carbon Black (CAS I333-86-4)	TWA	5 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
	easures and Limit Values for Phys	sical and Chemical Facto	rs in Work Environment ar
nfection Groups for Biological Fa Components	ctors, as amended Type	Value	
Carbon Black (CAS 1333-86-4)	TLV	3,5 mg/m3	
Poland. Maximum permissible con 1286/2018, Annex 1)	centrations and intensities of harr	mful factors in the work e	environment (Dz.U.Poz.
Components	Туре	Value	Form
Carbon Black (CAS 333-86-4)	TWA	4 mg/m3	Inhalable fraction.
Portugal. VLEs. Norm on occupati Components	onal exposure to chemical agents Type	(NP 1796-2014) Value	Form
Carbon Black (CAS 333-86-4)	TWA	3 mg/m3	Fume.
Annex 1, Table 1, as amended)	sible exposure limits for chemical f		Regulation No 355/2006,
Components	Туре	Value	
Carbon Black (CAS 1333-86-4)	TWA	2 mg/m3	
due to Exp. to Chemicals at Work,			
Components	Туре	Value	Form
	T) A / A	10 ma/m2	Inhalable fraction.
	TWA	10 mg/m3	ililialable ll'action.
Carbon Black (CAS 1333-86-4)	TWA	1,25 mg/m3	Respirable fraction.

Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales (VLAs)

Components	Туре	Value	
Carbon Black (CAS	TWA	3,5 mg/m3	

Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as

Components	Туре	Value	Form
Carbon Black (CAS 1333-86-4)	TWA	5 mg/m3	Inhalable dusts and mists.
		1 mg/m3	Inhalable dust.
Switzerland. SUVA Grenzwert	e am Arbeitsplatz: Aktuelle MAK-	Werte	
Components	Туре	Value	Form
Carbon Black (CAS 1333-86-4)	TWA	3 mg/m3	Respirable dust.
		10 mg/m3	Inhalable dust.
UK. OELs. Workplace Exposu	re Limits (WELs) (EH40/2005 (Foເ	ırth Edition 2020)), Table 1	
Components	Туре	Value	
Carbon Black (CAS 1333-86-4)	STEL	7 mg/m3	
	TWA	3,5 mg/m3	

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no effect levels (DNELs)

Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Use personal protective equipment as required. Personal protection equipment should be chosen **General information**

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection

Skin protection

Chemical respirator with organic vapor cartridge and full facepiece.

Wear appropriate chemical resistant gloves. - Hand protection

- Other Wear suitable protective clothing. Use of an impervious apron is recommended.

Respiratory protection Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Keep away from food and drink. Always observe good personal hygiene measures, such as Hygiene measures

washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

work clothing and protective equipment to remove contaminants.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid. Liquid. **Form** Color Not available. Not available. Odor

Melting point/freezing point

Boiling point or initial boiling

point and boiling range

Not available.

Not available.

Flammability Not applicable.

Flash point 312,8 °F (156,0 °C) estimated

Auto-ignition temperatureNot available.Decomposition temperatureNot available.pHNot available.Kinematic viscosityNot available.

Solubility

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water) (log value)

Vapor pressure 0,00009 hPa estimated

Density and/or relative density

Density 1,03 g/cm3 estimated

Vapor density Not available.

Particle characteristics Not available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Specific gravity 1,03 estimated

SECTION 10: Stability and reactivity

10.1. ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stabilityMaterial is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoidContact with incompatible materials.

10.5. Incompatible materials Strong oxidizing agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.

Eye contact Causes serious eye irritation.

Ingestion Harmful if swallowed.

Symptoms Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if swallowed.

Components Species Test Results

Carbon Black (CAS 1333-86-4)

Acute Oral

Respiratory sensitization

LD50 Rat > 8000 mg/kg

Skin corrosion/irritationDue to partial or complete lack of data the classification is not possible.

Serious eye damage/eye Causes serious eye irritation.

Material name: DEVCON® Flexane® 80 Liquid Curing Agent

irritation

Due to partial or complete lack of data the classification is not possible.

Skin sensitizationDue to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity

Due to partial or complete lack of data the classification is not possible. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon Black (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

Due to partial or complete lack of data the classification is not possible. Reproductive toxicity

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Other information Not available.

SECTION 12: Ecological information

Very toxic to aquatic life with long lasting effects. 12.1. Toxicity

12.2. Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil 12.5. Results of PBT and vPvB

assessment

No data available.

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number UN3082

14.2. UN proper shipping

name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(2,6-diamino-3,5-diethyltoluene; 4,6-diethyl-2-methyl-1,3-benzenediamine; [1] 2,4-diamino-3,5-diethyltoluene; 2,4-diethyl-6-methyl-1,3-benzenediamine; [2]

diethylmethylbenzenediamine [3]), Limited Quantity

14.3. Transport hazard class(es)

9 Class Subsidiary risk 9 Label(s)

Material name: DEVCON® Flexane® 80 Liquid Curing Agent

6922N1 Version #: 03 Revision date: 07-28-2023 Issue date: 11-24-2021

```
Hazard No. (ADR)
                                 90
                                 Ε
        Tunnel restriction code
                                 Ш
    14.4. Packing group
    14.5. Environmental hazards Yes
                                 Read safety instructions, SDS and emergency procedures before handling.
    14.6. Special precautions
    for user
RID
    14.1. UN number
                                 Not regulated as dangerous goods.
    14.2. UN proper shipping
                                 Not regulated as dangerous goods.
    name
    14.3. Transport hazard class(es)
                                 Not assigned.
        Class
        Subsidiary risk
    14.4. Packing group
    14.5. Environmental hazards No.
                                 Not assigned.
    14.6. Special precautions
    for user
ADN
    14.1. UN number
                                 UN3082
    14.2. UN proper shipping
                                 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
                                 (2,6-diamino-3,5-diethyltoluene; 4,6-diethyl-2-methyl-1,3-benzenediamine; [1]
                                 2,4-diamino-3,5-diethyltoluene; 2,4-diethyl-6-methyl-1,3-benzenediamine; [2]
                                 diethylmethylbenzenediamine [3])
    14.3. Transport hazard class(es)
                                 9
        Class
        Subsidiary risk
                                 9
        Label(s)
    14.4. Packing group
                                 Ш
    14.5. Environmental hazards Yes
    14.6. Special precautions
                                 Read safety instructions, SDS and emergency procedures before handling.
    for user
IATA
    14.1. UN number
                                 Not regulated as dangerous goods.
    14.2. UN proper shipping
                                 Not regulated as dangerous goods.
    name
    14.3. Transport hazard class(es)
        Class
                                 Not assigned.
        Subsidiary risk
    14.4. Packing group
    14.5. Environmental hazards No.
    14.6. Special precautions
                                 Not assigned.
    for user
IMDG
                                 Not regulated as dangerous goods.
    14.1. UN number
    14.2. UN proper shipping
                                 Not regulated as dangerous goods.
    name
    14.3. Transport hazard class(es)
        Class
                                 Not assigned.
        Subsidiary risk
    14.4. Packing group
```

14.5. Environmental hazards Marine pollutant

EmS Not assigned. 14.6. Special precautions Not assigned.

for user


Not established. 14.7. Maritime transport in bulk

according to IMO instruments

ADN



ADR



Marine pollutant



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Carbon Black (CAS 1333-86-4)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

2,6-diamino-3,5-diethyltoluene;

75

4,6-diethyl-2-methyl-1,3-benzenediamine; [1]

2,4-diamino-3,5-diethyltoluene;

2,4-diethyl-6-methyl-1,3-benzenediamine; [2]

diethylmethylbenzenediamine [3] (CAS 68479-98-1)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other EU regulations Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances

Hazard categories in accordance with Regulation (EC) No 1272/2008

E1 Hazardous to the Aquatic Environment AcuteE1 Hazardous to the Aquatic Environment Chronic

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

Contains a substance which is included on the TRGS 905 list of carcinogenic, germ cell mutagenic and reproductive toxic substances

Carbon Black (CAS 1333-86-4)

Anorganische Faserstäube, soweit nicht erwähnt (ausgenommen Gipsfasernund Wollastonitfasern)

France regulations

France INRS Table of Occupational Diseases

Not regulated.

15.2. Chemical safety

No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H302 Harmful if swallowed.

H312 Harmful in contact with skin. H319 Causes serious eye irritation. H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Revision information

None.

Training information

Follow training instructions when handling this material.

Disclaimer

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.