SAFETY DATA SHEET

Version #: 01

Issue date: 07-25-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

Registration number

Synonyms None SKU# X0022

1.2. Relevant identified uses of the substance or mixture and uses advised against

Flexane 60L Hardener

Identified uses Not available. Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name ITW Performance Polymers

Address Bay 150

Shannon Industrial Estate

Co. Clare, Ireland

Division

Telephone Phone 353(61)771500

e-mail customerservice.shannon@itwpp.com

Contact person Not available.

1.4. Emergency telephone

number

Emergency Number 44(0)1235 239 670

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons

Information Center

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons

Control Center

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National

Toxicological Information

Center

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Croatia Poisons Information Center +385 1 2348 342 (Hours of operation not provided, SDS/Product information may

not be available for the Emergency Service.)

Cyprus Poison Center 1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

Czech Republic National Poisons Information

Center

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons

Control Center

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Estonia National Poisons Information Center

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Material name: Flexane 60L Hardener X0022 Version #: 01 Issue date: 07-25-2023 **Greece Poison Information**

Centre

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Hungary National

Emergency Phone Number

+36-80-201-199 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Iceland Poison Center

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Latvia Emergency medical

113

Latvia Poison and Drug Information Center

+371 67042473 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department**

2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Netherlands National Poisons Information Center (NVIC)

NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel

in cases of acute intoxications)

Norway Norwegian Poison Information Center

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Portugal Poison Center

800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)

Slovakia National Toxicological Information Center

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Spain Toxicology Information Service

+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Serious eye damage/eye irritation Category 2 H319 - Causes serious eye

irritation.

Specific target organ toxicity - repeated

exposure

Category 2

H373 - May cause damage to organs through prolonged or

repeated exposure.

Environmental hazards

Hazardous to the aquatic environment,

long-term aquatic hazard

Category 2

H411 - Toxic to aquatic life with

long lasting effects.

2.2. Label elements

Material name: Flexane 60L Hardener X0022 Version #: 01 Issue date: 07-25-2023

Label according to Regulation (EC) No. 1272/2008 as amended

UFI:

Austria: E160-904A-000D-4NW6 Belgium: E160-904A-000D-4NW6 Bulgaria: E160-904A-000D-4NW6 Croatia: E160-904A-000D-4NW6 Cyprus: E160-904A-000D-4NW6

Czech Republic: E160-904A-000D-4NW6 Denmark: E160-904A-000D-4NW6 Estonia: E160-904A-000D-4NW6

EU: E160-904A-000D-4NW6 Finland: E160-904A-000D-4NW6 France: E160-904A-000D-4NW6 Germany: E160-904A-000D-4NW6 Greece: E160-904A-000D-4NW6 Hungary: E160-904A-000D-4NW6 Iceland: E160-904A-000D-4NW6 Ireland: E160-904A-000D-4NW6 Italy: E160-904A-000D-4NW6 Latvia: E160-904A-000D-4NW6

Lithuania: E160-904A-000D-4NW6 Luxembourg: E160-904A-000D-4NW6 Malta: E160-904A-000D-4NW6 Netherlands: E160-904A-000D-4NW6 Norway: E160-904A-000D-4NW6 Poland: E160-904A-000D-4NW6 Portugal: E160-904A-000D-4NW6 Romania: E160-904A-000D-4NW6 Slovakia: E160-904A-000D-4NW6

Slovenia: E160-904A-000D-4NW6 Spain: E160-904A-000D-4NW6 Sweden: E160-904A-000D-4NW6

Contains: 2,6-diamino-3,5-diethyltoluene; 4,6-diethyl-2-methyl-1,3-benzenediamine; [1]

2,4-diamino-3,5-diethyltoluene; 2,4-diethyl-6-methyl-1,3-benzenediamine; [2]

diethylmethylbenzenediamine [3], Carbon Black

Hazard pictograms



Signal word Warning

Hazard statements

Causes serious eye irritation. H319

May cause damage to organs through prolonged or repeated exposure. H373

Toxic to aquatic life with long lasting effects. H411

Precautionary statements

Prevention

P260 Do not breathe mist/vapors. P264 Wash thoroughly after handling. Avoid release to the environment. P273 Wear eye protection/face protection. P280

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338

and easy to do. Continue rinsing.

Get medical advice/attention if you feel unwell. P314 If eye irritation persists: Get medical advice/attention. P337 + P313

Collect spillage. P391 Not available. **Storage**

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information 20% of the mixture consists of component(s) of unknown acute inhalation toxicity.

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a

concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
2,6-diamino-3,5-diethyltoluene; 4,6-diethyl-2-methyl-1,3-benzenediam ine; [1] 2,4-diamino-3,5-diethyltoluene; 2,4-diethyl-6-methyl-1,3-benzenediam ine; [2] diethylmethylbenzenediamine [3]	· ,	68479-98-1 270-877-4	-	612-130-00-0	
	mg/kg bw),		ng/kg bw), Acute Tox. 4;H31. FOT RE 2;H373, Aquatic Ac		
Carbon Black	0,10-0,99 %	1333-86-4 215-609-9	-	-	
Classification:	Carc. 2;H3	51			

Other components below reportable levels

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information If you feel unwell, seek medical advice (show the label where possible). Ensure that medical

personnel are aware of the material(s) involved, and take precautions to protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Immediately flush eves with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

4.2. Most important symptoms and effects, both acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Prolonged exposure may cause chronic effects.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

Move containers from fire area if you can do so without risk.

procedures

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Material name: Flexane 60L Hardener

For emergency responders Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be

advised if significant spillages cannot be contained. Use personal protection recommended in

Section 8 of the SDS.

6.2. Environmental precautions Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into

drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product

recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not breathe mist/vapors. Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances

Hazard categories in accordance with Regulation (EC) No 1272/2008

- E2 Hazardous to the Aquatic Environment Chronic (Lower-tier requirements = 200 tons;

Upper-tier requirements = 500 tons)

7.3. Specific end use(s)

Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 -

Chemical agents, as amended

Components	Туре	Value	
Carbon Black (CAS	TWA	3 mg/m3	
1333-86-4)			

Croatia. OELs (GVI). Regulation on Protection of Workers against Exposure to Dangerous Chemicals at Work, OELs and Biological Limit Values, Annex I (NN 91/2018), as amended

Components	Type	Value	
Carbon Black (CAS 1333-86-4)	MAC	3,5 mg/m3	
	STEL	7 mg/m3	

Cyprus. OELs. Control of factory atmosphere and dangerous substances in factories regulation, PI 311/73, as amendedComponentsTypeValueCarbon Black (CAS
1333-86-4)TWA3,5 mg/m3

Czech Republic. Occupational exposure limit values of chemicals at work (Decree on protection of health at work, 361/2007, Annex 2, Part A & Annex 3, Part A, as amended)

Components	Туре	Value	Form
Carbon Black (CAS 1333-86-4)	TWA	10 mg/m3	Dust.

Denmark. Work Environment Authority. Exposure Limits for Substances & Materials, Annex 2 Components Type Value

Carbon Black (CAS TLV 3,5 mg/m3 1333-86-4)

Material name: Flexane 60L Hardener

Components	Туре	Value	
Carbon Black (CAS I 333-86-4)	STEL	7 mg/m3	
	TWA	3,5 mg/m3	
rance. Threshold Limit Values (VLE Components	P) for Occupational Exposure Type	to Chemicals in France, IN Value	IRS ED 984
Carbon Black (CAS 1333-86-4)	VME	3,5 mg/m3	
Regulatory status: Indicative li	,		
Germany. DFG MAK List (advisory C n the Work Area (DFG), as updated	ELs). Commission for the Inve	estigation of Health Hazard	ls of Chemical Compounds
Components	Туре	Value	Form
Carbon Black (CAS 333-86-4)	TWA	4 mg/m3	Inhalable dust.
Germany. TRGS 900, Limit Values in Components	the Ambient Air at the Workpl	ace Value	Form
Carbon Black (CAS	AGW	10 mg/m3	Inhalable fraction.
1333-86-4)		1,25 mg/m3	Respirable fraction.
Greece. OELs, Presidential Decree N Components	lo. 307/1986, as amended Type	Value	
Carbon Black (CAS 333-86-4)	STEL	7 mg/m3	
	TWA	3,5 mg/m3	
lungary. OELs. Decree on protectio Components	n of workers exposed to chem Type	ical agents (5/2020. (II.6)), . Value	Annex 1&2, as amended Form
Carbon Black (CAS 333-86-4)	TWA	3 mg/m3	Inhalable dust.
celand. OELs. Regulation 390/2009 Components	on Pollution Limits and Measu Type	res to Reduce Pollution at Value	the Workplace, as amende
Carbon Black (CAS 333-86-4)	TWA	3,5 mg/m3	
reland. OELVs, Schedules 1 & 2, Co Components	de of Practice for Chemical Aç Type	gents and Carcinogens Reç Value	gulations Form
Carbon Black (CAS 333-86-4)	TWA	3 mg/m3	Inhalable fraction.
toly OEL a /Lasialativa Dansar v 04	9 April 2008), as amended	Value	Form
	Туре	Value	. •
Components Carbon Black (CAS	Type TWA	3 mg/m3	Inhalable fraction.
Components Carbon Black (CAS 333-86-4) Lithuania. OELs. Occupational Expo	TWA	3 mg/m3	Inhalable fraction.
Components Carbon Black (CAS 333-86-4) Lithuania. OELs. Occupational Expo 7-824/A1-389), as amended Components	TWA	3 mg/m3 Il Substances (Hygiene Noi Value	Inhalable fraction. rm HN 23:2011; Order No. Form
Components Carbon Black (CAS 333-86-4) Lithuania. OELs. Occupational Expo /-824/A1-389), as amended Components Carbon Black (CAS	TWA sure Limit Values for Chemica	3 mg/m3	Inhalable fraction. rm HN 23:2011; Order No.
Components Carbon Black (CAS 333-86-4) Lithuania. OELs. Occupational Expo 7-824/A1-389), as amended Components Carbon Black (CAS	TWA sure Limit Values for Chemica	3 mg/m3 Il Substances (Hygiene Noi Value	Inhalable fraction. rm HN 23:2011; Order No. Form
Components Carbon Black (CAS 333-86-4) Lithuania. OELs. Occupational Expo 7-824/A1-389), as amended Components Carbon Black (CAS 333-86-4) Horway. Regulation No. 1358 on Mea	TWA sure Limit Values for Chemica Type TWA asures and Limit Values for Ph	3 mg/m3 Il Substances (Hygiene Not Value 5 mg/m3 10 mg/m3	Inhalable fraction. rm HN 23:2011; Order No. Form Respirable fraction. Inhalable fraction.
Carbon Black (CAS 1333-86-4) Lithuania. OELs. Occupational Expo V-824/A1-389), as amended Components Carbon Black (CAS 1333-86-4) Norway. Regulation No. 1358 on Mea Infection Groups for Biological Facto Components	TWA sure Limit Values for Chemica Type TWA asures and Limit Values for Ph	3 mg/m3 Il Substances (Hygiene Not Value 5 mg/m3 10 mg/m3	Inhalable fraction. rm HN 23:2011; Order No. Form Respirable fraction. Inhalable fraction.

1286/2018, Annex 1) Components	Туре	Value	Form
Carbon Black (CAS 1333-86-4)	TWA	4 mg/m3	Inhalable fraction.
Portugal. VLEs. Norm on Components	occupational exposure to chemical ag Type	ents (NP 1796-2014) Value	Form
Carbon Black (CAS 1333-86-4)	TWA	3 mg/m3	Fume.
Slovakia. OELs. Maximum Annex 1, Table 1, as amer	n permissible exposure limits for chem nded)	nical factors in workplace air (Regulation No 355/2006,
Components	Туре	Value	
Carbon Black (CAS 1333-86-4)	TWA	2 mg/m3	
	onal Exposure Limits of Chemicals at at Work, Annex I), as amended	Workplace (Reg. on Protection	on of Workers from Risks
Components	Туре	Value	Form
Carbon Black (CAS 1333-86-4)	TWA	10 mg/m3	Inhalable fraction.
		1,25 mg/m3	Respirable fraction.
	tes de Exposición Profesional Para Ag	jentes Químicos, Table 1-Valo	ores Límites Ambientales
(VLAs) Components	Туре	Value	
Carbon Black (CAS	TWA	3,5 mg/m3	
1333-86-4)	W. I. F		L (450 0040 4)
amended (Annex 1).	Work Environment Authority (AV), Oc	cupational Exposure Limit va	liues (AFS 2018:1), as
Components	Туре	Value	Form
Carbon Black (CAS 1333-86-4)	TWA	5 mg/m3	Inhalable dusts and mis
		1 mg/m3	Inhalable dust.
Switzerland. SUVA Grenzy	werte am Arbeitsplatz: Aktuelle MAK-V	Verte	
Components	Туре	Value	Form
Carbon Black (CAS 1333-86-4)	TWA	3 mg/m3	Respirable dust.
		10 mg/m3	Inhalable dust.
	osure Limits (WELs) (EH40/2005 (Fou	rth Edition 2020)), Table 1	
Components	Туре	Value	
Carbon Black (CAS 1333-86-4)	STEL	7 mg/m3	
	TWA	3,5 mg/m3	
ogical limit values	No biological exposure limits noted for	- · · ·	
ommended monitoring cedures	Follow standard monitoring procedur	res.	
ved no effect levels ELs)	Not available.		
dicted no effect centrations (PNECs)	Not available.		
Exposure controls			
ropriate engineering trols	Good general ventilation should be uapplicable, use process enclosures, maintain airborne levels below reconestablished, maintain airborne levels	local exhaust ventilation, or othen mended exposure limits. If exp	er engineering controls to osure limits have not been
vidual protection measure	s, such as personal protective equipm	·	-
General information	Use personal protective equipment a		equipment should be chose
Jeneral Information	ore personal protestine equipment		- 4

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection

Skin protection

Chemical respirator with organic vapor cartridge and full facepiece.

- Hand protection

Wear appropriate chemical resistant gloves.

- Other Wear suitable protective clothing. Use of an impervious apron is recommended.

Chemical respirator with organic vapor cartridge and full facepiece. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid. Liquid. **Form** Color Black Odor Slight.

Melting point/freezing point **Boiling point or initial boiling**

point and boiling range

Not available. Not available.

Flammability Flash point

Not applicable. Not available.

Auto-ignition temperature Not available. Not available. **Decomposition temperature** Not available. pН Kinematic viscosity

Solubility

Not available.

Solubility (water) Partition coefficient

Not available. Not available.

(n-octanol/water) (log value)

Vapor pressure <1 mm Hg

Density and/or relative density

1.08 a/cm3 Density Not available. Vapor density **Particle characteristics** Not available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

1,08 Specific gravity

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Contact with incompatible materials. 10.4. Conditions to avoid

10.5. Incompatible materials Strong oxidizing agents.

10.6. Hazardous

decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Material name: Flexane 60L Hardener X0022 Version #: 01 Issue date: 07-25-2023 Information on likely routes of exposure

Prolonged inhalation may be harmful. Inhalation

Skin contact No adverse effects due to skin contact are expected.

Eye contact Causes serious eye irritation.

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred **Symptoms**

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not known.

Test Results Components **Species**

Carbon Black (CAS 1333-86-4)

Acute

Oral

LD50 > 8000 mg/kg Rat

Skin corrosion/irritation Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitization Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Skin sensitization Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible.

Risk of cancer cannot be excluded with prolonged exposure. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon Black (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

Due to partial or complete lack of data the classification is not possible. Reproductive toxicity

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Due to partial or complete lack of data the classification is not possible. **Aspiration hazard**

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Other information Not available

SECTION 12: Ecological information

Toxic to aquatic life with long lasting effects. Based on available data, the classification criteria are 12.1. Toxicity

not met for hazardous to the aquatic environment, acute hazard.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential No data available. Partition coefficient

n-octanol/water (log Kow)

Not available.

12.4. Mobility in soil

Not available. No data available.

12.5. Results of PBT and vPvB

Bioconcentration factor (BCF)

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual wasteDispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste codeThe Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Special precautionsDispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number UN3082

14.2. UN proper shipping

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

name

14.3. Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
Hazard No. (ADR) 90
Tunnel restriction code 14.4. Packing group III

14.5. Environmental hazards No. **14.6. Special precautions** Rea

recautions Read safety instructions, SDS and emergency procedures before handling.

for user

RID

14.1. UN number UN3082

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

name

14.3. Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
14.4. Packing group III
14.5. Environmental hazards No.

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

ADN

14.1. UN number UN3082

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

name

14.3. Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
14.4. Packing group III
14.5. Environmental hazards No.

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

IATA

14.1. UN number UN3082

14.2. UN proper shipping Environmentally hazardous substance, liquid, n.o.s.

name

14.3. Transport hazard class(es)

Class 9
Subsidiary risk
14.4. Packing group III

14.5. Environmental hazards No.
ERG Code 9L

14.6. Special precautions

for user

Read safety instructions, SDS and emergency procedures before handling.

Other information

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

IMDG

14.1. UN number UN3082

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

name

14.3. Transport hazard class(es)

Class 9
Subsidiary risk 14.4. Packing group III
14.5. Environmental hazards
Marine pollutant No.
EmS F-A, S-F


14.6. Special precautions

for user

Read safety instructions, SDS and emergency procedures before handling.

Not established.

14.7. Maritime transport in bulk according to IMO instruments



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Carbon Black (CAS 1333-86-4)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Material name: Flexane 60L Hardener

UFI:

Austria: E160-904A-000D-4NW6 Belgium: E160-904A-000D-4NW6 Bulgaria: E160-904A-000D-4NW6 Croatia: E160-904A-000D-4NW6 Cyprus: E160-904A-000D-4NW6

Cyprus: E160-904A-000D-4NW6 Czech Republic: E160-904A-000D-4NW6 Denmark: E160-904A-000D-4NW6 Estonia: E160-904A-000D-4NW6 EU: E160-904A-000D-4NW6 Finland: E160-904A-000D-4NW6 France: E160-904A-000D-4NW6 Germany: E160-904A-000D-4NW6 Greece: E160-904A-000D-4NW6 Hungary: E160-904A-000D-4NW6 Iceland: E160-904A-000D-4NW6 Ireland: E160-904A-000D-4NW6 Italy: E160-904A-000D-4NW6 Latvia: E160-904A-000D-4NW6 Lithuania: E160-904A-000D-4NW6 Luxembourg: E160-904A-000D-4NW6

Luxembourg: E160-904A-000D-4NW6
Malta: E160-904A-000D-4NW6
Netherlands: E160-904A-000D-4NW6
Norway: E160-904A-000D-4NW6
Poland: E160-904A-000D-4NW6
Portugal: E160-904A-000D-4NW6
Romania: E160-904A-000D-4NW6
Slovakia: E160-904A-000D-4NW6
Slovenia: E160-904A-000D-4NW6
Spain: E160-904A-000D-4NW6

Sweden: E160-904A-000D-4NW6

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

2,6-diamino-3,5-diethyltoluene;

75

4,6-diethyl-2-methyl-1,3-benzenediamine; [1]

2,4-diamino-3,5-diethyltoluene;

2,4-diethyl-6-methyl-1,3-benzenediamine; [2] diethylmethylbenzenediamine [3] (CAS 68479-98-1)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances

Hazard categories in accordance with Regulation (EC) No 1272/2008

- E2 Hazardous to the Aquatic Environment Chronic

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

Contains a substance which is included on the TRGS 905 list of carcinogenic, germ cell mutagenic and reproductive toxic substances

Carbon Black (CAS 1333-86-4)

Anorganische Faserstäube, soweit nicht erwähnt (ausgenommen Gipsfasernund Wollastonitfasern)

France regulations

France INRS Table of Occupational Diseases

Not regulated.

Product registration number

 Austria
 UFI: E160-904A-000D-4NW6

 Belgium
 UFI: E160-904A-000D-4NW6

 Czech Republic
 UFI: E160-904A-000D-4NW6

 Denmark
 UFI: E160-904A-000D-4NW6

 European Union
 UFI: E160-904A-000D-4NW6

Finland UFI: F160-904A-000D-4NW6 UFI: E160-904A-000D-4NW6 France UFI: E160-904A-000D-4NW6 Germany UFI: E160-904A-000D-4NW6 Greece Hungary UFI: E160-904A-000D-4NW6 Italy UFI: E160-904A-000D-4NW6 **Netherlands** UFI: E160-904A-000D-4NW6 Norway UFI: E160-904A-000D-4NW6 **Poland** UFI: E160-904A-000D-4NW6 UFI: E160-904A-000D-4NW6 **Portugal** UFI: E160-904A-000D-4NW6 Slovakia Slovenia UFI: E160-904A-000D-4NW6 Spain UFI: E160-904A-000D-4NW6 Sweden UFI: E160-904A-000D-4NW6 UFI: E160-904A-000D-4NW6 Switzerland

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

The classification for health and environmental hazards is derived by a combination of calculation

Chemicals in Bulk.

Not available

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

S,

Full text of any statements, which are not written out in full under sections 2 to 15

H302 Harmful if swallowed.

H312 Harmful in contact with skin. H319 Causes serious eye irritation. H351 Suspected of causing cancer.

methods and test data, if available.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Revision information

Non

Training information

Follow training instructions when handling this material.

Disclaimer

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.